

Floor cleaning and care for sealed wood RM 534

Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

Date of issue: 10/27/2017 Revision date: 10/27/2017 Version: 1.00

KÄRCHER

SECTION 1: Identification

1.1. Identification

Trade name : Floor cleaning and care for sealed wood RM 534

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Floor cleaning (liquids)

1.3. Supplier

Manufacturer/Supplier

Alfred Kärcher GmbH & Co. KG
Alfred-Kärcher-Str. 28-40
P.O. Box 160
Winnenden, 71364 - GERMANY
T +49-7195-14-0 - F +49-7195-14-2212
www.karcher.com

Importer

Kärcher North America
4555 Airport Way
Denver, CO 80239
USA
Corporate Main Phone
877-722-6555
Home & Garden Customer Service
800-537-4129

Email competent person

sds@kft.de

1.4. Emergency telephone number

Emergency number : For Hazardous Materials [or Dangerous Goods] Incidents
Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night
Within USA and Canada: 1-800-424-9300
Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Serious eye damage/eye irritation Category 2 H319 Causes serious eye irritation

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS-US labeling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) :

Warning

Hazard statements (GHS-US) :

H319 - Causes serious eye irritation

Precautionary statements (GHS-US) :

P264 - Wash hands, forearms and face thoroughly after handling.
P280 - Wear eye protection, face protection.
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

Floor cleaning and care for sealed wood RM 534

Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
ethanol	(CAS-No.) 64-17-5	2.5 - 5	Flam. Liq. 2, H225 Eye Irrit. 2A, H319
Poly(oxy-1,2-ethandiyl).alpha.-tridecyl-.omega.-hydroxy-.branched	(CAS-No.) 69011-36-5	1 - 2.5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general	: When in doubt or if symptoms are observed, get medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after eye contact	: Eye irritation.
------------------------------------	-------------------

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Strong water jet.

5.2. Specific hazards arising from the chemical

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
------------	--

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: Do not allow run-off from fire fighting to enter drains or water courses. Disposal must be done according to official regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment	: No specific measures are necessary.
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Avoid sub-soil penetration. Prevent entry to sewers and public waters.

Floor cleaning and care for sealed wood RM 534

Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Take up liquid spill into absorbent material. Mechanically recover the product. Take up mechanically (sweeping, shoveling) and collect in suitable container for disposal.
- Other information : Shovel into suitable and closed container for disposal. Disposal must be done according to official regulations.

6.4. Reference to other sections

Information for safe handling. See section 7. Concerning personal protective equipment to use, see section 8. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin and eyes.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Does not require any specific or particular technical measures.
- Storage conditions : Store in a well-ventilated place. Keep cool.
- Information about storage in one common storage facility : Keep away from food, drink and animal feeding stuffs.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ethanol (64-17-5)		
ACGIH	Local name	Ethanol
ACGIH	ACGIH STEL (ppm)	1000 ppm
ACGIH	Remark (ACGIH)	URT irr
ACGIH	Regulatory reference	ACGIH 2017
OSHA	OSHA PEL (TWA) (mg/m ³)	1900 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA
Poly(oxy-1,2-ethandiyl).alpha.-tridecyl-.omega.-hydroxy-,branched (69011-36-5)		
Not applicable		

8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
- Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves. Does not require any particular or specific measures. Respect the general rules for occupational hygiene. Gloves must be replaced after each use and whenever signs of wear or perforation appear. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer

Eye protection:

Sealed safety goggles. Use splash goggles when eye contact due to splashing is possible. Wear closed safety glasses. EN 166

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Floor cleaning and care for sealed wood RM 534

Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

No respiratory protection needed under normal use conditions. EN 143

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: clear.
Color	: colorless
Odor	: lemon odor
Odor threshold	: No data available
pH	: 7.1
pH solution	: ≈ 7.4 (1% aq.)
Melting point	: Not applicable
Freezing point	: 0 °C
Boiling point	: No data available
Flash point	: > 85 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 1.002 g/cm ³
Solubility	: Water: g/l completely miscible
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 3.3 mPa.s (20 °C)
Explosion limits	: No data available
Explosive properties	: Product is not explosive.
Oxidizing properties	: No data available

9.2. Other information

Refractive index : 1.34

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Floor cleaning and care for sealed wood RM 534

Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified
(Based on available data, the classification criteria are not met)

Floor cleaning and care for sealed wood RM 534	
ATE US (oral)	37037 mg/kg body weight
ethanol (64-17-5)	
LD50 oral rat	10470 mg/kg (OECD 401 method)
ATE US (oral)	10470 mg/kg body weight
ATE US (vapors)	20000 mg/l/4h
Poly(oxy-1,2-ethandiyl).alpha.-tridecyl-.omega.-hydroxy-,branched (69011-36-5)	
LD50 oral rat	500 - 2000 mg/kg body weight
ATE US (oral)	500 mg/kg body weight

Skin corrosion/irritation : Not classified
(Based on available data, the classification criteria are not met)
pH: 7.1

Serious eye damage/irritation : Causes serious eye irritation.
pH: 7.1

Respiratory or skin sensitization : Not classified
(Based on available data, the classification criteria are not met)

Germ cell mutagenicity : Not classified
(Based on available data, the classification criteria are not met)

Carcinogenicity : Not classified
(Based on available data, the classification criteria are not met)

ethanol (64-17-5)	
NOAEL (chronic,oral,animal/male,2 years)	> 4400 mg/kg body weight (EPA OPPTS 870.4200)
NOAEL (chronic,oral,animal/female,2 years)	> 4250 mg/kg body weight (EPA OPPTS 870.4200)
IARC group	1 - Carcinogenic to humans

Reproductive toxicity : Not classified
(Based on available data, the classification criteria are not met)

Specific target organ toxicity – single exposure : Not classified
(Based on available data, the classification criteria are not met)

Specific target organ toxicity – repeated exposure : Not classified
(Based on available data, the classification criteria are not met)

Aspiration hazard : Not classified
(Based on available data, the classification criteria are not met)

Symptoms/effects after eye contact : Eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

ethanol (64-17-5)	
LC50 fish 1	14200 mg/l (96 h; US EPA method E03-05)
EC50 Daphnia 1	5012 mg/l (48 h; ASTM E729-80)
LC50 fish 2	8140 mg/l Leuciscus idus (golden orfe)
NOEC chronic fish	250 mg/l (OECD 212 method)
NOEC chronic crustacea	2 mg/l (10d)

Floor cleaning and care for sealed wood RM 534

Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

12.2. Persistence and degradability

Floor cleaning and care for sealed wood RM 534

Persistence and degradability

Inherently biodegradable. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

ethanol (64-17-5)

Persistence and degradability

Readily biodegradable.

Biodegradation

97 % (28 d)

12.3. Bioaccumulative potential

ethanol (64-17-5)

Log Kow

-0.31

Bioaccumulative potential

Bioaccumulation unlikely.

12.4. Mobility in soil

ethanol (64-17-5)

Ecology - soil

No additional information available.

12.5. Other adverse effects

Effect on the global warming

: No known effects from this product.

GWPmix comment

: No known effects from this product.

Other information

: The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. Do not allow uncontrolled discharge of product into the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods

: Disposal must be done according to official regulations. Ensure all national/local regulations are observed. Do not discharge into drains or the environment. Do not dispose of with domestic waste.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Floor cleaning and care for sealed wood RM 534

Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

ethanol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

SECTION 16: Other information

Revision date : 10/27/2017
Data sources : Information provided by the manufacturer. Annex VI. ECHA (European Chemicals Agency).
Department issuing data specification sheet: : KFT Chemieservice GmbH
Im Leuschnerpark. 3 64347 Griesheim
Postfach 1451 64345 Griesheim
Germany
Phone: +49 6155-8981-400 Fax: +49 6155 8981-500
Safety Data Sheet Service: +49 6155 8981-522
Contact person : Dr. Sebastian Kitzig

Full text of H-phrases:

H225	Highly flammable liquid and vapour
H302	Harmful if swallowed
H318	Causes serious eye damage
H319	Causes serious eye irritation

Abbreviations and acronyms:

Floor cleaning and care for sealed wood RM 534

Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
DPD	Dangerous Preparations Directive 1999/45/EC
DSD	Dangerous Substances Directive 67/548/EEC
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
TLM	Median Tolerance Limit
STP	Sewage treatment plant
vPvB	Very Persistent and Very Bioaccumulative

KFT SDS US 09

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product