

KÄRCHER

makes a difference



SLIMMER AND SHORTER DESIGN FOR CLEANING APPLICATIONS ALSO IN ANGLED AREAS.

Equipped either with a disc brush or roller brush head made from die-cast aluminium with integrated pre-sweep function.

B 110 R Bp



Powerful and very user-friendly.

The B 110 R is equipped for cleaning tasks in, e.g., supermarkets, shopping centres, hospitals or also production areas and warehouses. Colour-coded operating elements make possible extremely simple handling. This is supported by the innovative KIK key system, which essentially rules out any operating errors. A height-adjustable driver's seat, the integrated daytime driving lights, the colour display, via which all machine settings can be entered in 30 languages, as well as the Auto Fill function for the time-saving filling of the fresh water tank, highlight the high level of user-friendliness and increase the productivity of the machine.



1 Roller brush head with integrated sweeping unit.

- Made from die-cast aluminium with large bumper wheels.
- Saves time with integrated pre-sweeping of coarse dirt.
- Very smooth running and quiet operation for application in noise-sensitive areas.




2 Optional side scrub deck.

- Extends the working width by 10 centimetres.
- Makes cleaning close to the edges possible, also under shelves.



3 Height-adjustable seat.

- Perfect sitting position irrespective of the operator's physical height.
- Superb seating comfort during the journey.
- Allows longer, fatigue-free work intervals.



4 Speed-dependent water dosing.

- Reduces the water supply in bends or during slow journeys.
- The water-saving function increases the area performance.
- Faster drying of the ground and lower risk of residual water in bends.

Technical data and equipment

B 110 R Bp

- = Perfect for use in supermarkets, shopping centres or hospitals.
- = suitable for cleaning production areas and warehouses.

Technical data

Tank capacity (fresh water/dirt water)	l/gal	110/110 / 29/29
Brush working width	mm/in	750/30
Vacuum working width	mm/in	950/37
Theoretical area performance	ft²	48,440
Practical area performance	ft²	33,910
Hill climbing ability	%	10%
Sound pressure level	dB(A)	59
Minimum turning radius	mm/in	1,750/69
Traction motor	W	600
Weight without accessories	kg	202
Dimensions (LxWxH)	mm	1,695x975x1,315

Equipment

Order No.	Description
9.513-001.0	B 110 R Bp with R75 head (75 cm/30 in) & 245 AH wet batteries, 29 gallon ride-on scrubber
9.513-002.0	B 110 R Bp with D75 head (75 cm/30 in) & 245 AH wet batteries, 29 gallon ride-on scrubber
9.513-003.0	B 110 R Bp with R75 head (75 cm/30 in) & 245 AH AGM batteries, 29 gallon ride-on scrubber
9.513-004.0	B 110 R Bp with D75 head (75 cm/30 in) & 245 AH AGM batteries, 29 gallon ride-on scrubber

Accessories

Order No.	Description
■ 2.763-047.0	Brush head R75, 75 cm/30 in
■ 2.763-005.0	Brush head D75, 75 cm/30 in
■ 9.512-791.0	AGM battery (standard with AGM models) 4 required
■ 9.512-728.0	Wet battery 245 AH (standard with wet models) 4 required
■ 9.512-938.0	Battery Charger (standard on all models)
■ 4.778-007.0	Suction bar parabolic 95cm/37 in
□ 2.644-243.0	Add-on kit side scrubbing deck
□ 4.070-075.0	Set universal hook
□ 4.039-327.0	Cover plate complete tank flushing system
□ 6.980-077.0	Double hook
□ 6.980-078.0	Holder handhold grey
□ 4.035-619.0	Set deflector roll stack formation SB
□ 4.035-406.0	Set Homebase Box
□ 4.039-350.0	Set LED revolving signal light
□ 2.644-245.0	Set cleaning agents DOSE
□ 4.039-349.0	Set mop Homebase B110R

■ Included □ Optional

Please contact us for more information:

Karcher Canada Inc.

275 Pendant Drive

Mississauga, ON

L5T 2W9

Phone 905-364-5006

Fax 800-465-6013

www.karcher.ca

sales_kci@karcherna.com