# KARCHER


# GEANNER HEGAR DEALERS

Our solutions for your company

**PROFESSIONAL |** AUTOMOTIVE | CAR DEALERSHIPS

# CLEANLINESS IS HALF THE BATTLE.

Kärcher offers you cleaning concepts that are adapted to the specific requirements of car dealerships and repair centres. See for yourself on the following pages what we have to offer in terms of our extensive range of cleaning equipment and custom-er-friendly service solutions.



#### **Table of Contents**

- Outside area
- 8 Showroom
- Workshop
   Storeroom

4

- 22 Vehicle wash
- 28 Interior cleaning
- 32 EASY!Force

- 34 Car wash system
- 36 Lorry wash system
- 38 iSolar
- 40 Tact system
- 42 HDS-Automotive
- 44 Cleaning agent
- 50 Kärcher Services

# **OUTDOOR AREA**

The business card of a successful company: perfect cleanliness thanks to intelligent Kärcher products for outdoor cleaning.





#### KM 85/50 R Bp Pack

#### Vacuum sweeper

- Compact design for maximum manoeuvrability
- Easy and intuitive operation
- Retractable side brush

Technical data		Technical data	
Drive	DC motor	Drive	Four-stroke petrol engine/Honda
Drive- performance (V / W)	24/1000	Drive- performance (W)	3300
Drive type	Battery	Drive type	Petrol
Max. area performance (m <sup>2</sup> /h)	5100	Max. area performance (m <sup>2</sup> /h)	3375
Max. area performance with 2 side brushes ( $m^2/h$ )	6510	Working width (mm)	550
Working width (mm)	615	Working width with 1 side brush (mm	) 750
Working width with 1 side brush (mm)	850	Waste container (I)	40

#### Equipmer

Filter cleaning manual • Filter cleaning mechanical • Powerful traction drive electric • Main sweeper roller, floating • Suction volume regulation
Coarse dirt flap • Battery and built-in charger included • Overhead sweeping principle

#### Order no. 1.351-127.0

#### Price

#### **Recommended accessories**

Attachment kit 2nd side brush, left Order no. 2.852-321.0 / Price Flashing beacon Order no. 2.852-500.0 / Price



### KM 75/40 W G

#### Vacuum sweeper

- Waste container with trolley handle
- Roller brush replacement without tools
- Effective filter cleaning system with filter replacement on the clean side without tools

#### Equipment

Polyester flat pleated filter • Filter cleaning manual • Forwards traction drive • Main sweeper roller adjustable • Waste container, mobile • Coarse dirt flap • Foldable push handle • Overhead sweeping principle

Order no. 1.049-205.0 Price

#### **Recommended accessories**

Main sweeper roller, hard Order no. 6.906-885.0 / Price OUTSIDE AREA



## KM 70/30 C Bp Adv

#### Sweeper

- With charger and batteries (Bp Pack version)
- Electrically powered main sweeper roller and side brush
- Roller brush and side brushes continuously adjustable

		5	
		/	/
	-	3	h
T	700	-	U

#### KM 70/20 C

#### Sweeper

- Roller brush driven by both wheels
- Push handle adjustable in 3 positions
  Roller brush and side brushes continuously adjustable

Technical data	
Drive	Manual
Drive- performance (V / W)	12/195
Max. area performance (m <sup>2</sup> /h)	2800
Working width (mm)	480
Working width with 1 side brush (mm)	700
Container capacity gross/net (I)	42/30
Filter areas (m <sup>2</sup> )	0.61

Technical data	
Drive	Manual
Max. area performance (m²/h)	2800
Working width (mm)	480
Working width with 1 side brush (mm)	700
Container capacity gross/net (I)	42/20
Weight (with accessories) (kg)	22
Weight, ready to uset (kg)	23

sweeper roller adjustable - Filter cleaning manual - Foldable push handle • Dustpan principle • Suction

#### Εαι

Fine dust filter • Sweeper drive, manual • Main sweeper roller adjustable • Foldable push handle • Dustpan principle • Outdoor use • Indoor use

Order no. 1.517-212.0
Price

**Recommended accessories** 

Order no. 2.640-908.0 / Price

ABS litter picker set

#### Order no. 1.517-106.0 Price


#### **Recommended accessories**

ABS litter picker set Order no. 2.640-908.0 / Price



# **SHOWROOM**

The better the shine, the better your sales. Count on Kärcher in order for your showrooms to shine like the cars you sell.





# T 12/1 eco!efficiency

#### Dry vacuum cleaner

- Reduced power consumption
- Pluggable power cable
- Very quiet

Technical data		Technical data	
Current type (V/Hz)	220 - 240/50 - 60	Current type (Ph/V/Hz)	1/220 - 240/50 - 60
Air flow (l/s)	46	Air flow (l/s)	40
Vacuum (mbar/kPa)	185/18.5	Vacuum (mbar/kPa)	235/23.5
Container content (I)	12	Container content (I)	7.5
Max. rated input power (W)	max. 500	Max. rated input power (W)	max. 850
Standard nominal width	ID 35	Standard nominal width	ID 35
Cable length (m)	12	Cable length (m)	7.5

#### Equipment

Suction hose, 2 m, with bend • Suction tube, 2 piece(s), 0.5 m, Metal • Filter bag, 1 piece(s), Fleece • Container material Plastic • Clip system for hose extension • Permanent filter basket, nylon

#### Order no. 1.355-135.0

#### Price

#### Recommended accessories

Parquet nozzle Order no. 2.889-196.0 / Price



# T 7/1 Classic

#### Dry vacuum cleaner

- Extremely lightweight (< 3.5 kg)</li>
- Strong suction power
- Low noise

#### Equipment

Suction hose, 2 m, with bend • Suction tube, 3 piece(s), 0.35 m, Plastic • Filter bag, 1 piece(s), Fleece • Container material Plastic • Floor nozzle • Permanent filter basket, fleece

#### Order no. 1.527-181.0 Price

#### **Recommended accessories**

Parquet nozzle Order no. 2.889-196.0 / Price



WPD 200 Basic



#### B 40 W Bp DOSE (roller)

Scrubber drier

Technical data	
Voltage (Ph/V/Hz)	1/220 - 240/50
Water quantity, ambient (I/h)	max. 120
Water amount, still, chilled (I/h)	max. 40
Water quantity, chilled, carbonated (I/h)	max. 40
Coolant	R134a
Amount of Coolant (kg)	0.1
$CO_2$ content in water (g/l)	6.5

Technical data	
Working width of brushes (mm)	550
Working width, vacuuming (mm)	850
Max. area performance (m <sup>2</sup> /h)	3300
Practical area performance (m <sup>2</sup> /h)	1980
Fresh/dirty water tank (I)	40/40
Brush contact pressure (g/cm <sup>2</sup> )	140/160
Brush speed (rpm)	1200

Configurable • Optional: Hy-Protect ultra filter • UV-Protect UV lamp • Optional: UV-lamp "UV protect" • Active-Pure active carbon filter • Water dispensing valve with contact protection - Positioning aid for drinking cup - Optional: Drip tray draining

#### Εαι

ent

Roller brush • Tin • Sweeping function • Tank-in-tank design

Order no. 1.024-920.2	
Price	

Order no. 1.533-210.2
Price

#### **Recommended accessories**

Base without cup dispenser, white, WPD Order no. 2.643-883.0 / Price



# BR 35/12 C Bp Pack

#### Scrubber drier

Energy-saving eco!efficiency mode

Includes sweeping function

Height-adjustable handlebar

Т	PI	٢h	n	ica	l d	a	ta

Technical data		Technical data	
Working width of brushes (mm)	350	Current type (V/Hz)	220 - 240/50 - 60
Working width, vacuuming (mm)	450	Working width of brushes (mm)	300
Rated input power (W)	500	Working width, vacuuming (mm)	300
Battery (V/Ah)	25.2/21	Rated input power (W)	820
Max. area performance (m <sup>2</sup> /h)	1400	Max. area performance (m <sup>2</sup> /h)	200
Practical area performance (m <sup>2</sup> /h)	1050	Practical area performance (m <sup>2</sup> /h)	130
Fresh/dirty water tank (I)	12/12	Fresh/dirty water tank (I)	4/4

Variable contact pressure • Transport wheels • Squeegee, straight

#### Order no. 1.783-450.0

Price

#### **Recommended accessories**

Microfibre roller, 350 mm Order no. 4.037-066.0 / Price



## BR 30/4 C Adv

#### Scrubber drier

- Suction can be switched off
- Operates forwards and backwards
- Manual vacuuming, microfibre roller

Roller brush • 2-tank system • Mains operation • Transport wheels • 2 squeegees, straight


#### Order no. 1.783-213.0 Price

#### **Recommended accessories**

Microfibre roller, 300 mm Order no. 4.762-453.0 / Price

# WORKSHOP

Safety at work through cleanliness: trust in Kärcher cleaning solutions to impress your customers and employees.





### NT 65/2 Ap

#### Wet and dry vacuum cleaner

Semi-automatic filter cleaning

Flat pleated filter (dust class M)

Drain hose and push handle

Technical data		Technical data	
Current type (Ph/V/Hz)	1/220 - 240/50 - 60	Current type (Ph/V/Hz)	1/220 - 240/50 - 60
Air flow (l/s)	2 × 74	Air flow (I/s)	74
Vacuum (mbar/kPa)	254/25.4	Vacuum (mbar/kPa)	254/25.4
Container content (I)	65	Container content (I)	30
Container material	Plastic	Container material	Plastic
Rated input power (W)	max. 2760	Rated input power (W)	1380
Standard nominal width	ID 40	Standard nominal width	ID 35

#### Equipment

Suction hose, 4 m, with bend • Suction tube, 2 piece(s), 0.5 m, Metal • Filter bag, 1 piece(s), Paper • Wet/dry floor nozzle, 360 mm • Crevice nozzle • Drain hose (oil-resistant) • Automatic cut-out features at max. filling quality • Flat pleated filter Paper

#### Order no. 1.667-291.0

Price

#### Recommended accessories

Multi-purpose nozzle, wet/dry Order no. 6.906-383.0 / Price

Suction hose + PFC module, electrically conductive **Order no. 4.440-728.0 / Price** 

Car nozzle Order no. 6.900-952.0 / Price



## NT 30/1 Tact Te L

#### Wet and dry vacuum cleaner

- PES flat pleated filter
- Antistatic preparation
- Automatic on/off switch

#### Equipment

Suction hose, 4 m, with bend • Suction tube, 2 piece(s), 0.55 m, 35 mm, Stainless steel • Filter bag, 1 piece(s), Fleece • PE plastic bag for dustfree disposal 1 piece(s) • Wet/dry floor nozzle, 360 mm • Crevice nozzle • Power tool connection adapter • Automatic cut-out features at max. filling quality

Order no. 1.148-211.0 Price

#### **Recommended accessories**

Electrically conductive suction hose Order no. 2.889-137.0 / Price

Car cleaning accessory kit Order no. 2.862-166.0 / Price Car nozzle Order no. 6.906-108.0 / Price

Tool collar DN 35, clip-on Order no. 2.889-151.0 / Price



### NT 22/1 Ap L

#### Wet and dry vacuum cleaner

- Efficient semi-automatic filter cleaning
- Suction hose port in the head of the machine
- Moisture-resistant PES cartridge filter

Technical data	
Current type (Ph/V/Hz)	1/220 - 240/50 - 60
Air flow (l/s)	71
Vacuum (mbar/kPa)	255/25.5
Container content (I)	22
Container material	Plastic
Rated input power (W)	1300
Standard nominal width	ID 35

Suction hose, 1.9 m, with bend - Suction tube, 2 piece(s), 0.5 m, Plastic -Filter bag, 1 piece(s), Fleece • Wet/dry floor nozzle, 300 mm • Crevice nozzle • Cartridge filter PES • Filter cleaning ApClean (semi-automatic filter cleaning) 

Stop swivel castor

#### Order no. 1.378-600.0 Price

#### **Recommended accessories**

Suction hose

Order no. 2.889-135.0 / Price Car cleaning accessory kit Order no. 2.862-166.0 / Price

Car nozzle Order no. 6.906-108.0 / Price

Brush speed (rpm)	1200
Brush contact pressure (g/cm <sup>2</sup> )	140/160
Fresh/dirty water tank (I)	40/40
Practical area performance (m <sup>2</sup> /h)	1980
Max. area performance (m <sup>2</sup> /h)	3300
Working width, vacuuming (mm)	850

Roller brush • Tin • Sweeping function • Tank-in-tank design

#### Order no. 1.533-210.2 Price

#### **Recommended accessories** Roller brush, hard, green, 550 mm Order no. 4.762-411.0 / Price

Filling hose Order no. 6.680-124.0 / Price

# B 40 W Bp DOSE (roller)

#### Scrubber drier

Technical data

Working width of brushes (mm)

Technical data	
Current type (V)	
Working width of brushes (mm)	
Working width, vacuuming (mm)	
Rated input power (W)	
Battery (V/Ah)	
Max. area performance (m <sup>2</sup> /h)	

Fresh/dirty water tank (I)

550

Variable contact pressure • Transport wheels • Squeegee, straight

#### Order no. 1.783-460.0

#### Price

#### **Recommended accessories**

Roller brush, hard, green, 450 mm Order no. 4.762-407.0 / Price Filling hose Order no. 6.680-124.0 / Price

# BR 45/22 C Bp Pack

#### Scrubber drier

Lithium-ion battery

- Built-in charger included in delivery
- Height-adjustable handlebar





## **BR 40/10C**

#### Scrubber drier

- High scrubbing performance
- With adjustable contact pressure
- Includes roller brushes

Technical data	
Current type (V/Hz)	220 - 240/50
Working width of brushes (mm)	400
Working width, vacuuming (mm)	400
Rated input power (W)	2300
Max. area performance (m <sup>2</sup> /h)	400
Practical area performance (m <sup>2</sup> /h)	300
Fresh/dirty water tank (I)	10/10

25.2 450

500

up to 550

25.2/42

1800

22/22

sure • Transport wheels • 2 squeegees, straight

#### Order no. 1.783-311.0 Price

#### **Recommended accessories**

Squeegee, 435 mm, straight Order no. 4.777-098.0 / Price Squeegee blades, oil-resistant, grooved, 435 mm

#### WORKSHOP



#### IB 7/40 Adv

#### Dry ice blaster

- Operation by the trigger gun
- Oil and water separator
- For in-house compressed air networks

Ø

### PC 100 M2 Bio

#### Parts cleaner

- Washstand, large rinsing basin
- 1 tap, 2 brushes, 2 drains

Technical data	
Connected load (kW)	0.6
Compressed air connection	Claw coupling (DIN 3238)
Casing/frame	Stainless steel (1.4301)
Air pressure (bar/MPa)	2 - 10/0.2 - 1
Air quality	Dry & oil-free
Air flow (m³/min)	0.5 - 3.5
Sound pressure level (dB(A))	99

#### Equipme

Grease for nozzle threads • Flat jet nozzle • Open-end wrench (for changing nozzles) 2 piece(s) • Spray hose with electrical control cable and quick coupling • Jet gun (ergonomic and safe) • Ice quantity set directly on the jet gun • Air pressure set directly on the jet gun • "Air only" or "Air and ice" switch on the blasting trigger gun

#### Order no. 1.574-002.0 Price

#### **Recommended accessories**

Flat jet nozzle, XS, short Order no. 4.574-040.0 / Price

Round spray nozzle, XS, long Order no. 4.574-037.0 / Price

Scrambler Order no. 4.574-026.0 / Price

Compressed air hose, 1", 20 m Order no. 6.574-280.0 / Price

Technical data	
Pressure (bar/MPa)	0.3/0.03
Flow rate (I/h)	900
Connected load (kW)	1
Working area (mm)	1041/660
Casing/frame	HDPE – Plastic
Certified (by) to	CE/GS
Heating output (kW)	1

#### Equipment

Brush (pervaded with cleaning agent) 

Tap

Water level control

#### Order no. 1.626-722.0 Price

#### **Recommended accessories**

Filter mat with microbes, 3-ply Order no. 6.626-042.0 / Price

Flow-through brush, long hose Order no. 6.626-039.0 / Price Roller cart

Order no. 6.626-043.0 / Price





# WAREHOUSE

Kärcher has the right solution for every warehouse, to carry out the cleaning quickly and effectively, increase work safety, ensure product quality and avoid the risk of accidents.





#### KM 85/50 R Bp Pack

#### Vacuum sweeper

- Compact design for maximum manoeuvrability
- Easy and intuitive operation
- Retractable side brush

Technical data		Technical data	
Drive	DC motor	Drive	Four-stroke petrol engine/Honda
Drive- performance (V / W)	24/1000	Drive- performance (W)	3300
Drive type	Battery	Drive type	Petrol
Max. area performance (m <sup>2</sup> /h)	5100	Max. area performance (m <sup>2</sup> /h)	3375
Max. area performance with 2 side brushes $(m^2/h)$	6510	Working width (mm)	550
Working width (mm)	615	Working width with 1 side brush (mm)	) 750
Working width with 1 side brush (mm)	850	Waste container (I)	40

#### Equipmen

Filter cleaning manual • Filter cleaning mechanical • Powerful traction drive electric • Main sweeper roller, floating • Suction volume regulation • Coarse dirt flap • Battery and built-in charger included • Overhead sweeping principle

#### Order no. 1.351-127.0

#### Price

#### **Recommended accessories**

Attachment kit 2nd side brush, left Order no. 2.852-321.0 / Price Flashing beacon

Order no. 2.852-500.0 / Price



## KM 75/40 W G

#### Vacuum sweeper

- Waste container with trolley handle
- Roller brush replacement without tools
- Effective filter cleaning system with filter replacement on the clean side without tools

#### Equipment

Polyester flat pleated filter • Filter cleaning manual • Forwards traction drive • Main sweeper roller adjustable • Waste container, mobile • Coarse dirt flap • Foldable push handle • Overhead sweeping principle

Order no. 1.049-205.0 Price

#### **Recommended accessories**

Main sweeper roller, hard Order no. 6.906-885.0 / Price STOREROOM



## B 60 W Bp DOSE (roller)

Scrubber drier



## BR 45/22 C Bp Pack

#### Scrubber drier

- Lithium-ion batteryBuilt-in charger included in deliveryHeight-adjustable handlebar

Technical data	
Current type (V/Hz)	100 - 240/50 - 60
Working width, vacuuming (mm)	850
Max. area performance (m <sup>2</sup> /h)	3900
Practical area performance (m <sup>2</sup> /h)	2340
Fresh/dirty water tank (I)	60/60
Brush contact pressure (g/cm <sup>2</sup> )	265
Brush speed (rpm)	600/1300

Technical data	
Current type (V)	25.2
Working width of brushes (mm)	450
Working width, vacuuming (mm)	500
Rated input power (W)	up to 550
Battery (V/Ah)	25.2/42
Max. area performance (m <sup>2</sup> /h)	1800
Fresh/dirty water tank (I)	22/22

Roller brush • Tin • Sweeping function • Tank-in-tank design

ent

Variable contact pressure • Transport wheels • Squeegee, straight

#### Order no. 1.384-020.2 Price

**Recommended accessories** 

Roller brush, hard, green, 638 mm Order no. 6.906-983.0 / Price


Filling hose Order no. 6.680-124.0 / Price

Wheel, oil resistant Order no. 6.435-702.0 / Price

#### Order no. 1.783-460.0 Price


#### Recommended accessories

Roller brush, hard, green, 450 mm Order no. 4.762-407.0 / Price Filling hose Order no. 6.680-124.0 / Price



# **VEHICLE CLEANING**

Professional car washing made easy: Kärcher offers the ultimate flexibility, from self-service car washing to commercial vehicle washing systems.





#### HDS 10/20-4 M

#### High pressure washer

Economical eco!efficiency mode

- 2 cleaning agent tanks
- Three-phase motor: water-cooled

Technical data		Technical data	
Current type (Ph/V/Hz)	3/400/50	Current type (Ph/V/Hz)	3/400/50
Flow rate (I/h)	500 - 1000	Flow rate (I/h)	600 - 1200
Working pressure (bar/MPa)	30 - 200/3 - 20	Working pressure (bar/MPa)	30 - 180/3 - 18
Temperature (for supply 12 °C) (°C)	min. 80 - max. 155	Temperature (for supply 12 °C) (°C)	min. 80 - max. 155
Connected load (kW)	7.8	Connected load (kW)	8.4
Consumption of heating oil or gas at full load (kg/h)	6.4	Consumption of heating oil or gas at full load (kg/h)	7.7
Power cable (m)	5	Power cable (m)	5

Cleaning agent function 20 + 10 | tank - Spray gun EASY!Force Advanced High-pressure hose, 10 m, Longlife - Spray lance 1050 mm - Power nozzle • ANTI!Twist • Tanks for cleaning agent, calcification protection and fuel can be filled from the outside - Control panel with display light

Order no. 1.071-900.0

#### Price

#### **Recommended accessories**

Cup foam lance Basic 3 Order no. 4.112-055.0 / Price

Longlife 400 high-pressure hose, 2 × EASY!Lock, DN 8, 400 bar, 20 m, ANTI!Twist

Order no. 6.110-027.0 / Price

Ouick coupling Order no. 2.115-000.0 / Price

Flexible lance 1050 mm Order no. 4.112-035.0 / Price



## HDS 12/18-4 SX

#### High pressure washer

- Dual spray lance operation possible
- 2 cleaning agent tanks
- Economical eco!efficiency mode

Spray gun EASY!Force Advanced • High-pressure hose, 20 m, Longlife • Spray lance 1050 mm • Power nozzle • Integrated HD hose reel • Pressure switch-off • Optional two-spray lance operation • Pole reverse plug (3-phase)

Order no. 1.071-925.0 Price

#### **Recommended accessories**

Cup foam lance Basic 3 Order no. 4.112-055.0 / Price High-pressure hose 2 × EASY!Lock DN 8, 315 bar, 20 m, ANTI!Twist Order no. 6.110-032.0 / Price Quick coupling Order no. 2.115-000.0 / Price Flexible lance 1050 mm Order no. 4.112-035.0 / Price



#### HDS 8/18-4 CX

#### High pressure washer

- Economical eco!efficiency mode
- Intuitive single-button selector switch
- Four-pole water-cooled electric motor

10 AT
- 10

#### HDS 7/16 CX

#### High pressure washer

- Economical eco!efficiency mode
- Intuitive single-button selector switch
- Powerful three-phase motor

Technical data		
Current type (Ph/V/Hz)	3/400/50	
Flow rate (I/h)	300 - 800	
Working pressure (bar/MPa)	30 - 180/3 - 18	
Temperature (for supply 12 °C) (°C)	min. 80 - max. 155	
Connected load (kW)	6	
Consumption of heating oil or gas at full load (kg/h)	5	
Power cable (m)	5	

#### Equipme

Spray gun EASY!Force Advanced • High-pressure hose, 15 m, DN 6, 250 bar • Spray lance 1050 mm • Power nozzle • Soft Damping System (SDS) • Integrated HD hose reel • Pressure switch-off • Integrated fuel and detergent tank

#### Order no. 1.174-906.0 Price

#### Recommended accessories

Cup foam lance Basic 2

Order no. 4.112-054.0 / Price

High-pressure hose 2 × EASY!Lock DN 8, 315 bar, 20 m, ANTI!Twist Order no. 6.110-032.0 / Price

Quick coupling Order no. 2.115-000.0 / Price

Flexible lance 1050 mm Order no. 4.112-035.0 / Price

Technical data	
Current type (Ph/V/Hz)	3/400/50
Flow rate (I/h)	270 - 660
Working pressure (bar/MPa)	30 - 160/3 - 16
Temperature (for supply 12 °C) (°C)	max. 80
Connected load (kW)	4.7
Consumption of heating oil or gas at full load (kg/h)	4.1
Power cable (m)	5

#### Equip

Spray gun EASY!Force Advanced • High-pressure hose, 15 m, DN 6, 250 bar • Spray lance 1050 mm • Power nozzle • Soft Damping System (SDS) • Integrated HD hose reel • Pressure switch-off • Integrated fuel and detergent tank

#### Order no. 1.173-904.0 Price

#### **Recommended accessories**

Cup foam lance Basic 2 Order no. 4.112-054.0 / Price High-pressure hose 2 × EASY!Lock DN 8, 315 bar, 20 m, ANTI!Twist Order no. 6.110-032.0 / Price

Quick coupling Order no. 2.115-000.0 / Price Flexible lance 1050 mm

Order no. 4.112-035.0 / Price



#### HD 13/18-4 SX Plus

#### High pressure washer

- Save time and effort: EASY!Force high-pressure gun and EASY!Lock quick-release couplings.
- Water-cooled three-phase motor
- Outstanding flushing action

#### Technical d

_	Current type (Ph/V/Hz)	3/400/50
	Flow rate (I/h)	650 - 1300
	Working pressure (bar/MPa)	30 - 180/3 - 18
	Max. pressure (bar/MPa)	198/19.8
	Connected load (kW)	9.2
	Mobility	medium
	Weight (with accessories) (kg)	73.6

#### Equipmen

Spray gun EASY!Force Advanced • Spray gun with soft grip padding • High-pressure hose, 20 m • Spray lance 1050 mm • Power nozzle • Dirt Blaster • Integrated HD hose reel • 4-pole, three-phase motor with air and water cooling

#### Order no. 1.286-936.0

#### Price

**Recommended accessories** 

Cup foam lance Basic 3 Order no. 4.112-055.0 / Price

High-pressure hose 2 × EASY!Lock DN 8, 315 bar, 20 m, ANTI!Twist Order no. 6.110-032.0 / Price

#### Quick coupling Order no. 2.115-000.0 / Price

Rotating wash brush for > 800 l/h machines, nylon bristles Order no. 4.113-002.0 / Price



## HD 6/15 MX Plus

#### High pressure washer

- 3-piston axial pump with hardened stainless steel pistons
- Save time and effort: EASY!Force high-pressure gun and EASY!Lock quick-release couplings.
- Automatic pressure relief and up to 20 percent higher energy efficiency

Technical data	
Current type (Ph/V/Hz)	1/230/50
Flow rate (I/h)	560
Working pressure (bar/MPa)	150/15
Max. pressure (bar/MPa)	225/22.5
Connected load (kW)	3.1
Power cable (m)	5
Number of simultaneous users	1

#### Equipment

Spray gun EASY!Force • High-pressure hose, 15 m, Premium quality • Spray lance 840 mm • Power nozzle • Dirt Blaster • Integrated HD hose reel • Pressure switch-off

#### Order no. 1.150-931.0 Price

#### **Recommended accessories**

Cup foam lance Basic 1 Order no. 4.112-053.0 / Price Longlife 400 high-pressure hose, 2 × EASY!Lock, DN 8, 400 bar, 20 m, ANTI!Twist Order no. 6.110-027.0 / Price

Quick coupling Order no. 2.115-000.0 / Price

Rotating wash brush for < 800 l/h machines, nylon bristles Order no. 4.113-004.0 / Price

#### VEHICLE WASH



## HD 5/15 CX Plus

#### High pressure washer

- Automatic pressure relief
- For horizontal and vertical operation
- Save time and effort: EASY!Force high-pressure gun and EASY!Lock quick-release couplings.



## HD 9/18-4 St

#### High pressure washer

- Compact dimensions
- Incl. complete spray unit
- Single-lance operation

Technical data	
Current type (Ph/V/Hz)	1/230/50
Flow rate (I/h)	500
Working pressure (bar/MPa)	150/15
Max. pressure (bar/MPa)	200/20
Connected load (kW)	2.8
Power cable (m)	5
Number of simultaneous users	1

Technical data	
Current type (Ph/V/Hz)	3/400/50
Flow rate (I/h)	460 - 900
Working pressure (bar/MPa)	40 - 180/4 - 18
Max. pressure (bar/MPa)	200/20
Inlet temperature (°C)	70
Connected load (kW)	6.8
Protection (A)	16

Spray gun EASY!Force = High-pressure hose, 15 m, DN 6, 250 bar = Spray lance 840 mm • Triple nozzle (0°/ 25°/40°) Manual • Dirt Blaster • Hose reel • Cleaning agent function Suction • Pressure switch-off

Εαυ

Spray gun EASY!Force Advanced • High-pressure hose, 10 m, ID 8, 315 bar • Triple nozzle (0°/ 25°/40°) Manual • Stainless steel spray lance 1050 mm • Prepared for remote control • Prepared for servo control

#### Order no. 1.520-932.0

#### Price

#### **Recommended accessories**

Cup foam lance Basic 1 Order no. 4.112-053.0 / Price

Longlife 400 high-pressure hose, 2 × EASY!Lock, DN 8, 400 bar, 20 m, ANTI!Twist

Order no. 6.110-027.0 / Price

Quick coupling Order no. 2.115-000.0 / Price

Rotating wash brush for < 800 l/h machines, nylon bristles Order no. 4.113-004.0 / Price

#### Order no. 1.524-950.2 Price

#### **Recommended accessories**

Cup foam lance Basic 3 Order no. 4.112-055.0 / Price

Longlife 400 high-pressure hose, 2 × EASY!Lock, DN 8, 400 bar, 20 m, ANTI!Twist Order no. 6.110-027.0 / Price

Quick coupling Order no. 2.115-000.0 / Price


Rotating wash brush for > 800 l/h machines, nylon bristles Order no. 4.113-002.0 / Price





# **INTERIOR CLEANING**

Offer your customers more: vehicle preparation as an additional offer often results in even closer customer loyalty. With Kärcher spray extraction equipment and vacuum cleaners, you can comfortably, gently and thoroughly rid seat cushions, carpets and textile side trim of deep-down dirt.





## Puzzi 8/1 C

#### Spray-extraction cleaner

Foldable cable hook

- Large foot switch
- Accessory storage for hand nozzle

Technical data		Technical data	
Max. area performance (m²/h)	12 - 18	Container content (I)	0.9
Air flow (l/s)	61	Sound pressure level (dB(A))	69
Vacuum (mbar/kPa)	230/23	Voltage (V)	18
Spray rate (l/min)	1	Weight without accessories (kg)	1.8
Spray pressure (bar)	1	Weight incl. packaging (kg)	4.3
Fresh/dirty water tank (I)	8 - 7	Dimensions (L $\times$ W $\times$ H) (mm)	306 × 116 × 290
Turbine capacity (W)	1200		

Spray hose with integrated water feed 2.5 m 

Integrated accessory storage for hand nozzle • Power cable 7.5 m • Upholstery nozzle • Cable hook - Handle with trigger

#### Order no. 1.100-225.0

#### Price

#### **Recommended accessories**

Spray extraction hose ID 32 Order no. 6.391-411.0 / Price Crevice nozzle Order no. 4.130-010.0 / Price



# HV 1/1 Bp As

#### Battery-operated vacuum cleaner

- Application-specific accessories for vehicle interior cleaning service providers
- Energy-saving ecolefficiency mode
- Time-saving quick charger

Flexible suction hose - Crevice nozzle

#### Order no. 1.394-223.0 Price

#### **Recommended accessories**

Battery pack BP 250/18 Order no. 6.654-364.0 / Price

#### INTERIOR CLEANING



## NT 30/1 Ap L

#### Wet and dry vacuum cleaner

- Semi-automatic filter cleaning
- Flat pleated filter with filter casing
- Flexible hose and cable storage



#### NT 22/1 Ap L

#### Wet and dry vacuum cleaner

- Efficient semi-automatic filter cleaning
- Suction hose port in the head of the machine
- Moisture-resistant PES cartridge filter

Technical data	
Current type (Ph/V/Hz)	1/220 - 240/50 - 60
Air flow (I/s)	74
Vacuum (mbar/kPa)	254/25.4
Container content (I)	30
Container material	Plastic
Rated input power (W)	1380
Standard nominal width	ID 35

Technical data	
Current type (Ph/V/Hz)	1/220 - 240/50 - 60
Air flow (I/s)	71
Vacuum (mbar/kPa)	255/25.5
Container content (I)	22
Container material	Plastic
Rated input power (W)	1300
Standard nominal width	ID 35

# Suction hose, 2.5 m, with bend • Suction tube, 2 piece(s), 0.55 m, Metal • Filter bag, 1 piece(s), Fleece • Wet/dry floor nozzle, 300 mm • Crevice nozzle • Automatic cut-out features at max. filling quality • Flat pleated filter Paper • Filter cleaning ApClean (semi-automatic filter cleaning)

# Price

Order no. 1.148-221.0

#### Recommended accessories

Electrically conductive suction hose **Order no. 2.889-137.0 / Price** 

Car cleaning accessory kit Order no. 2.862-166.0 / Price

Car nozzle **Order no. 6.906-108.0 / Price** 

#### Equip

Suction hose, 1.9 m, with bend • Suction tube, 2 piece(s), 0.5 m, Plastic • Filter bag, 1 piece(s), Fleece • Wet/dry floor nozzle, 300 mm • Crevice nozzle • Cartridge filter PES • Filter cleaning ApClean (semi-automatic filter cleaning) • Stop swivel castor

	Order no. 1.378-600.0
	Price
	Recommended accessories

Suction hose Order no. 2.889-135.0 / Price

Car cleaning accessory kit Order no. 2.862-166.0 / Price

Car nozzle Order no. 6.906-108.0 / Price







# TAKE IT EASY

EASY!Force

Zero holding strength. No tiring. No stress. The EASY!Force HP trigger gun protects joints, muscles and the entire body. In the comparison test, our EASY!Force impressed all users, both men and women. Our EASY!Force high-pressure gun will relieve you and enable you to work more effectively without tiring. www.kaercher.com

# **EVERYTHING FOR A CLEAN VEHICLE**

CAR WASH SYSTEM

You know what you want: the ideal system for cleaning cars, inside and outside. Designed to be highly efficient, have a long service life, produce perfect cleaning results, consume little water an be eco-friendly. Our wash systems are just what you need: tailored precisely to suit your requirements. www.kaercher.com



ALFRE

# SPARKLING RESULTS EN ROUTE

Transport -

For cleaning commercial vehicles, you need systems with a clean bill of health. We provide perfectly matched system solutions that can rise to any challenge, so you can clean trucks and buses of every size. The effect is immediately visible, and the systems are economically efficient. www.kaercher.com



of your photovoltaic and solar thermal modules on roofs by up to 30 percent, in open spaces by up to 10 percent. The natural effects of rain, condensation and wind are not sufficient to effectively clean the modules. www.kaercher.com





# SIMPLY A QUESTION OF TACT

Fine dust is dangerous to health. To ensure that you have the best protection against fine dust, we have made our Tact system even better. The result is a powerful Tact vacuum cleaner with highly efficient filter cleaning and a worldwide unique filter service life of 180 kg of fine dust (mineral dust category A) until the filter needs to be cleaned manually. This results in even longer periods of uninterrupted operation with constant suction power and better protection against fine dust. **www.kaercher.com** 







# PERFECTION **IN 10** MINUTES. **CHALLENGE ACCEPTED.**

The hot-water high-pressure cleaner is coming to do its work. It quickly and thoroughly removes even the most stubborn dirt from vehicles and thus accelerates the work to ensure greater efficiency. Discover the entire

range at www.kaercher.com



# DETERGENTS

Kärcher cleaning and care agents are just as versatile and powerful as the machines in which they are used – because they are specially developed for use with Kärcher cleaning machines. Only in this way can the performance of the system, consisting of machine and cleaning agent, be fully exploited.



Application Product description FloorPro Multi Cleaner RM 756 Manual - maintenance High wetting ability, universal and very cleaning economical: RM 756 FloorPro Multi Everyday Scrubber driers - mainte-Cleaner for mechanical and manual cleaning nance cleaning of floors and surfaces. NTA-free FloorPro Fine Stoneware Cleaner RM 753 Scrubber-driers - deep Special cleaner for all fine stoneware tiles. cleaning Reliably dissolves oil, grease and mineral Scrubber driers - mainte soiling. Does not impair anti-slip properties of nance cleaning tiles. Free from tensides and readily Manual - maintenance separating. cleaning Manual - deep cleaning NTA-free Universal Stain Remover RM 769 Manual Universal Stain Remover RM 769 for all textile coverings, upholstery and hard NTA-free surfaces - removes oil, tar, shoe polish, adhesive, etc., from solvent-resistant surfaces. Product description Application FloorPro Industrial Cleaner RM 69 Machine - maintenance FloorPro Industrial Cleaner RM 69 for cleaning low-foam cleaning of floors and industrial Machine - intermediate floors. Powerfully removes even the most cleaning stubborn grease, oil, soot and mineral Manual - maintenance contamination. cleaning NTA-fre FloorPro Tyre and Abrasion Marks Remover Deep cleaning RM 776 Highly active special cleaner for removing rubber abrasion marks and marks caused by NTA-free forklift trucks. Also effectively removes stubborn oil and soot contamination as well as polymer and wax coatings. Adhesive tape residue is efficiently removed. PressurePro Intensive Deep Cleaner RM 750 High-pressure cleaner Powerful deep cleaner effectively removes Scrubber-driers - deep the most stubborn stains, such as oil, grease, cleaning soot, blood and proteins. Low foam produc-Scrubber driers - Stripping tion. Particularly suited for floor cleaning by Manual machine and for processing with hard surface cleaners. NTA-free.

Properties	Packaging size	PU	Order no./ quantity	Price
slightly alkaline pH: 9	1	12	6.295-913.0	
рн: 9	2.5 l	4	6.295-915.0	
	10 I	1	6.295-914.0	
slightly alkaline pH: 10.5	2.5 l	4	6.295-587.0	
	10 I	1	6.295-082.0	

	500 ml	6	6.295-490.0
pH:			

Properties	Packaging size	PU	Order no./ quantity	Price
slightly alkaline pH: 10.7	2.5 l	4	6.296-058.0	
pn. 10.7	10	1	6.296-049.0	
	20	1	6.296-050.0	
alkaline pH: 13.3	10	1	6.295-545.0	
	20 I	1	6.295-546.0	
alkaline pH: 13.7	10 I	1	6.295-539.0	

nicle wa	Product description	Application	Properties	Packaging size	PU	Order no./ quantity Price	
PressurePro Alkaline Active Cleaner RM 81 Efficient, gentle high-pressure cleaning	PressurePro Alkaline Active Cleaner RM 81	High-pressure cleaner	alkaline	2.5 l	4	6.295-555.0	
	concentrate for heavy oil, grease and mineral	Spray units	pH: 12.3	10 I	1	6.295-556.0	
		NTA-free		20 I	1	6.295-557.0	
1	VehiclePro Foam Cleaner RM 838 The alkaline Foam Cleaner RM 838 for contactless vehicle washing effortlessly removes heavy oil and grease stains, insect residues and road dirt and is gentle on paintwork.	Self-service wash bay with MultiApp lance High-pressure cleaner with foam nozzle	alkaline pH: 13	20	1	6.295-838.0	
Classic Special rim and steel rim special rims removes the	VehiclePro Rim Cleaner, alkaline RM 801 Classic Special rim cleaner for all coated light metal and steel rims (excludes uncoated, high-gloss special rims). Gentle action, effectively removes the most stubborn rim contamina- tion, e.g. road dust, baked-on brake dust, tyre	Spray units Self-service wash bays Commercial vehicle washes	alkaline pH: 13.5	20	1	6.295-323.0	
	wear and winter salt residues. Does not attack concrete floors or wheel arches.	NIA					
1	VehiclePro Spray Wax RM 821 Classic This liquid spray wax gives vehicles a brilliant	High-pressure cleaner Self-service wash bays	slightly acidic pH: 4	2.5 l	4	6.295-583.0	
E	shine and long-term protection. Unaffected by water quality, it provides a spotless finish	Sen service wash bays	pn. 4	20 I	1	6.295-431.0	
	without blow drying. VDA compliant.	NTA-free					
S	VehiclePro Truck Cleaner, alkaline RM 805 The pre-spraying agent in commercial vehicle washes effectively supports the removal of the most stubborn dirt, like lubricants, soot, oil, tar, insects and grey film on all types of commercial vehicles.	Spray units High-pressure cleaner Commercial vehicle washes	alkaline pH: 12.8	20	1	6.295-550.0	
		NTA-free					
-	PressurePro Machine Protector RM 110	Hot water high-pressure	slightly alkaline	1	6	6.295-312.0	
T	Calcification protection for hot water high-pressure cleaners. This new formula	cleaners	pH: 9	10	1	6.295-303.0	
offers im in heater integrate machine	offers improved protection from lime deposits in heater coil systems (up to 150°C) as well as integrated corrosion protection for all HDS machine components that come into contact with water.	NTA-free		20	1	6.295-488.0	
	PressurePro Machine Protector Advance 1 RM 110 Scale inhibitor for hot water high-pressure cleaners with integral corrosion protection, especially for use in new HDS units with System Care option. The Machine Protector Advance 1 RM 110 formula offers improved protection against limescale deposits on heater coils (up to 150 °C) and provides integral corrosion protection for components in contact with water.			11	6	6.295-625.0	
	PressurePro Machine Protector Advance 2 RM 111 Maximum machine protection for hot water high-pressure cleaners with system care adaptation. The PressurePro Machine Protector Advance 2 RM 111 offers the following protective functions for your machine: Protection against lime deposits in heating coils (up to 150 °C), pump care additive for continuous lubrication and care of the high-pressure pump, protection against black water (rust generation in the heating coil with very soft water). Corrosion	Hot water high-pressure cleaners	alkaline pH: 12.3	11	6	6.295-629.0	





	Packaging		Order no./	
Properties	size	PU	quantity	Price
slightly alkaline pH: 8.8	0.8 kg	4	6.295-849.0	
	10 kg	1	6.295-847.0	

Wash system	Product description	Application	Properties	Packaging size	PU	Order no./ quantity Price
Wash system	VehiclePro Klear!PreWash RM 890 VehiclePro Klear!Prewash RM 890: Alkaline, removes road dirt, greases and insects in no	Commercial vehicle	alkaline	10	1	6.296-003.0
1		washes	pH: 13	20	1	6.296-004.0
	time. VDA-compliant and suitable for all processed water systems and all types of water hardness.	NTA-free				
Carlon .	VehiclePro Klear!Brush RM 891 VehiclePro Klear!Brush RM 891: For intensive cleaning that's gentle on paintwork, helps brochered is also used to be the the intension	Commercial vehicle	slightly alkaline	10	1	6.295-995.0
and the second s		washes	pH: 8.7	20	1	6.295-996.0
C	brushes self-clean and lengthens their service life. Accelerates drying and is VDA-compliant.	NTA-free				
and the second s	VehiclePro Klear!Foam RM 892	Commercial vehicle	slightly alkaline	10	1	6.295-998.0
1	VehiclePro Klear!Foam RM 892: Excellent foaming properties. High dirt-removing	washes	pH: 8.9	20	1	6.295-999.0
E	power, easy to rinse off, compatible with drying aids and waxes. VDA-compliant and gentle on paintwork.	NTA-free				
- 0 <sup>-1</sup>	VehiclePro Klear!Dry RM 893	Commercial vehicle	slightly acidic	10	1	6.296-001.0
	VehiclePro Klear!Dry RM 893: Blasts through water to minimise beading on the surface and	washes	pH: 5	20	1	6.296-002.0
C	provide optimum drying results. Use sparingly, frost-proof (-10 °C), VDA-compliant.	NTA-free				
and the second	VehiclePro Klear!Glow RM 894	Commercial vehicle washes	neutral	10	1	6.295-993.0
-	VehiclePro Klear!Glow RM 894: For outstand- ing paintwork protection against the		pH: 6.3	20	1	6.295-994.0
E	elements. With a special high-gloss effect and long-lasting preservation with minimal use. VDA-compliant.	NTA-free				
1	VehiclePro Truck Cleaner, acidic RM 804 Acid pre-spraying agent for commercial vehicle brush and high pressure washing facilities. Removes mineral soiling such as plaster, lime, mortar and concrete from construction site vehicles and steel structures.	Spray units High-pressure cleaner Commercial vehicle washes	acidic pH: 1	20	1	6.295-595.0
(	VehiclePro Truck Cleaner, alkaline RM 805 The pre-spraying agent in commercial vehicle washes effectively supports the removal of the most stubborn dirt, like lubricants, soot, oil, tar, insects and grey film on all types of commercial vehicles.	Spray units High-pressure cleaner Commercial vehicle washes	alkaline pH: 12.8	20	1	6.295-550.0
R	VehiclePro Brush Shampoo RM 811 Classic Highly active, wax-compatible brush shampoo for brush washing in automatic washing bays. Special active ingredient combination supports brush sliding ability and protects the vehicle surface. VDA-compliant.	Commercial vehicle washes	slightly alkaline pH: 8.7	20	1	6.295-439.0
Ĩ	VehiclePro Liquid Leather RM 833 Special drying aid for washes without blow drying. Lets water run off over large surfaces and dries without spots and streaks. Suitable for high-pressure cleaners as well.	Commercial vehicle washes	alkaline pH: 12	20	1	6.295-391.0

# YOU MANAGE YOUR SUCCESS. WE GIVE YOU THE SUPPORT.

Almost everything can be so much easier when talents are combined. Because it is more successful to pursue objectives together, complement each other and learn from each other. You could call it the principle of progress. We call it Kärcher Services. A promise of partnership. By professionals for professionals.





#### Kärcher Services:

The complete service package from the global leader. And the perfect continuation of the progressive Kärcher system with innovative tools, customised service offers and high-performance software solutions.



#### Kärcher Lease – Leasing

Customised. Flexible. Safe. We give you the flexibility you need: with leasing and financing models for every requirement.

# KARCHER

#### Kärcher Service – Customer Service

Service means trust. At all times. Services you actually need. Fast response for maximum availability. Maximum value retention and compliance with all statutory requirements.



#### Kärcher Used – Used machines

When used or second-hand is what you need. Starting up? Or simply want to save costs? We have the right used machine for you. Used, generally reconditioned, good and affordable. Offers are constantly changing. Ask us.



#### Kärcher Rent - Renting

Just the machine you need. Rent instead of buying. And get more: expertise and Kärcher Full Service in one package.



#### Kärcher Maintain – Service packages

Every service package is tailored precisely to a defined requirement. The range of services includes inspections as part of prescribed safety tests, timely maintenance and flat-rate full service.



makes a difference

Please contact us for more information: