

### Graffiti Remover Brick, Masonry & Concrete Cleaner

1

#### PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier:** Graffiti Remover Brick, Masonry & Concrete Cleaner  
**SDS Number:** K698039  
**Revision Date:** June 18, 2018  
**Version:** 44-77E

**Manufactured for:**

**Canadian Contact:**

**Kärcher North America**  
 4555 Airport Way  
 Denver, CO 80239  
 Phone: 303-738-2400  
 Email: info@karcherna.com

**Kärcher North America**  
 6535 Millcreek Drive, Unit 67  
 Mississauga, ON L5N 2M2  
 Phone: 905-672-8233

**Emergency Information:** INFOTRAC 1-800-535-5053 International 1-352-323-3500

2

#### HAZARDS IDENTIFICATION

##### Classification of Substance

**GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):**

Physical, Flammable Liquids, 2  
 Health, Acute toxicity, 4 Oral  
 Health, Acute toxicity, 4 Dermal  
 Health, Serious Eye Damage/Eye Irritation, 1

##### GHS Label Elements, Including Precautionary Statements

**GHS Signal Word:** **DANGER**

**GHS Hazard Pictograms:**



**GHS Hazard Statements:**

H225 - Highly flammable liquid and vapour  
 H302 - Harmful if swallowed  
 H312 - Harmful in contact with skin  
 H318 - Causes serious eye damage

**GHS Precautionary Statements:**

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking  
 P233 - Keep container tightly closed.  
 P241 - Use explosion-proof electrical/ventilating/light/equipment.  
 P242 - Use only non-sparking tools.  
 P243 - Take precautionary measures against static discharge.  
 P264 - Wash thoroughly with soap and water after handling.  
 P270 - Do not eat, drink or smoke when using this product.  
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
 P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
 P303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.  
 P370+378 - In case of fire: Use ABC extinguisher for extinction.  
 P403+235 - Store in a well ventilated place. Keep cool.

**Route of Entry:** Eyes, Skin, Inhalation:

**Target Organs:** Eyes; Skin; Respiratory system;

**Inhalation:** Can cause irritation and inflammation of the respiratory tract.  
**Skin Contact:** Irritating to skin; may cause burns, blisters and itching.  
**Eye Contact:** Irritating to eyes, eye damage may occur.  
**Ingestion:** Irritating to intestinal tract; may cause burns, vomiting, stomach pain, and disorientation.

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Ingredients		
CAS#	%	Chemical Name
64-17-5	31%	Ethanol
67-63-0	1%	Isopropanol
1310-58-3	27%	Potassium hydroxide
111-76-2	7%	Ethylene Glycol Butyl Ether

#### OSHA Regulatory Status:

This SDS contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

### 4 FIRST AID MEASURES

**Inhalation:** Remove from exposure and get fresh air. Keep warm and at rest. Get medical attention immediately if artificial respiration is required.

**Skin Contact:** Remove contaminated clothing, jewelry and shoes immediately. Flush affected area with large amounts of water, then use soap or mild detergent and large amounts of water for 15-20 minutes to cleanse area. If skin is severely irritated or burned, get medical attention immediately.

**Eye Contact:** Immediately flush eyes with large amounts of water occasionally lifting upper and lower lids for at least 15 minutes. Get immediate medical attention.

**Ingestion:** Rinse mouth with water. DO NOT INDUCE VOMITING unless instructed to by medical personnel. If vomiting occurs keep head lower than hips to help prevent aspiration. If person is unconscious, do not induce vomiting; turn their head to the side. Never make an unconscious person vomit or drink fluids. Get medical attention.

### 5 FIRE FIGHTING MEASURES

**Flash Point:** 22.22° C / 72° F  
**Flash Point Method:** Closed Cup

Wear self-contained breathing apparatus and other protective clothing. Use any standard agent - choose the one most appropriate for type of surrounding fire.

### 6 ACCIDENTAL RELEASE MEASURES

Isolate area; keep unnecessary personnel away. Do not discharge into drains. Ventilate closed spaces before entering. Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers, basements or confined areas. Wear appropriate protective equipment and clothing during cleanup. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

### 7 HANDLING AND STORAGE

**Handling Precautions:** Do not get in eyes, on skin, or on clothing. Do not breathe vapor. Keep container closed. Promptly clean up spills. Wash thoroughly after handling.

**Storage Requirements:** Store out of reach of children; keep container closed; store in a cool, well-ventilated place.

## 8

## EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** Normal room ventilation is satisfactory for limited use.

**Personal Protective Equipment:** HMIS PP, B | Safety glasses, Gloves

Ethanol 67-17-5 OSHA PEL 1000 ppm - 1900 mg/m<sup>3</sup>

Isopropanol 67-63-0 OSHA PEL 400 ppm/ 980 mg/m<sup>3</sup>

Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

## 9

## PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Clear yellow  
**Physical State:** Liquid  
**Odor:** Alcohol and solvent  
**Solubility:** Soluble  
**Specific Gravity or Density:** 8.82 lb/gallon  
**Potentia Hydrogenii:** 12.8 at 5% solution

## 10

## STABILITY AND REACTIVITY

**Chemical Stability:** Product is stable under normal conditions.  
**Conditions to Avoid:** None known  
**Materials to Avoid:** Strong oxidizing or acidic materials  
**Hazardous Decomposition:** Exposure to fire may liberate carbon dioxide, carbon monoxide, organic acids, and other unidentified thermal decomposition products from this product or its packaging.  
**Hazardous Polymerization:** Will not occur.

## 11

## TOXICOLOGICAL INFORMATION

**Toxicity Data:**

Ethanol 64-17-5

Oral ( LD 50): 7060 mg/kg - Rat

Inhalation ( LC 50): 20000 ppm/10H - Rat

Skin irritation: Mild - Rabbit

Eye irritation: Severe - Rabbit

Sensitation: Not considered an occupational sensitizer

Isopropanol 67-63-0

Oral ( LD 50): 5045 mg/kg - Rat

Inhalation ( LC 50): 16000 ppm/8H - Rat

Skin irritation: Mild - Rabbit

Eye irritation: Severe - Rabbit

Sensitation: Not considered an occupational sensitizer

Potassium hydroxide 1310-58-3

Oral ( LD 50): 273 mg/kg - Rat

Inhalation ( LC): Not listed on RTECS

Skin irritation: Severe - Human

Eye irritation: Severe - Rabbit

Sensitization: Not considered an occupational sensitizer

<b>12</b>	<b>ECOLOGICAL INFORMATION</b>
-----------	-------------------------------

On the basis of available information, this material is not expected to produce any significant environmental effects when recommended use instructions are followed.

<b>13</b>	<b>DISPOSAL CONSIDERATIONS</b>
-----------	--------------------------------

Recommendation: Consult with the disposal agency and the relevant authorities. Empty containers may be cleaned with water.

<b>14</b>	<b>TRANSPORT INFORMATION</b>
-----------	------------------------------

UN2920 Corrosive liquids, flammable, n.o.s., 8, (Potassium hydroxide, Ethanol), II  
Ship in accordance with 49 CFR parts 100-185.

<b>15</b>	<b>REGULATORY INFORMATION</b>
-----------	-------------------------------

Component (CAS#) [%] - CODES

-----  
Ethanol (64-17-5) [31%] MASS, OSHAWAC, PA, TSCA, TXAIR

Isopropanol (67-63-0) [1%] MASS, NJHS, NRC, OSHAWAC, PA, SARA313, TSCA, TXAIR, WHMIS

RQ(1000LBS), Potassium hydroxide (1310-58-3) [27%] CERCLA, CSWHS, MASS, OSHAWAC, PA, TSCA, TXAIR, WHMIS

Ethylene Glycol Butyl Ether (111-76-2) [7%] MASS, OSHAWAC, PA, TSCA, TXAIR, WHMIS

Regulatory CODE Descriptions

-----  
All components are listed on TSCA

CERCLA = Superfund clean up substance  
CSWHS = Clean Water Act Hazardous substances  
MASS = MA Massachusetts Hazardous Substances List  
NJHS = NJ Right-to-Know Hazardous Substances  
NRC = Nationally Recognized Carcinogens  
OSHA WAC = OSHA Workplace Air Contaminants  
PA = PA Right-To-Know List of Hazardous Substances  
RQ = Reportable Quantity  
SARA313 = SARA 313 Title III Toxic Chemicals  
TSCA = Toxic Substances Control Act  
TXAIR = TX Air Contaminants with Health Effects Screening Level  
WHMIS = Workplace Haz Mat Info Sys Canada

**CALIFORNIA PROPOSITION 65 CARCINOGENS**

Warning: The following ingredients present in the product are known to the state of California to cause cancer. Note: Ethyl alcohol is only considered a Proposition 65 cancer hazard when it is ingested as an alcoholic beverage.

<u>Chemical Name</u>	<u>CAS-No.</u>
Ethanol	64-17-5
Methyl isobutyl ketone	108-10-1

**CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS**


Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards. Note: Ethyl alcohol is only considered a Proposition 65 reproductive hazard when it is ingested as an alcoholic beverage.

<u>Chemical Name</u>	<u>CAS-No.</u>
Ethanol	64-17-5
Methyl isobutyl ketone	108-10-1
Methanol	67-56-1

**NFPA:** Health = 3, Fire = 4, Reactivity = 0, Specific Hazard = n/a

**HMIS III:** Health = 3, Fire = 4, Physical Hazard = 0

**HMIS PPE:** B - Safety Glasses, Gloves



HMIS	
HEALTH	3
FLAMMABILITY	4
PHYSICAL HAZARD	0
PERSONAL PROTECTION	B

This document is prepared in accordance with 29 CFR 1910.1200. The purpose of this section is to ensure that the hazards of all chemicals produced or imported are evaluated, and that information concerning their hazards is transmitted to employers and employees.

All information appearing herein is based upon data obtained from the raw material manufacturer and/or recognized technical sources. While the information above is believed to be true and accurate, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the manufacturer's control; therefore the users are responsible to verify this data under their own particular conditions, applications and regulations to determine if the product is suitable for their particular purposes. The users assume all risks of product use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures or processes.

Prepared by: EHS Manager