

makes a difference



PRODUCT RANGE UPDATE 2020

Professional



TABLE OF CONTENTS

Introduction	Page	4
Digital solutions	Page	12
Kärcher Service app	Page	14
High-pressure cleaners	Page	16
Outdoor Power Equipment	Page	22
Vacuum cleaners	Page	42
Wet and dry vacuum cleaners	Page	42
Industrial vacuums	Page	50
Dry vacuum cleaners	Page	52
Scrubbers/scrubber driers	Page	60
Sweepers/vacuum sweepers	Page	70
Municipal equipment	Page	76
Wash systems	Page	80
Industrial solutions	Page	84
Dry ice cleaning	Page	86
Container cleaning	Page	88



GALACTIC POWER. ENDLESS POSSIBILITIES


All batteries in the Kärcher Battery Universe are compatible within their voltage class, even between Professional and Home & Garden machines.

Real-time technology: Integrated LC display with intelligent indication of charge level, remaining running and charging time to improve information and control.
 Watertight: Protected against water spray from all directions (protection class IPX5).
 Automatic battery monitoring: Protection against overloading during charging, overheating and deep discharging.
 Housing with integrated soft components: Utmost mechanical sturdiness and grip in any situation.

High peak performance: Processor-based with optimised heat buffering.

Powerful lithium-ion cells: Consistent performance with low self-discharge and no memory effect.

TRIED AND TESTED, NOW BATTERY-POWERED



Even machines which are already very good can be even better. We have converted a whole range of our tried and tested machines to our new battery platform, including the HV 1/1 Bp, T 9/1 Bp and BV 5/1 Bp. This also includes new developments such as the HD 4/11 C Bp and NT 22/1 Ap Bp, as well as the completely new Kärcher Outdoor Power Equipment range.



T 9/1 Bp

HV 1/1 Bp

BV 5/1 Bp

STRONG AND QUIET, NO LOCAL EMISSIONS


With Kärcher Outdoor Power Equipment, you will be ready for any challenge in green spaces and/or on paths. Our new battery-powered leaf blowers, hedge trimmers, chainsaws, brush cutters, lawn trimmers and lawn mowers give you freedom and make your work safer and healthier. No exhaust fumes, little noise, barely any vibrations. And with just one battery that fits them all and is strong enough for demanding tasks. All this at extremely low operating and maintenance costs. Just what professionals with the highest demands need.



LM 530/36 Bp

LT 380/36 Bp

BCU 260/36 Bp





INNOVATIONS WHICH ENABLE YOU TO DO SO MUCH MORE.





BD 70/75 W Classic Bp

BD 80/100 W Classic Bp

HD 8/18-4 MXA Plus



KM 85/50 W Bp

KM 105/180 R Bp Classic

BD 17/5 C

FloorPro RM 69

MC 250

IB 10/8 L2P

SQ ONE POWERED BY KÄRCHER

Today, all major industries use software to control their processes. Even processes that primarily take place in the physical world. SQ ONE powered by Kärcher is now available, providing you with a digital platform specifically developed for building services. For the first time, the entire value chain has been networked and interlinked: staff, machines, materials and the commercial client. What's more, both the hardware and software of Kärcher Services are compatible with SQ ONE. Become a business driven by digital technology today.



Building service providers

The app suite for building service providers forms a comprehen-App for building services - every service in one place. Easily, sive operating system. Every aspect of operation is captured and conveniently and clearly available at any time. supported digitally.



For on-site staff - a dynamic, reactive job planner with features to manage Track quality at any time, even on the go, and intervene directly and each day or each task. A digital space plan with service specifications, realactively where necessary - be aware of incidents immediately, wherever time communication and means of recording services, time and quality. they occur. Book additional services when necessary - in real time, no Complete task list in your pocket. matter where you are.

Administration

An integrated back office that is permanently connected to your operations, Orders, statuses, communication, invoicing and services in a single applicafrom contract preparation to the quotation process, from scheduling and tion. Structured and paperless - and available 24/7. logistics to invoicing - consistent data available in real time.



The interactive portfolio for customers and items. Everything that is needed for planning and control of staff, subcontractors, suppliers, materials and machines - in one place. Plus P&L management and KPI reporting.



Your entire fleet in a single app. Digitally control and manage location, scheduling, performance data, dynamic maintenance cycles, services and logistics. Additionally features real-time asset management and continuous inventory.






Commercial clients



Quality Assurance


Commercial



KÄRCHER SERVICE APP - THE INNOVATIVE WEB APPLICATION FOR COMMERCIAL CUSTOMERS

With the innovative Kärcher Service app you send all service notifications quickly and precisely to Kärcher Service. When you need a service, you can record and forward all relevant data using your smartphone. After logging on you set up your sites and machines by simply scanning the machine code in the app. This data is then available at any time for service requests. This way you can commission a repair or maintenance work with Kärcher Service quickly and easily.





Create a new service request in just 3 steps

To order a service, simply select the relevant machine, specify the type of service and if required add the type of damage and a brief description - done. With this information our service technician will be perfectly prepared for your job.

1 Location

First set up your site and the machines.

2 Machine

Select the machine. If you want to create a service notification for a machine that is not yet set up, simply set up the new machine in the current process.

3 Service request

Send the service notification. We process your service notification as quickly as possible. Our service technician will be in touch to arrange an appointment and in the event of any queries.

Fast and simple processing of your service notifications

- Send notifications round the clock
- Convenient and secure transmission of all relevant data Menu guidance available in different languages

UNBEATABLY VERSATILE - HIGH-PRESSURE CLEANING WITH KÄRCHER

The name Kärcher is synonymous with performance, quality and innovation worldwide. As a pioneer of high-pressure cleaning, Kärcher is the global market leader and has continuously optimised the principle of high-pressure cleaning. For more power with lower consumption. For a longer lifetime with shorter cleaning times. And for a product range that meets any demand with its innovative technology and versatility: mobile or stationary, using hot or cold water, with an electric motor or a combustion engine. Not to mention an extensive range of accessories that offers the right solution for every application.



Table of contents: High-pressure cleaners Hot water high-pressure cleaners

Cold water high-pressure cleaners

Page 18 Page 19



Cordless independence at a professional level

Mobile high-pressure cleaning at the highest level without an external power source: Our first battery-powered professional high-pressure cleaner, the HD 4/11 C BP, is the perfect solution for mobile cleaning in the municipal area, agriculture or even for caretakers. Equipped with two powerful 36 V lithium-ion batteries for long operating times and a high cleaning performance.



Versatile. And now with automatic hose reel

Versatile, powerful, compact, durable – and now even better: our middle class high-pressure cleaners have been impressing customers from industry, the transport and construction sectors, and even from the area of vehicle washes, for a long time. The new automatic hose reel now increases the user's convenience when setting up and taking apart the unit, saves time and facilitates handling.

HIGH-PRES CLEANERS

HDS WITH COMBUSTION ENGINE

HD MIDDLE CLASS

reel




- HD 8/18-4 MXA Plus HD 7/16-4 MXA Plus HD 7/17 MXA Plus
- Spring-mounted automatic hose reel Save time and effort: EASY!Force high-pressure gun and EASY!Lock quick-release couplings. Automatic pressure relief and up to 20 percent higher energy efficiency

Technical data		
Current type	Ph / V / Hz	3 / 400 / 50
Connection load	kW	4.6 4.2 4.2
Flow rate	l/h	380-760 350-700 700
Working pressure	bar / MPa	30-180 / 3-18 30-160 / 3-16 170 / 1
Max. pressure	bar / MPa	270 / 27 240 / 24 255 / 25.5
Max. inlet temperature	°C	60
Weight	kg	46.5 45.3 38.4
Dimensions (L × W × H)	mm	400 × 455 × 966
Equipment		
Spray gun		EASY!Force
High-pressure hose	m	15 / Flex
Spray lance	mm	840
Servo Control		
Power nozzle		
Dirt blaster		•
Pressure hose reel		
Order No.		
		1.524-976.0 -959.0 1.151-936.0

Included in the scope of supply.

Price



With our hot water high-pressure cleaners in the new compact class and their powerful and economical petrol and diesel engines, you can perform even the toughest cleaning jobs without an external power supply. Puncture-proof wheels and the sturdy tubular steel frame ensure great mobility and robustness, whereas suitable fittings and fixtures guarantee the user's safety.





- 1 Powerful combustion engine
- Makes you independent of external power sources.
- Complies with the requirements of exhaust emissions standard EU STAGE V.

2 Outstanding mobility

- Large, puncture-proof tyres and steering roller/castor with parking brake.
- Push handles for simple transport and manoeuvrability.

HDS 8/20 De	HDS 8/20 G
 Robust crankshaft pump with ceramic pistons Sturdy pipe frame for handling with crane Diesel engine with electro start 	 Robust crankshaft pump with ceramic pistons Sturdy pipe frame for handling with crane Safety valve protects the unit against overpressure
Diesel	Petrol

Fuel		Diesel	Petrol
Motor rating	kW / HP	6.8 / 9.25	6.8 / 9.25
Flow rate	l/h	800	800
Working pressure	bar / MPa	200 / 20	200 / 20
Temperature	°C	max. 80	max. 80
Fuel tank	I	20	20
Consumption of heating oil	kg/h	5.9	5.9
Weight	kg	185	170
Dimensions (L × W × H)		1150 × 950 × 870	1150 × 950 × 870
Equipment			
Spray gun		EASY!Force Advanced	EASY!Force Advanced
High-pressure hose	m	10	10
Power nozzle		•	•
Spray lance	mm	840	840
Cage frame		•	•
Soft Damping System (SDS)		•	•
Electro start		•	-
Order No.		1.210-910.0	1.210-920.0
		1.210-910.0	1.210-920.0

Included in the scope of supply.

Technical data





18

Versatile. And now with automatic hose

Versatile, powerful, compact, durable - and now even better: our highpressure cleaners in the middle class have been impressing customers from industry, the transport and construction sectors, and even from the area of vehicle washes, for a long time. The new automatic hose reel now increases the user's comfort when setting up and taking apart the unit, saves time and facilitates handling.



1 Spring-mounted automatic hose reel

Maximum comfort when handling the high-pressure hose. Makes possible short set-up times thanks to quick winding and unwinding.

2 Additional stand

Enlarges the stand area of the machine.

Increases the tilt stability when operated upright.

HD 7/14-4 MXA Plus HD 6/16-4 MXA Plus HD 6/15 MXA Plus Spring-mounted automatic hose reel Save time and effort: EASY!Force high-pressure gun and EASY!Lock quick-release couplings. Automatic pressure relief and up to 20 percent higher energy efficiency 1 / 230 / 50 3.4 | 3.3 | 3.1 700 | 600 | 560 140 / 14 | 160 / 16 | 150 / 15 210 / 21 | 240 / 24 | 225 / 22.5 60 | up to 60 | 60 45 | 44.2 | 36.2 400 × 455 × 966 EASY!Force 15 / Flex 840 1.524-947.0 | -945.0 | 1.150-943.0

BATTERY-POWERED HIGH-PRESSURE CLEANER

TECHNICAL DATA AND EQUIPMENT




Cordless independence at professional level

Top-quality mobile high-pressure cleaning. Our battery-powered HD 4/11 C Bp professional high-pressure cleaner excels with its 2 powerful 36 V lithium-ion batteries, long runtimes and the option of suction operation. Thereby the machine does not require a connection to the water network - just a water tank is sufficient as a source. This makes the HD 4/11 C Bp the perfect solution for municipal cleaning, landscaping or caretakers.



4



1 Economical and efficient ecolefficiency mode

- Saves energy and extends the runtime of the battery.
- Reduced cleaning performance for lighter dirt.

2 36 V battery platform.

- High cleaning performance and long runtimes.
- Compatible batteries across several ranges.
- Time-saving quick charger.

3 Quality

- The automatic pressure relief protects the components and extends the service life of the machine.
- High-quality brass cylinder head.
- Large, easy-to-reach water fine filter for protecting the pump against dirt particles in the water.

4 Mobility

- The integrated carrying handle on the front of the machine enables easy loading and convenient transport.
- Push handle can be retracted at the push of a button.
- Vertical and horizontal operation possible.

нр	//1	1 C	Rn	Pack
пυ	4/1	ιu	ъμ	Pack

		 Independent high-pressure cleaning irres external power sources High cleaning performance with long run Two powerful 36 V lithium-ion batteries scope of supply
Technical data		
Battery capacity	Ah	7.5
Battery running time	min	30*
Battery type		Lithium-ion replacement battery
Flow rate	l/h	320-400
Working pressure	bar / MPa	70-110 / 7-11
Max. pressure	bar / MPa	150 / 15
Inlet temperature	°C	60
Weight	kg	30.9
Dimensions (L × W × H)	mm	380 × 370 × 930
Equipment		
Battery		•
Battery charger		•
Cleaning agent function		Suction
Spray gun		EASY!Force
High-pressure hose	m	10
Spray lance	mm	840
Servo Control		-
Triple nozzle		
Dirt blaster		
Pressure hose reel		-
Foam lance		-
Order No.		1.520-925.0
Price		

■ Included in the scope of supply. □ Available accessories.

* in eco!efficiency-mode

ning irrespective of	
	Independent high-pressure cleaning irrespective of
long runtime batteries included in the	external power sources High cleaning performance with long runtime
	 Basic machine without batteries
	7.5
	30
	Lithium-ion replacement battery
	320-400
	70-110 / 7-11
	150 / 15
	60
	26.7
	380 × 370 × 930
	Suction
	EASY!Force
	10
	840
	-
	•
	•
	-
	-
	1.520-928.0

HD 4/11 C Bp

BATTERY POWER FOR PROFESSIONALS

Switch from the leaf blower to the hedge trimmer or the mower – and simply take the battery with you. Any batteries in the 36 V class are suitable for all machines in the Kärcher Outdoor Power Equipment range. This means you are always immediately ready to work. You achieve the best results for every job with the high performance and durability of our battery-powered machines. And you work ergonomically and comfortably with low noise. This is Kärcher quality for the highest demands and your individual requirements.



Table of contents: Outdoor Power Equipment

Lawn mower	Page	24
Chain saws	Page	26
Lawn trimmers	Page	28
Brush Cutter	Page	30
Leaf blowers	Page	32
Backpack leaf blowers	Page	34
Hedge trimmers	Page	36
Multi-tools	Page	38



Powerful and flexible

With the powerful and versatile battery-powered devices from our Kärcher Outdoor Power Equipment range, you can perform the most demanding tasks. Without any exhaust emissions, freely and safely. You also benefit from lower vibrations, lower noise levels and reduced operating and maintenance costs. Precisely the right machines for all professional garden maintenance work.

OUTDOOR POWE EQUIPMENT

LAWN MOWER

TECHNICAL DATA AND EQUIPMENT



As flexible as a petrol machine. But quiet, with zero emissions.

The LM 530/36 Bp battery-powered lawn mower is equal in every way to its petrol-powered counterpart in terms of equipment and performance. Sturdy, with a steel mowing deck, ball bearing wheels, intelligent automatic speed control for increasing the range and variable drive speed, it has been designed for regular and demanding lawn care. The clippings can either be collected, mulched or expelled.







1 Simple cutting height adjustment

- $\hfill\square$ Can be easily and conveniently adjusted to the appropriate cutting height.
- Precise adjustment of the cutting height for the intended use.

3 Intelligent automatic cutting speed control

- Optimum cutting speed for consistently good results.
- Protects the battery and increases the range.

2 Variable self-driving motor

- Can be adjusted for each individual user with the slide control.
- Saves energy and relieves strain.

4 Steel mowing deck

- Very robust design.
- Durable components.

LM 530/36 Bp Pack

		LM 530/36 BP Pack	LM 530/36 Bp
		 Brushless motor Automatic drive and intelligent automatic cutting speed control 53 cm cutting width and 57 l grass bag for large area performance 	 Brushless motor Automatic drive and intelligent automatic cutting speed control 53 cm cutting width and 57 l grass bag for large area performance
Technical data			
Voltage	v	36	36
Cutting width	mm	530	530
Cutting height	mm	30-110	30-110
Rotational speed	rpm	3100	3100
Speed	km/h	3-5	3-5
Mowing deck material		Steel	Steel
Grass collection bag volume	I	57	57
Grass collection bag material		Textile	Textile
Weight	kg	35	35
Dimensions (L × W × H)	cm	158 × 55 × 113	158 × 55 × 113
Equipment			
Battery		2 × Battery Power+ 36/60	
Battery charger			
Rear-wheel drive			•
Mulch kit		8	
Order No.		1.042-501.0	1.042-500.0
Price			
■ Included in the scope of supply. □	Available access	pries.	

Accessories Product name	Order No.	Description
Battery Power+ 36/60	2.042-022.0	Extremely powerful with 6.0 Ah c LCD display, voltage monitoring, t
Battery Power+ 36/75	2.445-043.0	Extremely powerful with 7.5 Ah c LCD display, voltage control, temp
Battery Power+ 36/60 quick charger	2.445-045.0	Charge Battery Power+ 36 V lithin with LED operating status indicate mounting.
Lawn mower blade, 53 cm	2.042-014.0	High-quality lawn mower blade m cutting width of 53 cm and precis
Side discharge for lawn mower	2.042-030.0	For retrofitting if required: side di periods working on large areas w convenience.

OUTDOOR POWER EQUIPMENT

1 1 4	530	126	Dn
	220	130	DU

	Price
capacity for a long run time, innovative real-time technology using an temperature management, protection against water jets.	
capacity for a long run time, innovative real-time technology using an perature management, water jet protection.	
um batteries quickly with max. 6 A charging current: quick charger or. Consumes hardly any energy in standby mode, suitable for wall	
nade from hardened steel for the LM 530/36 Bp lawn mower. With a se cutting performance for optimum mowing results.	
ischarge for the LM 530/36 Bp lawn mower. Ideal for prolonged ith tall, uncontrolled grass. Very easy assembly, high level of user	

CHAIN SAW

TECHNICAL DATA AND EQUIPMENT

cutting speed

Extremely powerful, without the smell of petrol and, thanks to its high cutting performance and speed, very impressive in tough everyday use: our CS 400/36 Bp battery-powered chain saw. Perfectly balanced, it fits ergonomically in your hand with minimal vibration, and its sturdy design allows it to tackle even the toughest applications whilst still being extremely easy to use.


Versatile powerhouse with high





1 Mechanical chain brake and electrical yarn brake

- Immediately stops the chain in case of kickback.
- Prevents the chain from continuing to run when the switch is released.



3 Integrated oil tank with viewing window

Filling level is clearly visible and easy to read. Oil tank cover attached to prevent it being lost.

2 Automatic chain lubrication

- Optimum chain lubrication for a long lifetime.
- Reduces maintenance.

4 Integrated combination wrench

- Enables quick chain retensioning.
- Chain and bar easy to change.



		 Brushless motor Electric chain brake and mechanical yarn brake Metal bumper spike for precise work 	 Brushless motor Electric chain brake and mechanical yarn brake Metal bumper spike for precise work
Technical data			
Voltage	v	36	36
Guide bar length	mm	400	400
Chain speed	m/s	23	23
Chain pitch		3/8"	3/8"
Chain gauge	mm	1.3	1.3
Weight	kg	4.0*	4.0*
Dimensions (L × W × H)	cm	88 × 21 × 25	88 × 21 × 25
Equipment			
Battery		1 × Battery Power+ 36/75	
Battery charger			
chain protection			
Oregon [®] guide bar			•
Oregon [®] saw chain			
Tool for chain tensioning			
Order No.		1.042-505.0	1.042-504.0
Price			
■ Included in the scope of supply. □ A	Available accesso	ries. * Without guide bar, saw chain and batteries.	

Accessories Product name	Order No.	Description
Battery Power+ 36/60	2.042-022.0	Extremely powerful with 6.0 Ah of LCD display, voltage monitoring,
Battery Power+ 36/75	2.445-043.0	Extremely powerful with 7.5 Ah o LCD display, voltage control, temp
Battery Power+ 36/60 quick charger	2.445-045.0	Charge Battery Power+ 36 V lithi with LED operating status indicat mounting.
"Oregon" 40 cm saw chain	2.042-018.0	Suitable for the CS 400/36 Bp ch low vibration and durable. 1.3 m
40 cm chainsaw guide bar	2.042-019.0	Suitable for the CS 400/36 Bp cha service life in day-to-day tough a

CS 400/36 Bp

OUTDOOR POWER EQUIPMENT

	Price
apacity for a long run time, innovative real-time technology using an temperature management, protection against water jets.	
capacity for a long run time, innovative real-time technology using an perature management, water jet protection.	
um batteries quickly with max. 6 A charging current: quick charger or. Consumes hardly any energy in standby mode, suitable for wall	
ainsaw: Oregon saw chain (40 cm). Long-lasting and precise quality, n drive link thickness, 3/8" pitch saw chain.	
ainsaw: Oregon guide bar (40 cm). With precise guidance and a long pplications.	

LAWN TRIMMER

TECHNICAL DATA AND EQUIPMENT







1 Ergonomic, round grip

- Enables you to work in comfort.
- Can be individually adjusted for each user.

On inclines, around road signs, under park benches, our LT 380/36 Bp battery-powered lawn trimmer is the ideal solution for hard-to-reach places. This lightweight powerhouse with ergonomic, adjustable grip is comfortable and easy to use, boasts a large cutting width and long runtime, is also perfect for mowing

or vibrations.

to use



Extremely versatile and comfortable

larger areas and works quietly, without producing any emissions



3 Variable speed

- Can be adapted to usage.
- Extended run time.

2 Robust trimmer head

- Simply push the trimmer line by pressing the head on the ground.
- Convenient, easy line loading.

4 Comfortable shoulder strap

- Enables convenient, comfortable positioning so that you can work without getting tired.
- Balanced design.

LT 380/36 Bp

		 Brushless motor Ergonomic, round grip Lightweight with an optimute
Technical data		
Voltage	V	36
Cutter		Line head
Cutting width	mm	380
Line diameter	mm	1.6
Speed level 1/level 2	rpm	4600 / 5600
Weight	kg	3.5*
Dimensions (L × W × H)	cm	178 × 36 × 25
Equipment		
Battery		
Battery charger		
Cut protection		•
Round rubber grip		•
Shoulder strap		
Hex key		•
Order No.		1.042-502.0
Price		
Included in the scope of supply.	□ Available accessories	. * Without line head and batte

Accessories		
Product name	Order No.	Description
Battery Power+ 36/60	2.042-022.0	Extremely powerful with 6.0 Ah o LCD display, voltage monitoring,
Battery Power+ 36/75	2.445-043.0	Extremely powerful with 7.5 Ah o LCD display, voltage control, temp
Battery Power+ 36/60 quick charger	2.445-045.0	Charge Battery Power+ 36 V lithi with LED operating status indicat mounting.
Universal shoulder strap	2.042-016.0	Ergonomic and comfortable univer for example with Kärcher leaf blo
Trimmer head incl. trimmer line 1.6 mm	2.042-028.0	Sturdy, long-lasting trimmer head Extremely simple line threading a
Trimmer line 1.6 mm, 20 m	2.042-023.0	Long-lasting 1.6 mm trimmer line ing. Round, with grooves.
Trimmer line 2.0 mm, 15 m	2.042-024.0	For optimum mowing results: 15 low-wear quality for quiet working
Trimmer line 2.0 mm, 50 m	2.042-025.0	High-quality, low wear trimmer li mowing and optimum results.
Trimmer line 2.4 mm, 15 m	2.042-026.0	Round trimmer line with grooves, quiet working. Long-lasting, low-v
Trimmer line 2.4 mm, 44 m	2.042-027.0	Our trimmer lines with a diamete quiet mowing and low wear. Rour

um centre of gravity

OUTDOOR POWER EQUIPMENT

eries.

	Price
apacity for a long run time, innovative real-time technology using an emperature management, protection against water jets.	
apacity for a long run time, innovative real-time technology using an erature management, water jet protection.	
m batteries quickly with max. 6 A charging current: quick charger or. Consumes hardly any energy in standby mode, suitable for wall	
rsal shoulder strap. For working for prolonged periods without tiring, wers, lawn trimmers and multi-tools.	
(double line head) with 1.6 mm trimmer line (5 m) and touch control. nd assembly. For fast, efficient mowing and clearing work.	
(20 m) with high cutting performance and low wear for quiet mow-	
n round trimmer line, 2.0 mm, with grooves. High, long-lasting and g.	
ne, 2.0 mm, round, with grooves. Length: 50 m. For efficient, quiet	
2.4 mm diameter and 15 m long. For optimum mowing results and rear quality.	
of 2.4 mm and a length of 44 m boast high cutting performance, d design with grooves.	

BRUSH CUTTER

TECHNICAL DATA AND EQUIPMENT

A CONTRACTOR

Effortlessly tackles the toughest mowing tasks.

Stubborn uncontrolled plant growth, thick undergrowth or tough grass: with the BCU 260/36 Bp battery-powered brush cutter, you can effortlessly tackle tough mowing tasks. Its low operating noise means it can be used in noise-sensitive areas and its individually adjustable ergonomic two-handed grip enables you to hold it without getting tired. It also works as a lawn trimmer with the appropriate accessories.





1 Ergonomic two-handed grip

- Effortless work over long periods.
- Optimum, balanced weight distribution so you can work without getting Extended run time. tired.

2 Double-shoulder carrying strap

- Comfortable to use, particularly for long periods.
- The load distribution over a larger area reduces the strain.

3 Variable speed

Can be adapted to usage.

4 Brush knife

High-performance, durable knife made from hardened steel.

BCU 260/36 Bp

		 Brushless motor Ergonomic two-handed grip Lightweight with an optimut
Technical data		
Voltage	V	36
Cutter		Blade
Cutting circle diameter	mm	260
Number of blades		3
Speed level 1/level 2	rpm	4600 / 5600
Weight	kg	3.9*
Dimensions (L × W × H)	cm	182 × 63 × 40
Equipment		
Battery		
Battery charger		
Cut protection		•
Ergonomic two-handed grip		•
Double-shoulder carrying strap		•
Hex key		•
Order No.		1.042-503.0
Price		
Included in the scope of supply.	Available accessories	* Without knife and batteries.

Accessories Product name	Order No.	Description
Battery Power+36/60	2.042-022.0	Extremely powerful with 6.0 Ah c LCD display, voltage monitoring, t
Battery Power+ 36/75	2.445-043.0	Extremely powerful with 7.5 Ah c LCD display, voltage control, temp
Battery Power+ 36/60 quick charger	2.445-045.0	Charge Battery Power+ 36 V lithin with LED operating status indicate mounting.
Universal carrying strap	2.042-017.0	Ergonomic double shoulder carry with high freedom of movement.
Brush cutter, three tooth	2.042-029.0	High-quality three-tooth brush cu the BCU 260/36 Bp strimmer. Cap undergrowth.
Lawn trimmer conversion kit	2.042-015.0	Conversion kit for using the BCU line head) with trimmer line, prote
Trimmer line 1.6 mm, 20 m	2.042-023.0	Long-lasting 1.6 mm trimmer line ing. Round, with grooves.
Trimmer line 2.0 mm, 15 m	2.042-024.0	For optimum mowing results: 15 r low-wear quality for quiet workin
Trimmer line 2.0 mm, 50 m	2.042-025.0	High-quality, low wear trimmer lin mowing and optimum results.
Trimmer line 2.4 mm, 15 m	2.042-026.0	Round trimmer line with grooves, quiet working. Long-lasting, low-v
Trimmer line 2.4 mm, 44 m	2.042-027.0	Our trimmer lines with a diameter quiet mowing and low wear. Roun

um centre of gravity

	Price
apacity for a long run time, innovative real-time technology using an emperature management, protection against water jets.	
apacity for a long run time, innovative real-time technology using an erature management, water jet protection.	
um batteries quickly with max. 6 A charging current: quick charger or. Consumes hardly any energy in standby mode, suitable for wall	
ng strap for even weight distribution and for working without tiring Ideal for the BCU 260/36 Bp strimmer.	
tter made from hardened steel with a cutting width of 260 mm for able of mowing long grass, uncontrolled plant growth and stubborn	
260/36 B strimmer as a lawn trimmer. Sturdy trimmer head (double active cover and screws for easy assembly.	
(20 m) with high cutting performance and low wear for quiet mow-	
n round trimmer line, 2.0 mm, with grooves. High, long-lasting and \ensuremath{g} .	
ne, 2.0 mm, round, with grooves. Length: 50 m. For efficient, quiet	
2.4 mm diameter and 15 m long. For optimum mowing results and vear quality.	
of 2.4 mm and a length of 44 m boast high cutting performance, d design with grooves.	

LEAF BLOWER

TECHNICAL DATA AND EQUIPMENT

Almost too quiet to be a leaf blower.

Our pow only he hard-to used in stances makes in costs ar

Our powerful LB 930/36 Bp battery-powered leaf blower not only helps to clear leaves and other dirt quickly – particularly in hard-to-reach places – it is also quiet, which means that it can be used in noise-sensitive areas. It does not emit any harmful substances, the shoulder strap saves a great deal of energy and makes it comfortable to use, and its operating and maintenance costs are minimal.





1 Metal scraper

- Clears sticky residues and dirt.
- Protects the end of the blow tube from damage.



3 Infinitely variable speed and turbo button

- Optimised blowing speed adjustment and performance increase when needed.
- Maximum control when removing stubborn foliage and dirt.

2 High-speed nozzle

- Concentrates the blowing power onto a smaller area.
- Easily clears wet leaves and dirt.

4 Comfortable shoulder strap


- Enables convenient, comfortable positioning so that you can work without getting tired.
- Balanced design.

LB 930/36 Bp Pack

		Brushless motorInfinitely variable speed regHigh-speed nozzle for increa
Technical data		
Voltage	v	36
Air throughput	m³/h	930
Air speed	m/s	max. 60
Speed regulation		variable
Weight	kg	3.0*
Dimensions (L × W × H)	cm	84 × 15 × 34
Equipment		
Battery		1 × Battery Power+ 36/60
Battery charger		•
Standard nozzle with metal scrap	er	
High-speed nozzle		
Shoulder strap		
Order No.		1.042-508.0
Price		

Accessories Product name	Order No.	Description
Battery Power+ 36/60	2.042-022.0	Extremely powerful with 6.0 Ah concerning to LCD display, voltage monitoring, to
Battery Power+ 36/75	2.445-043.0	Extremely powerful with 7.5 Ah c
		LCD display, voltage control, temp
Battery Power+ 36/60 quick charger	2,445-045.0	Charge Battery Power+ 36 V lithiu
		with LED operating status indicate mounting.
Universal shoulder strap	2.042-016.0	Ergonomic and comfortable univer
onversu shoulder strup	2.042 010.0	for example with Kärcher leaf blo

LB 930/36 Bp



	Price
apacity for a long run time, innovative real-time technology using an emperature management, protection against water jets.	
apacity for a long run time, innovative real-time technology using an verature management, water jet protection.	
um batteries quickly with max. 6 A charging current: Quick charger pr. Consumes hardly any energy in standby mode, suitable for wall	
rsal shoulder strap. For working for prolonged periods without tiring, wers, lawn trimmers and multi-tools.	

OUTDOOR POWER EQUIPMENT

BACKPACK LEAF BLOWER

TECHNICAL DATA AND EQUIPMENT



Comfortable to wear on your back, perfectly balanced, ergonomic, quiet and, thanks to the spring-loaded blower, produces practically no vibrations: our LBB 1060/36 Bp battery-powered backpack leaf blower is ideal for working for long periods without tiring. Thanks to its high air speed and throughput, this powerful device is perfect for clearing large areas quickly.

Maximum power, minimum noise







1 Infinitely variable speed and turbo button

- Optimised blowing speed adjustment and performance increase when needed.
- Maximum control when removing stubborn foliage and dirt.

3 Convenient to carry on your back

- Work in comfort thanks to the padded shoulder straps.
- Clever ergonomic design for long periods of work.

2 Long operating time

- 4 Spring-loaded blower
- Two battery compartments for particularly long periods of usage.Perfect for professional use.
- Reduces vibrations and enables you to work without tiring.
- Protects the user's health.

LBB 1060/36 Bp Pack

		 Brushless motor Quietest and most powerful b its class Low vibration due to spring-li
Technical data		
Voltage	v	36
Air throughput	m³/h	1060
Air speed	m/s	max. 65
Speed regulation		variable
Weight	kg	8.8*
Dimensions (L × W × H)	cm	160 × 40 × 46
Equipment		
Battery		1 × Battery Power+ 36/60
Battery charger		
Standard nozzle with metal scraper		
Order No.		1.042-508.0
Price		
Included in the scope of supply Avail:		rios *Without battorios

 \blacksquare Included in the scope of supply. $\hfill\square$ Available accessories. *Without batteries.

Accessories Product name	Order No.	Description
Battery Power+ 36/60	2.042-022.0	Extremely powerful with 6.0 Ah LCD display, voltage monitoring,
Battery Power+ 36/75	2.445-043.0	Extremely powerful with 7.5 Ah LCD display, voltage control, tem
Battery Power+ 36/60 quick charger	2.445-045.0	Charge Battery Power+ 36 V lith with LED operating status indica mounting.

34

LBB 1060/36 Bp

backpack leaf blower in -loaded blower	 Brushless motor Quietest and most powerful backpack leaf blower in its class Low vibration due to spring-loaded blower
	36
	1060
	max. 65
	variable
	8.8*
	160 × 40 × 46
	•
	1.042-509.0

~	
NE	
õ	_
2	z
8	ž
Ĕ	
O	B

Price

capacity for a long run time, innovative real-time technology using an , temperature management, protection against water jets.

n capacity for a long run time, innovative real-time technology using an mperature management, water jet protection.

thium batteries quickly with max. 6 A charging current: Quick charger cator. Consumes hardly any energy in standby mode, suitable for wall

HEDGE TRIMMER

TECHNICAL DATA AND EQUIPMENT

Comfortable to use, precise cutting results

Our HT 650/36 Bp battery-powered hedge trimmer impresses with its laser-cut, two-sided, diamond-ground blades. Together with the two-level cutting speed control, it effortlessly shapes and trims, tackling both thick and thin branches. The rotating handle allows you to cut the sides of the hedge without joint pain and without tiring, while the integrated anti-blocking system ensures maximum safety.





1 Ergonomic, rotatable grip

Adjustable rear handle to comfortably cut hedge sides.





3 Two cutting speeds

Two cutting speeds for an optimum mowing results at all times.

HT 650/36 Bp

		 Brushless motor Ergonomic, rotatable grip 2 speeds for use on every
Technical data		
Voltage	v	36
Cutting length	mm	650
Tooth spacing	mm	33
Cutting blade type		laser-cut, diamond-ground
Blade speed level 1 / level 2	Cuts/min	2800 / 3200
Weight	kg	4.1*
Dimensions (L × W × H)	cm	113 × 27 × 23
Equipment		
Battery		
Battery charger		
Blade guard		
Cut protection		
Control guard		
Shoulder strap eyelet		
Order No.		1.042-506.0
Price		
Included in the scope of supply.	Available accessories.	*Without batteries.

Accessories		
Product name	Order No.	Description
Battery Power+ 36/60	2.042-022.0	Extremely powerful with 6.0 Ah c LCD display, voltage monitoring, t
Battery Power+ 36/75	2.445-043.0	Extremely powerful with 7.5 Ah c LCD display, voltage control, temp
Battery Power+ 36/60 quick charger	2.445-045.0	Charge Battery Power+ 36 V lithiu with LED operating status indicate mounting.
Carrying rack	6.373-071.0	Work in comfort, without tiring, th

2 Blade and control guard

- 4 Eyelet for carrying rack
- Work in comfort, without tiring, thanks to the even weight distribution.
- Does not limit the user's freedom of movement.
- Blade and grip guard prevent damage and increase safety.
- Prevents damage to the blade when working near obstructions.

type of hedge	
	Price
apacity for a long run time, innovative real-time technology using an temperature management, protection against water jets.	
apacity for a long run time, innovative real-time technology using an perature management, water jet protection.	

nium batteries quickly with max. 6 A charging current: Quick charger ator. Consumes hardly any energy in standby mode, suitable for wall

thanks to the even weight distribution.

OUTDOOR POWER EQUIPMENT

MULTI-TOOL

TECHNICAL DATA AND EQUIPMENT



One tool. For so many tasks.

Our MT 36 Bp battery-powered multi-tool replaces several tools at once, from pole hedge trimmers to pole-mounted pruners. The multi-tool impresses with smooth running, zero-emission and low noise operation together with comfortable and safe handling. With a quick-release coupling for easy tool changes, sturdy steel shaft and brushless, powerful motor for tough applications.





1 Convenient quick-release coupling

- Change attachments easily, quickly and without any tools.
- Compact and easy to transport and store.

2 Ergonomic, round grip

- Enables you to work in comfort.
- Can be individually adjusted for each user.





3 Variable speed

- Can be adapted to usage.
- Extended run time.

4 Solid, smooth steel shaft

- Robust design.
- Durable components.

MT 36 Bp	
----------	--

		 Brushless motor Quick-release coupling for easy tool changes Variable rotation speed for use in any situation 	 Automatic chain lubrication Electric chain brake Compact, lightweight design 	 Easy to adjust the cutting angle (180°) Diamond-ground cutting blade Compact and easy to store
Technical data				
Voltage	v	36	36	36
Guide bar length	mm	-	250	-
Chain speed	m/s	-	12	-
Tooth spacing	mm	-	-	28
Cutting length	mm	-	-	550
Cutting angle	٥	-	-	0-180
Speed level 1/level 2	rpm	7800 / 6800	-	-
Chain gauge	mm	-	1.3	-
Weight	kg	2.6*	1.9*	2.3*
Dimensions (L × W × H)	cm	95 × 19 × 17	94 × 12 × 13	128 × 13 × 10
Fauinmont				
Equipment		-		
Battery			-	-
Battery charger		_	-	-
Round rubber grip			-	-
Shoulder belt			-	-
		-		
		1.042-511.0	1.042-512.0	1.042-513.0
Quick-release coupling Order No. Price Included in the scope of supply.	□ Available a	1.042-511.0	- 1.042-512.0	- 1.042-513.0

 \blacksquare Included in the scope of supply. $\hfill\square$ Available accessories. *Without batteries.

Accessories			
Product name	Order No.	Description	Price
Battery Power+ 36/60	2.042-022.0	Extremely powerful with 6.0 Ah capacity for a long run time, innovative real-time technology using an LCD display, voltage monitoring, temperature management, protection against water jets.	
Battery Power+ 36/75	2.445-043.0	Extremely powerful with 7.5 Ah capacity for a long run time, innovative real-time technology using an LCD display, voltage control, temperature management, water jet protection.	
Battery Power+ 36/60 quick charger	2.445-045.0	Charge Battery Power+ 36 V lithium batteries quickly with max. 6 A charging current: Quick charger with LED operating status indicator. Consumes hardly any energy in standby mode, suitable for wall mounting.	
Universal shoulder strap	2.042-016.0	Ergonomic and comfortable universal shoulder strap. For working for prolonged periods without tiring, for example with Kärcher leaf blowers, lawn trimmers and multi-tools.	
"Oregon" 25 cm saw chain	2.042-020.0	Long-lasting, low-vibration Oregon saw chain (25 cm), ideal for the Kärcher MT CS 250/36 pole-mount- ed pruners. 3/8" pitch saw chain, 1.3 mm drive link thickness. High cutting performance and quality.	
25 cm chainsaw guide bar	2.042-021.0	Precise Oregon guide bar (25 cm). Suitable for MT CS 250/36 pole-mounted pruners. Reliable, robust and long-lasting quality for tough day-to-day applications.	

MT CS 250/36

MT HT 550/36

ER	
POV	⊨
OOR	MEN
OUTD	EQUIF

KÄRCHER ACCESSORIES FOR EVEN MORE POWER.



Our battery-powered Outdoor Power Equipment range impresses thanks to powerful battery technology for a large number of professional applications in tough daily conditions. Highquality Kärcher original accessories perfectly designed for the equipment further increase efficiency, effectiveness, productivity and flexibility. Whether you are looking for comfortable carrying systems, additional batteries and fast chargers, or spare parts such as trimmer lines or new blades for your lawn mower, we have everything you need to make your tasks as easy as possible.

	Order No.	Price	Description		LM 530/36 Bp LM 530/36 Bp LT 380/36 Bp LT 380/36 Bp LB 1060/36 Bp LB 1060/36 Bp LB 1060/36 Bp LB 1060/36 Bp HT 650/36 Bp MT 36 Bp MT 36 Bp
Batteries		1			
Battery Power+ 36/60	1 2.042-022.0		Extremely powerful with 6.0 Ah capacity for a long run time, innovative real-time technology using an LCD display, voltage monitoring, temperature management, protection against water jets.	1	
Battery Power+ 36/75	2 2.445-043.0		Extremely powerful with 7.5 Ah capacity for a long run time, innovative real-time technology using an LCD display, voltage control, temperature management, water jet protection.	2	
Machine accessories		1			
Lawn mower blade, 53 cm	3 2.042-014.0		High-quality lawn mower blade made from hardened steel for the LM 530/36 Bp lawn mower. With a cutting width of 53 cm and precise cutting performance for optimum mowing results.	3	
Side discharge for lawn mower	4 2.042-030.0		For retrofitting if required: Side discharge for the LM 530/36 Bp lawn mower. Ideal for prolonged peri- ods working on large areas with tall, uncontrolled grass. Very easy assembly, high level of user conven- ience.	4	
Universal shoulder strap	5 2.042-016.0		Ergonomic and comfortable universal shoulder strap. For working for prolonged periods without tiring, for example with Kärcher leaf blowers, lawn trimmers and multi-tools.	5	
Trimmer head incl. trimmer line 1.6 mm	6 2.042-028.0		Sturdy, long-lasting trimmer head (double line head) with 1.6 mm trimmer line (5m) and touch control. Extremely simple line threading and assembly. For fast, efficient mowing and clearing work.	6	
Trimmer line 1.6 mm, 20 m	7 2.042-023.0		Long-lasting 1.6 mm trimmer line (20 m) with high cutting performance and low wear for quiet mowing. Round, with grooves.	7	
Trimmer line 2.0 mm, 15 m	8 2.042-024.0		For optimum mowing results: 15 m round trimmer line, 2.0 mm, with grooves. High, long-lasting and low-wear quality for quiet working.	8	
Trimmer line 2.0 mm, 50 m	9 2.042-025.0		High-quality, low wear trimmer line, 2.0 mm, round, with grooves. Length: 50 m. For efficient, quiet mowing and optimum results.	9	
Trimmer line 2.4 mm, 15 m	10 2.042-026.0		Round trimmer line with grooves, 2.4 mm diameter and 15 m long. For optimum mowing results and quiet working. Long-lasting, low-wear quality.	10	
Trimmer line 2.4 mm, 44 m	11 2.042-027.0		Our trimmer lines with a diameter of 2.4 mm and a length of 44 m boast high cutting performance, quiet mowing and low wear. Round design with grooves.	11	
Universal carrying strap	12 2.042-017.0		Ergonomic double shoulder carrying strap for even weight distribution and for working without tiring with high freedom of movement. Ideal for the BCU 260/36 Bp strimmer.	12	
Brush cutter, three tooth	13 2.042-029.0		High-quality three-tooth brush cutter made from hardened steel with a cutting width of 260 mm for the BCU 260/36 Bp strimmer. Capable of mowing long grass, uncontrolled plant growth and stubborn undergrowth.	13	
Lawn trimmer conversion kit	14 2.042-015.0		Conversion kit for using the BCU 260/36 B strimmer as a lawn trimmer. Sturdy trimmer head (double line head) with trimmer line, protective cover and screws for easy assembly.	14	
"Oregon" 40 cm saw chain	15 2.042-018.0		Suitable for the CS 400/36 Bp chainsaw: Oregon saw chain (40 cm). Long-lasting and precise quality, low vibration and durable. 1.3 mm drive link thickness, 3/8" pitch saw chain.	15	
40 cm chainsaw guide bar	16 2.042-019.0		Suitable for the CS 400/36 Bp chainsaw: Oregon guide bar (40 cm). With precise guidance and a long service life in day-to-day tough applications.	16	
MT EXT 100	17 1.042-514.0		1 m long, high-quality, sturdy extension with solid steel shaft and quick-release coupling. For extending the reach of pole-mounted pruners or pole hedge trimmers in combination with the multi-tool.	17	
"Oregon" 25 cm saw chain	18 2.042-020.0		Long-lasting, low-vibration Oregon saw chain (25 cm), ideal for the Kärcher MT CS 250/36 pole-mount- ed pruners. 3/8" pitch saw chain, 1.3 mm drive link thickness. High cutting performance and quality.	18	
25 cm chainsaw guide bar	19 2.042-021.0		Precise Oregon guide bar (25 cm). Suitable for MT CS 250/36 pole-mounted pruners. Reliable, robust and long-lasting quality for tough day-to-day applications.	19	
Bio saw chain oil	20 6.990-531.0		Biodegradable saw chain oil reduces the wear of hinges and links on the saw chain of the battery-pow- ered chainsaw CS 330 Bp. Can be used at ambient temperatures of -30 °C.	20	

 \blacksquare Included in the scope of supply. $\hfill\square$ Available accessories.

℃	
Ξ	
>	
2	
0	
₽.	=
℃	<u>_</u>
ō	₩.
õ	2
ŏ	D
1	=
5	2

ACCESSORIES - OUTDOOR POWER EQUIPMENT	

PROFESSIONAL WET AND DRY VACUUM CLEANERS FOR EVERY CLEANING TASK

As a professional user, you know there's much more to a good wet and dry vacuum cleaner than suction power alone. The overall design - with all filters and control elements, ergonomics, stability and optimal accessories - is the deciding factor. For decades, we have been continuously setting new standards in this area with our innovative technologies - at an excellent price-performance ratio too.




Table of contents: Wet and dry vacuum cleaners	
Ap class	

Special vacuums

46 Page Page 48



New NT accessories system now also available for twin-motor wet and dry vacuum cleaners

With the new NT accessories we redesigned and improved all interfaces. The result is that all accessory parts can be disconnected and reconnected again much faster and more easily, and the connection safety has also been increased. The performance and user-friendliness have also been improved. All standard accessories of the twin-motor NT vacuum cleaners have an inner diameter of DN 40, thus guaranteeing a higher air throughput and lower risk of clogging.

1 Ergonomic bend

With a larger inner diameter for lower risk of clogging. For all Tact² variants, even in an electroconductive version

2 4-metre suction hose with new bayonet connection and clip system

For effortless connection and disconnection of the hose from the machine, even in very dusty environments. The variants of the NT 70 range, as well as the twin-motor Ap range, come with a hose in standard material, the Tact² variants have the hose in an electroconductive version.

Standard ac	cessories for	twin-motor NT vacuum cleaners		Product group	
	Order no.	Description	NT 70/2 NT 70/3	NT 65/2 Ap NT 75/2 Ap	NT 65/2 Tact ² NT 75/2 Tact ²
Hose	2.889-138.0	Hose, standard, DN 40, 4 m long			
	2.889-141.0	Hose, electroconductive, DN 40, 4 m long			
Bend	2.889-171.0	Bend, standard, DN 40			
	2.889-172.0	Bend, electroconductive, DN 40			
Suction tube	2.889-194.0	Suction tube set, stainless steel, DN 40, length 2 × 550 mm		•	
Floor nozzle	2.889-153.0	Floor nozzle Adv, DN 40, 360 mm wide			

3 Wide floor nozzle


With quick-change inserts for wet and dry applications.

4 Suction tube set, stainless steel, 2 × 0.55 m

All twin-motor NT vacuum cleaners are now equipped with non-corrosive stainless steel suction tubes.

VACUUMING UP INSTEAD OF COUGHING UP

Our lungs simply aren't built to deal with fine dust. Let alone large volumes of it. And it's those large volumes that can be extremely dangerous. That's why chronically obstructive pulmonary disease (COPD) is the third most frequent illness. Treatment costs several billion euros. How much is your health worth to you?



A vacuum cleaner is always only as good as its filter.

Dust is a complex mixture of air and solid particles of different shapes and sizes. Also the chemical composition and physical characteristics can vary significantly. Dust is categorised into different classes using these variables. Fibres, such as the particularly dangerous asbestos and mineral fibres (when < 5 μ m), can also penetrate deep into the respiratory tract. The exact identification of the individual dust classes is therefore important in order to be able to select the right vacuum cleaner when the danger has been assessed.

Dust that isn't created in the first place cannot endanger anyone. Such effective dust prevention can be achieved only by means of direct suction at the power tool. If this is not possible, there are many ways to bind or vacuum up dust, or to prevent it getting into our lungs with appropriate breathing equipment.

Wood

Our brand new candle filter fits into all new single-motor Kärcher Tact vacuum cleaners. The 8 candles with PTFE coating work efficiently for wood and fibre dust of any kind. Guaranteed dust separation rate: 99.9%.

Safety/HEPA

The first cleanable H filter for wet and dry vacuum cleaners. Single-stage and available exclusively from Kärcher. Guaranteed dust separation rate: 99.995% (HEPA).

Ultimate

We have the best filter solution for applications that create a great deal of dust, e.g. sanding fresh concrete or working with toners: our PTFE filter. Can be used in all single-motor NT Tact and Ap models. Guaranteed dust separation rate: 99.9%.

Wet & Dry

These PES filters (standard feature in our new NT Tact vacuum cleaners) provide excellent results for both wet and dry applications. Guaranteed dust separation rate: 99.9%.

Dry

These paper filters are an excellent choice for dry applications, including in terms of price. Can be used in all single-motor NT Tact and Ap models. Guaranteed dust separation rate: 99.9%.

TOP IN EVERY CLASS

It has never been safer to show true colours. Our filters are colour-coded to indicate their purpose of use. Brown signifies wood and fibre dust. Red indicates HEPA. Black denotes the toughest applications. Blue means they can be used anywhere. And green stands for dry dust and high cost-effectiveness.



Enables fibre dust vacuuming without a filter bag for the first time.

- High suction power guaranteed (no clogging!).
- Moisture- and rot-resistant.



Moisture- and rot-resistant.

- Even more cost-effective thanks to longer filter service life.
- High suction power guaranteed (no clogging!).



Suitable for vacuuming hazardous and explosive dusts.

The new PTFE H filter is the first cleanable H filter on the market. It therefore enables vacuuming of large quantities of fine dust without a filter bag.

A safety filter set or disposal bag is required for vacuuming hazardous dusts.



Moisture- and rot-resistant.

Even more cost-effective thanks to longer filter service life.

Ideal for frequent switching between wet and dry vacuuming.

High suction power when vacuuming fine dust.

High rate of dust retention.

The filter must be dried after vacuuming liquids!

AP CLASS

The first cordless wet and dry vacuum cleaner for professionals

As compact, lightweight and mobile as possible, and as powerful as necessary for professional use, the powerful Kärcher Battery Power+ 36 V battery ensures that our cordless NT 22/1 Ap Bp wet and dry vacuum cleaner is independent, requiring no external power sources while providing optimum suction power and an extra-long runtime. It is also quick to replace, enabling you to work for extended periods of time.





1 Powerful Kärcher Battery Power+ 36 V battery with 7.5 Ah capacity

Ensures a long runtime of 35 minutes at full suction power.



3 Semi-automatic filter cleaning

- Semi-automatic filter cleaning guarantees constantly high suction power.
- The positioning of the Ap cleaning button simplifies handling.

2 Effective protection cover for the battery bay

Protects the battery from dirt and moisture. With viewing window.

4 Lightweight with compact dimensions

The machine is easy and convenient to transport and store.

TECHNICAL DATA AND EQUIPMENT

NT 22/1 Ap Bp Pack L

		 Powerful Kärcher Battery Efficient semi-automatic Flat pleated filter with filt
Technical data		
Air flow rate	l/s	57
Vacuum	mbar / kPa	152 / 15.2
Container capacity	I	22
Max. rated input power	W	550
Standard nominal width		ID 35
Sound pressure level EN 60335-2-69 uncertainty K = 1 dB(A)	dB(A)	70
Weight	kg	8.6
Dimensions (L × W × H)	mm	401 × 372 × 499
Equipment		
Battery		
Battery charger		
Suction hose	m	1.9 / with bend
Suction pipe	piece(s) × m / mm	2 x 0.5 / 35 / plastic
Filter bag		fleece
Wet and dry floor nozzle	mm	300
Crevice nozzle		
Order No.		1.528-120.0
Price		
■ Included in the scope of supply. □ A	vailable accessories.	
■ Included in the scope of supply. □ A	vailable accessories.	

Accessories		
Product name	Order No.	Description
Battery Power + 35/75	2.445-043.0	Extremely powerful with 7.5 Ah c LCD display, voltage control, temp
Battery Power + 36/60 quick charger	2.445-045.0	Charge Battery Power + 36 V lithin with LED operating status indicate mounting.
Suction hose	2.889-133.0	2.5 m long suction hose with new
Elbow, standard	2.889-199.0	Plastic bend, grey, with C 35 clip s
Suction tube set	2.889-218.0	Plastic suction tube set, NW 35, gr
Suction tube, chrome-plated	6.902-074.0	Suction tube, metal, chrome-plated
Flat pleated filter, paper	6.904-156.0	Tested for paper and dust class M
Flat pleated filter, PES	6.906-123.0	Polyester fleece, rot-proof, dust cl
Fleece filter bags	6.907-469.0	Fleece filter bag, tear-resistant, du
Fleece lilter bags	6.907-469.0	Fleece Iller Dag, lear-resistant,

WET AND DRY VACUUM CLEANERS

NT 22/1 Ap Bp L

Power+ 36 V battery filter cleaning ter casing	 Dust class L certification Efficient semi-automatic filter cleaning Flat pleated filter with filter casing 	
	57	
	152 / 15.2	
	22	
	550	
	ID 35	
	70	
	8.6	
	401 × 372 × 499	
	1.9 / with bend	
	2 x 0.5 / 35 / plastic	
	fleece	
	300	
	1.528-130.0	
	1.528-150.0	
		D. i.u.
	in a setting and time to be also surgers as	Price
perature management, wate	innovative real-time technology using an er jet protection.	
	max. 6 A charging current: quick charger nergy in standby mode, suitable for wall	
clip fastener, C 35.		
system.		
rey, 2-piece, each 0.5 m.		
d, NW 35, length: 0.5 m.		
(also for NT 351 Eco mode	els).	

lass M (also for NT 351 Eco models).

ust class M.

SPECIAL VACUUMS

TECHNICAL DATA AND EQUIPMENT



NT 40/1 Tact: Just the way bakers would design it themselves.

Specially developed for bakeries and their particular requirements: our NT 40/1 Tact Bs bakery vacuum. For floorboards or machinery, for surfaces or ovens - this wet and dry vacuum cleaner reliably and powerfully removes any kind of damp or dry dirt.





1 Ideal for bakeries and cake shops

Optional accessory kits specially for use in bakeries.



3 Heat-resistant PES flat pleated filter

Allows vacuuming of problematic dust in bakeries.

2 Special lock latches made from metal

- Allow certification as explosion-proof machine.
- Permit approval for vacuuming potentially hazardous flour dust.

4 Practical accessory storage for special accessories

Facilitates the carrying of bulky sets for oven cleaning.

NT 40/1 Tact Bs

		 Antistatic preparation PES flat pleated filter Tact automatic filter cleaning syst
Technical data		
Air flow rate	l/s	74
Vacuum	mbar / kPa	254 / 25.4
Container capacity	I	40
Max. rated input power	W	1380
Voltage	v	220-240
Standard nominal width		ID 35
Cable length	m	7.5
Sound pressure level EN 60335-2-69 uncertainty K = 1 dB(A)	dB(A)	68
Weight	kg	16.2
Dimensions (L × W × H)	mm	650 × 370 × 1100

Equipment	
Flat pleated filter	PES
Order No.	1.148-340.0
Price	
Included in the scope of supply.	

Accessories		
Product name	Order No.	Description
Oven kit	2.640-341.0	Oven kit.
Bakery kit, electrically conductive	2.640-436.0	Bakery kit, electrically conductive.
Fleece filter bags	6.907-480.0	Fleece filter bag, tear-resistant, due
Adv fleece filter bags	6.907-361.0	Fleece filter bag, extra tear-resistar

em	
	Price
ist class M.	
ant, dust class M.	

FROM MOBILE TO STATIONARY VACUUM OR DEDUSTING SOLUTION

With our Kärcher industrial vacuum and dedusting solution and accompanying accessories, we can provide you with the perfect solution for any industrial work: whether flexible and mobile or stationary, for vacuuming anything from coarse swarf to the smallest unsettled dust particles, for small or large quantities, for liquids or solids, for unproblematic or hazardous material.





Industrial vacuums for liquids and swarf

Our robust industrial vacuums are capable of reliably withstanding the substantial load generated by abrasive swarf, solid material and lubricants. These vacuum cleaners are designed for continuous stationary or mobile use, directly integrated in processes.

Industrial vacuums for solids and dust These industrial vacuums feature special filter technology for dust and solids and are designed for continuous and stationary use, directly integrated in processes.





Industrial dedusting

These industrial dedusting solutions are the experts when it comes to effectively collecting unsettled dust particles, directly integrated in processes and designed for continuous stationary use.

Explosion-proof industrial dedusting

experts when it comes to effectively collecting unsettled dust particles, directly integrated in processes in zone 22.





Explosion-proof industrial vacuums Robust industrial vacuums for potentially explosive atmospheres. These machines are suitable for use in zone 22.



These industrial dedusting solutions are the

Customer-specific vacuum solutions

No matter how exceptional your work is - we can plan mobile and stationary vacuum solutions to meet your individual requirements.

FULL CHARGE FOR RELAXED WORKING

With our powerful battery-operated dry vacuum cleaners there is no difference in performance and cleaning result compared with cable-based dry vacuum cleaners. They offer an excellent cleaning performance and you experience this every day in use. And you will be impressed by the unobstructed, cordless work, the superb mobility and flexibility, the enhanced productivity with less effort and the up to 23 percent time savings. All these benefits make our new battery-operated dry vacuum cleaners the ideal partner for you as a building service contractor, in building cleaning, in the transport sector, in the hotel industry and in the retail sector.




Table of contents: Dry vacuum cleaners

Battery-operated dry vacuum cleaners	Page	56
Backpack vacuums	Page	57
Battery-powered handheld vacuum cleaners	Page	58



Your strong partner

Our battery-powered backpack vacuum B 5/1 Bp allows cordless working with optimal mobility. Wherever you want to go, the B 5/1 Bp follows.


Compact, powerful and quiet The T 9/1 Bp is a battery-powered dry vacuum cleaner with high cleaning performance. And it delivers an optimal performance so quietly allowing it to be used everywhere and at any time.

Battery-powered handheld vacuum cleaners

The HV 1/1 Bp is our innovation designed for powerful, cordless cleaning. With the right accessories, it is an essential tool in building cleaning and all trades.

INDEPENDENT PERFORMANCE WITHOUT ANY SACRIFICES

You have everything you need with our battery-operated dry vacuum cleaners. Top performance and cleaning quality. All these machines easily compete with comparable mains-operated dry vacuum cleaners. No power cable - it only gets in the way. No more plugging in/out. Our new battery-operated dry vacuum cleaner T 9/1 Bp impresses with an extremely long runtime and runs for 46 minutes in ecolefficiency mode. Our backpack vacuum BV 5/1 Bp is unbeatable everywhere where space is tight: cinemas, buses, trains and aeroplanes. And our handheld vacuum cleaner HV 1/1 Bp is the powerful and durable all-rounder for tradesmen and service providers.





Fully charged!

CLEANERS

Our BV 5/1 Bp is a battery-powered backpack dry vacuum cleaner, which allows you to work with maximum mobility and flexibility and without a cable. With its high suction power comparable to mains-operated machines, the BV 5/1 Bp achieves a high cleaning performance. Its patented ergonomic backpack frame offers you a high level of comfort and particularly easy operation because you control all functions directly via the control panel on the hip belt. With the BV 5/1 Bp you are more relaxed when work- Easy to use ing and save up to 23 percent in time. And you save service costs because cordless machines never have faulty cables.

Full power requires no cable

Our BV 5/1 Bp offers the best cleaning performance on the market with the innovative Kärcher Battery Power+ 36 V battery. And this performance corresponds to the performance of comparable mains-operated dry vacuum cleaners. They don't have to do without anything except the cable. And you get so much more in return.

With the control panel directly on the hip belt you guide our backpack dry vacuum cleaner into a new dimension of ergonomic operation. You control all functions practically from the hips without any work interruptions. And with the battery status indicator you know at any time how much reserve you still have.



Free and relaxed is better

Battery-operated dry vacuum cleaners protect your employees and customers from tripping up and falling due to cables, especially during daily cleaning in public areas. Stooping down to plug power cables in and out causes stress and strain on the body in the long run. Save yourself and your employees this strain. Instead with our T 9/1 Bp enjoy uncomplicated operation in areas with few or no sockets, be it on stairs, in cinemas, hotel corridors or wherever.


Always on the move and perfect for everywhere

Our HV 1/1 Bp is the battery-operated handheld vacuum cleaner for tradesmen, cleaning service providers and everyone who wants to vacuum flexibly with high suction power. We analysed precisely which cleaning machine is required by tradesmen and service providers in building cleaning: a manageable, powerful and durable battery-operated handheld vacuum cleaner. Our HV 1/1 Bp is compact and light and also has the right accessories for specific applications in order to optimally fulfil all typical cleaning tasks. Its simple handling, the energy-saving ecolefficiency mode and the display of the remaining runtime at the battery are the basis for enhanced productivity during cleaning.

BATTERY-OPERATED DRY VACUUM CLEANERS

BACKPACK VACUUM





Not afraid of the competition: the cordless powerhouse.

Uncompromising performance, even compared to mains-powered dry vacuum cleaners, and optimum cordless flexibility: the T 9/1 Bp batteryoperated dry vacuum cleaner impresses users with its outstanding suction power and extra-long runtime. This is made possible thanks to the powerful Kärcher Battery Power+ battery, specially designed for the toughest applications and effortless to replace.



1 ecolefficiency mode

The ecolefficiency mode reduces the machine's energy requirements and noise level, and also extends its battery life.

2 Ergonomic bend

The ergonomic bend sits comfortably in the hand and allows fatigue-free working over long periods of time.





In cinemas or theatres, for cleaning buses, trains or planes, on staircases or anywhere else where space is scarce, our BV 5/1 Bp is unbeatably convenient. Easily carried on the user's back, its patented carrying frame with control panel on the hip belt ensures that it sits comfortably. The powerful and extra-long lasting Kärcher Battery Power+ battery guarantees optimum suction power.



1

2

all functions.

		T 9/1 Bp Pack	Т 9/1 Вр			
					_	
		 Powerful Kärcher Battery Power+ 36 V battery Quick charger Energy-saving ecolefficiency mode 	Energy-saving eco!efficiency mode			
Technical data				-	T	Technical data
Air flow rate	l/s	40	40		A	Air flow rate
Vacuum	mbar / kPa	220 / 22	220 / 22		V	Vacuum
Container capacity	I	9	9		Cr	Container capacity
Rated input power / Amps	w	500	500		R	Rated performance
Voltage	v	220-240	220-240		V	Voltage
Standard nominal width		ID 35	DN 35		St	Standard nominal width
Sound level EN 60335-2-69: 2010 uncertainty K = 1 dB(A)	dB(A)	57	57			Sound pressure level EN 60335-2-69 uncertainty K = 1 dB(A)
Weight	kg	6,8	6,8		W	Weight
Dimensions (L × W × H)	mm	420 × 325 × 380	420 × 325 × 380		D	Dimensions (L × W × H)
Equipment					E	Equipment
Battery		•			B	Battery
Battery charger		•			B	Battery charger
Suction hose	m	2,5 / with bend	2,5 / with bend		Si	Suction hose
Telescopic suction tube		standard	standard		Те	Telescopic suction tube
Filter bag		fleece	fleece		Fi	Filter bag

290 1.528-133.0

BV 5/1 Bp Pack

Dimensions (L × W × H)	mm	400 × 320 × 636
Equipment		
Battery		•
Battery charger		•
Suction hose	m	1,5 / with bend
Telescopic suction tube		standard
Filter bag		fleece
Washable nylon filter (main filter)		•
Switchable floor nozzle	mm	290
Order No.		1.394-250.0
Price		
■ Included in the scope of supply.	Available acc	essories.

Price ■ Included in the scope of supply. □ Available accessories.

Switchable floor nozzle

Washable nylon filter (main filter)

290

1.528-121.0

Order No.

Short on space? Not with the BV 5/1 Bp backpack vacuum!



Patented, ergonomic carrying frame

Carrying frame with Air Stream Comfort system prevents irritating vibrations and heat build-up on the back.

Simple operation of all functions

Control panel on the waist harness allows convenient control and monitoring of

BV 5/1 Bp

36 V battery banel	 Battery charge display on control panel Energy-saving eco!efficiency mode Telescopic suction tube
	40
	220 / 22
	5
	500
	220-240
	DN 35
	60
	8
	400 × 320 × 636
	1,5 / with bend
	standard
	fleece
	290
	1.394-255.0

BATTERY-POWERED HANDHELD VACUUM CLEANERS

TECHNICAL DATA AND EQUIPMENT



The go-to option for cleaning professionals and tradesmen

Tradesmen and building cleaning service providers reap particular benefit from our cordless HV 1/1 Bp handheld vacuum cleaner. Its powerful Kärcher Battery Power+ battery guarantees optimum suction power and an extremely long runtime. A range of versatile accessories enable it to be used in a number of ways – from furniture cleaning to removing drilling dust during installation work.







- 1 With large filter area and efficient turbine
- Strong cleaning performance on all surfaces.

- 3 With our efficient eco!efficiency mode
- Saves energy and extends battery life.Reduces operating noise.

HV 1/1 Bp Pack Fs HV 1/1 Bp Fs

		 Powerful Kärcher Battery Power+ 18 V battery (for HV 1/1 Bp Pack Fs) Application-specific accessories for building cleaning service providers 	 Powerful Kärcher Battery Power+ 18 V battery (for HV 1/1 Bp Pack Cs) Application-specific accessories for tradesmen
		Energy-saving eco!efficiency mode	Energy-saving ecolefficiency mode
Technical data			
Air flow rate	l/s	33	33
Vacuum	mbar / kPa	47 / 4,7	47 / 4,7
Container capacity	I	0,9	0,9
Rated performance	w	115	115
Voltage	v	18	18
Sound pressure level EN 60335-2-69 uncertainty K = 1 dB(A)	dB(A)	70	70
Weight	kg	2	2
Dimensions (L × W × H)	mm	306 × 115 × 312	306 × 115 × 312
Equipment			
Battery			
Battery charger			
Suction brush			•
Crevice nozzle		•	•
Suction pipe	piece(s) × m / mm	2 × 0,5 / 35 / plastic	-
Floor nozzle		•	-
Upholstery nozzle			-
Flexible suction hose		-	•
Carrying strap		-	•
Order No.		1.394-260.0 -262.0	1.394-261.0 -265.0
Price			

 \blacksquare Included in the scope of supply. $\hfill\square$ Available accessories.

2 Compact, lightweight and flexible to use

Permits working in all directions (360° application).

58

HV 1/1 Bp Pack Cs HV 1/1 Bp Cs

ACUUM CLEANERS

PROGRAMMED TO GLEAM

Our scrubber driers are indispensable assets for professional cleaning companies. They are ideal for flawless cleaning and care of both hard and elastic surfaces, including deep cleaning, maintenance care and polishing. Flawless on flat surfaces and on the edges. If there's one thing that's indispensable for you, it's that floors are always perfectly cleaned and maintained - hygienically and to a shine.





Huge range: BD 80/100 W Classic

The largest Classic machine in our walk-behind class is extremely robust and surprisingly compact. With a tank volume of 100 litres, you can without interruption.

Reinforcement for the mid-range

The BD 70/75 W Classic Bp completes our range of Classic push, battery-powered scrubber driers. Its 70 centimetre working width and 75 litre fresh small or narrow spaces, and even on vertical also take on larger cleaning tasks effortlessly and and dirty water capacity are ideal for medium-sized surfaces. Stairs, sinks, bathrooms - with the new areas. The BD 70/75 W Classic Bp is based on the ergonomic handle, you always have good balance concept of the BD 80/100 W Classic Bp, but is a and can work without getting tired. And you can little more compact, and equally robust and easy to now replace the brush without any tools. operate.


Table of contents: Scrubbers/Scrubber driers Walk-behind scrubber driers Push/compact scrubber driers

Page 64 Page 68

Perfect at every level: BD 17/5 C

Our BD 17/5 C stair cleaning machine is your ideal companion for scrubbing and polishing in

SCRUBBERS/ SCRUBBER DRIERS



1 Package power: battery sets

Kärcher battery sets contain precisely the right number of individual the proper installation of the battery sets. If a battery needs replacing, the installation set can be reused, thus reducing waste and costs. For machines without an integrated battery charger, we offer suitable external battery chargers. An overview of our battery sets and installation sets, as well as external battery chargers, is provided on the next page.

2 One battery is not always the same as another

There are basically 3 types of lead battery: low-maintenance wet batteries batteries needed for each machine. Special installation sets are available for and maintenance-free gel or AGM batteries. In gel batteries, the electrolyte has a gel-like consistency, in AGM batteries it is bonded by a glass-fibre fleece. Both of these types have the advantage that regular checks are not required and no liquid has to be replenished. They are therefore designated as maintenance-free batteries. Our compact machines are also powered by maintenance-free, powerful lithium-ion batteries.

Machine	Technology	Voltage (V)	Capacity C5 (Ah)	Power (Wh)	Battery	Description	Installation set Price	External battery charger Price
Ľ	-							40
					Contaiı	ns the required number of individual batteries	Required installation set with connection cables and spacers	External battery charg er suitable for selected batteries
B 250 R	Wet	36	630	22.680	2.815-108.0	Battery set, wet 1 × 36 V/630 Ah	-	4.654-001.0
B 200 R	Wet	36	180	6.480	2.815-106.0	Battery set, wet 1 × 36 V/180 Ah	2.638-032.0	-
B 150 R		36	240	8.640	2.815-107.0	Battery set, wet 1 × 36 V/240 Ah	-	-
	Gel	36	180	6.480	2.815-104.0	Battery set, gel 6 × 6 V/180 Ah	2.638-136.0	-
		36	240	8.640	2.815-105.0	Battery set, gel 6 × 6 V/240 Ah	2.638-143.0	-
	AGM	36	285	10.260	2.815-114.0	Battery set, AGM 6 × 6 V/285 Ah	2.638-161.0	_
B 90 R	Gel	24	180	4.320	2.815-101.0	Battery set, gel 4 × 6 V/180 Ah	2.638-106.0	-
	AGM	24	170	4.080	2.815-092.0	Battery set, AGM 4 × 6 V/170 Ah	2.638-064.0	_
B 50/70 R	Gel	24	105	2.520	2.815-100.0	Battery set, gel 2 × 12 V/105 Ah	2.638-104.0	6.654-367.0
Classic	AGM	24	115	2.760	2.815-091.0	Battery set, AGM 2 × 12 V/115 Ah	2.638-152.0	6.654-367.0
B 95 RS	Gel	24	180	4.320	2.815-101.0	Battery set, gel 4 × 6 V/180 Ah	2.638-105.0	-
5 55 K5	AGM	24	170	4.080	2.815-092.0	Battery set, get 4 × 6 V/180 All	2.638-061.0	-
	AGIVI	24	198	4.752	2.815-093.0		2.638-101.0	
BR 55/40 RS	Gel	36	76	2.736	2.815-093.0	Battery set, AGM 2 × 12 V/198 Ah Battery set, gel 3 × 12 V/76 Ah	4.036-106.0	-
BD 50/40 RS	GCI	50	/0	2.750	2.015 105.0		4.030 100.0	
B 120 W	Gel	36	180	6.480	2.815-104.0	Battery set, gel 6 × 6 V/180 Ah	2.638-108.0	-
		36	240	8.640	2.815-105.0	Battery set, gel 6 × 6 V/240 Ah	2.638-142.0	-
	AGM	36	170	6.120	2.815-098.0	Battery set, AGM 6 × 6 V/170 Ah	2.638-103.0	-
		36	285	10.260	2.815-114.0	Battery set, AGM 6 × 6 V/285 Ah	2.638-173.0	-
B 80 W Bp	Gel	24	180	4.320	2.815-101.0	Battery set, gel 4 × 6 V/180 Ah	2.638-106.0	-
		24	240	5.760	2.815-102.0	Battery set, gel 4 × 6 V/240 Ah	2.638-106.0	-
	AGM	24	170	4.080	2.815-092.0	Battery set, AGM 4 × 6 V/170 Ah	2.638-064.0	-
		24	285	6.840	2.815-095.0	Battery set, AGM 4 × 6 V/285 Ah	2.638-196.0	-
B 60 C / W Bp	Gel	24	105	2.520	2.815-100.0	Battery set, gel 2 × 12 V/105 Ah	2.638-036.0	6.654-329.0*
2 00 0, 20		24	180	4.320	2.815-101.0	Battery set, gel 4 × 6 V/180 Ah	2.638-106.0	6.654-443.0*
	AGM	24	115	2.760	2.815-091.0	Battery set, AGM 2 × 12 V/115 Ah	2.638-037.0	6.654-329.0*
	710101	24	170	4.080	2.815-092.0	Battery set, AGM 4 × 6 V/170 Ah	2.638-064.0	6.654-444.0*
B 40 C / W Bp	Gel	24	76	1.824	2.815-099.0	Battery set, gel 2 × 12 V/76 Ah	2.638-036.0	6.654-329.0*
D 40 C / W Dp		24	105	2.520	2.815-100.0	Battery set, gel 2 × 12 V/105 Ah	2.638-036.0	6.654-329.0*
	ACM	24	80	1.920	2.815-090.0			6.654-329.0*
	AGM					Battery set, AGM 2 × 12 V/80 Ah	2.638-036.0	
PP 00/400 W	4614	24	115	2.760	2.815-091.0	Battery set, AGM 2 × 12 V/115 Ah	2.638-059.0	6.654-329.0*
BD 80/100 W Bp Classic	AGM	24	170	4.080	2.815-092.0	Battery set, AGM 4 × 6 V/170 Ah	2.638-162.0	6.654-436.0
-	4611	24	285	6.840	2.815-095.0	Battery set, AGM 4 × 6 V/285 Ah	2.638-197.0	6.654-419.0
BD 70/75 W Bp Classic	AGM	24	115	2.760	2.815-091.0	Battery set, AGM 2 × 12 V/115 Ah	2.638-198.0	6.654-367.0
		24	170	4.080	2.815-092.0	Battery set, AGM 4 × 6 V/170 Ah	2.638-162.0	6.654-436.0
BD 50/50 C Bp Classic	Gel	24	76	1.824	2.815-099.0	Battery set, gel 2 × 12 V/76 Ah	2.638-036.0	6.654-329.0
		24	105	2.520	2.815-100.0	Battery set, gel 2 × 12 V/105 Ah	2.638-036.0	6.654-329.0
	AGM	24	80	1.920	2.815-090.0	Battery set, AGM 2 × 12 V/80 Ah	2.638-144.0	6.654-329.0
		24	115	2.760	2.815-091.0	Battery set, AGM 2 × 12 V/115 Ah	2.638-144.0	6.654-329.0
BD 43/25 C Bp	Gel	24	76	1.824	2.815-099.0	Battery set, gel 2 × 12 V/76 Ah	2.638-036.0	6.654-329.0
	AGM	24	80	1.920	2.815-090.0	Battery set, AGM 2 × 12 V/80 Ah	2.638-036.0	6.654-329.0
BR 45/22 C Bp	Li-ion	25.2	42	1.058	-	-	-	-
BD 38/12 C Bp BR 35/12 C Bp	Li-ion	25.2	21	529	-	-	-	-
BR 30/4 C Bp	Li-ion	36	7.5	270	4.654-016.0	Battery set, LIB 1 × 36 V/7.5 Ah	-	6.654-354.0
BD 30/4 C Bp	Li-ion	36.5	5.2	190	6.670-126.0	Battery set, LIB 1 × 36.5 V/5.2 Ah		6.670-130.0
55 50/4 C DP		50.5	J.2	1.10	0.070-120.0	Dutter y Set, EID 1 * SULS V/SL2 All		0.070 100.0

SCRUBBERS/SCRUBBER DRIERS

SCRUBBERS/ SCRUBBER DRIERS

80- TO 100-LITRE CLASS

TECHNICAL DATA AND EQUIPMENT



Robust compactness. Impressive area performance

The brush head and squeegee are the most stressed components of a scrubber drier. That's why we make these components for our new 80 to 100 I class in the Classic segment from sturdy and durable aluminium. Simple operation, 81 cm working width for high area performance and the excellent price-performance ratio round off the clever overall concept.







1 Highly stressed parts such as the squeegee and brush head are made from high-quality aluminium

- Robust machine concept for tough working conditions with low failure rates
- Also developed for applications in harsh conditions.

2 Brush contact pressure can be adjusted in 2 stages

- Can be manually increased from standard 40 to 68 kilogrammes if required.
- Lower contact pressure for lighter soiling or on sensitive floors.
- Higher contact pressure for stubborn dirt or for decoating.



3 Efficient and powerful 300 Watt traction motor

Also helps to easily climb slopes, and saves the user energy.

Driving speed can be adjusted via easily accessible potentiometer.

4 Coloured, clearly visible operating elements

Colour-coded operating elements simplify operation and shorten the training time.

		BD 80/100 W Classic Bp Pack 285Ah BD 80/100 W Classic Fleet Bp Pack 285Ah	BD 80/100 W Classic Bp Pack 170Ah BD 80/100 W Classic Fleet Bp Pack 170Ah	BD 80/100 W Classic Bp BD 80/100 W Classic Fleet B
		 Extremely robust and durable components for tough applications Very simple, intuitive operating concept Powerful battery and off-board battery charger included in the scope of supply 	 Extremely robust and durable components for tough applications Very simple, intuitive operating concept Powerful battery and off-board battery charger included in the scope of supply 	 Extremely robust and durable comp nents for tough applications Very simple, intuitive operating con- cept With tried-and-tested disc brush en- gineering (double disc)
Technical data				
Brush working width	mm	810	810	810
Working width, vacuuming	mm	1090	1090	1090
Theoretical area performance	m²/h	4050	4050	4050
Fresh/dirty water tank	I	100 / 100	100 / 100	100 / 100
Brush contact pressure	g/cm² / kg	21.3-36.2 / 40-68	21.3-36.2 / 40-68	21.3-36.2 / 40-68
Brush speed	rpm	180	180	180
Voltage, battery	V / Ah	24 / 285	24 / 170	24 / -
Voltage, charger	V / Hz	100-240 / 50-60	100-240 / 50-60	- / -
Rated input power	w	max. 1900	max. 1900	max. 1900
Weight	kg	320	261	122
Dimensions (L × W × H)	mm	1500 × 835 × 1065	1500 × 835 × 1065	1500 × 835 × 1065
Equipment				
Disc brush		•	•	•
Battery operation		•	•	•
Battery and battery charger included		•	•	-
Includes squeegee		•	•	•
Order No.		1.127-018.0 -020.0	1.127-028.0 -031.0	1.127-012.0 -016.0
Price				

Included in the scope of supply.

Accessories Product name	Order No.	Description
Disc brush, medium, red, 406 mm	4.905-000.0	For all floors.
Disc brush, soft, natural, 406 mm	4.905-031.0	Made of natural fibres for cleani
Disc brush, hard, black, 406 mm	4.905-032.0	For stubborn dirt and basic clear
Rubber lip set, oil-resistant, grooved, 1.230 mm	4.037-140.0	Standard, grooved, oil-resistant.
Rubber lip set, Standard, grooved, 1.230 mm	4.037-138.0	Grooved, natural rubber.
Pad drive board STRONG, 375 mm	4.762-591.0	Required for use of melamine pa hooks for holding pads. Extra-st
Pad, medium-soft, red, 406 mm	6.371-147.0	For cleaning all types of floors.
Pad, medium-hard, green, 406 mm	6.371-148.0	For cleaning heavily soiled floor
Pad, very hard, black, 406 mm	6.371-169.0	For removing stubborn dirt and
Holder for squeegee	9.753-088.0	The steel holder is attached to the squeegee.
Battery charger, 24 V	6.654-419.0	Safe 24 V battery charger for ma
Battery charger, 24 V	6.654-436.0	For the safe charging of mainter
Battery, 6 V, 285 Ah, Maintenance-free	8.629-184.0	Maintenance-free AGM battery.
Battery, 6 V, 170 Ah, Maintenance-free	6.654-242.0	Maintenance-free 6 V traction ba

Вр

- po-

	Price
ning and polishing.	
aning. For resistant surfaces only.	
t.	
bads, but can also be used for normal pads. Pad drive board with many strong hold of pad at pad drive board of D 75 cleaning head. 2 required.	
ors and for deep cleaning.	

- d basic cleaning.
- the Home Base rail and allows the safe storage and transportation of the
- naintenance-free batteries with a capacity of 285 Ah.
- enance-free batteries with a capacity of 170 Ah.
- . With a capacity of 6 V / 285 Ah (C5) or 6 V / 312 Ah (C10).
- pattery with fleece technology. 170 Ah capacity, 4 required.

60- TO 80-LITRE CLASS

KARCHER

Super versatile, compact and robust

For tough applications, excellent cleaning properties, simple handling and maintenance: the new BD 70/75 W Classic Bp Pack follows on from the successful concept of the BD 80/100 W Classic Bp. Double-disc brush head, aluminium squeegee, 75 I tank and 70 centimetre working width ensure diverse applications and efficient working with the robust machine.





1 The brush head and squeegee are made from long-lasting aluminium

- Robust machine concept for tough working conditions with low failure Highly versatile, easy to manoeuvre machine that provides a good rates.
- Also developed for applications in harsh conditions.

2 Extremely simple operating concept

- All machine functions can be operated using switches, buttons and knobs.
- Colour-coded controls for easy operation and short teach-in times.



3 Compact and robust design

- overview.
- Reduces the risk of damaging the machine or equipment.

4 Brush contact pressure can be adjusted as needed

- Contact pressure can be increased from 30 to 50 kilogrammes as needed.
- Lower contact pressure when there is only a little dirt or if the floor is delicate.
- Higher contact pressure for stubborn dirt or coating removal.

		170 Ah	5 W Classic Fleet Bp	BD 70/75 W Classic Bp Pack 115Ah BD 70/75 W Classic Fleet Bp Pack 115Ah	BD 70/75 W Classic Bp BD 70/75 W Classic Fle	
		ponents Very sim concept Powerfu	ly robust and durable com- for tough applications ple, intuitive operating I battery and off-board charger included in the supply	 Extremely robust and durable components for tough applications Very simple, intuitive operating concept Powerful battery and off-board battery charger included in the scope of supply 	 Extremely robust and durable ponents for tough applicatio Very simple, intuitive operat concept With tried-and-tested disc biengineering (double disc) 	ns ing
Technical data						
Brush working width	mm	705		705	705	
Working width, vacuuming	mm	1030		1030	1030	
Theoretical area performance	m²	3550		3550	3550	
Fresh/dirty water tank	I	75 / 75		75 / 75	75 / 75	
Brush contact pressure	g/cm² / kg	g 20.4-34/3	0-50	20.4-34 / 30-50	20.4-34 / 30-50	
Brush speed	rpm	180		180	180	
Voltage, battery	V / Ah	24 / 170		24 / 115	24 / -	
Voltage, charger	V / Hz	100-240 /	50-60	100-240 / 50-60	- / -	
Rated input power	W	max. 1820		max. 1820	max. 1820	
Weight	kg	251		213	112	
Dimensions (L × W × H)	mm	1460 × 750) × 1065	1460 × 750 × 1065	1460 × 750 × 1065	
Equipment						
Disc brush		-		•		
Battery operation				•	•	
Battery and battery charger inclu	ded				-	
Includes squeegee					•	
Order No.		1.127-019.	0 -021.0	1.127-027.0 -032.0	1.127-013.0 -017.0	
Price						
Included in the scope of supply	Ι.					
Accessories						
Product name		Order No.	Description			Price
Battery, 6 V, 170 Ah, Maintenance	e-free	6.654-242.0	Maintenance-free 6 V tracti	on battery with fleece technology. 170 Ah	capacity, 4 required.	
Battery charger, 24 V		6.654-436.0	For the safe charging of ma	aintenance-free batteries with a capacity c	f 170 Ah.	
Pad drive board, 335 mm		4.762-446.0	For cleaning with pads. Wit	h quick-change coupling and Centerlock. F	its D 65	
Holder for squeegee		9.753-088.0	The steel holder is attached the squeegee.	d to the Home Base rail and allows the safe	e storage and transportation of	
Pad, medium-soft, red, 356 mm		6.369-003.0	For cleaning all types of flo	oors.		

TECHNICAL DATA AND EQUIPMENT

Accessories Product name	Order No.	Description	Price
Battery, 6 V, 170 Ah, Maintenance-free	6.654-242.0	Maintenance-free 6 V traction battery with fleece technology. 170 Ah capacity, 4 required.	
Battery charger, 24 V	6.654-436.0	For the safe charging of maintenance-free batteries with a capacity of 170 Ah.	
Pad drive board, 335 mm	4.762-446.0	For cleaning with pads. With quick-change coupling and Centerlock. Fits D 65	
Holder for squeegee	9.753-088.0	The steel holder is attached to the Home Base rail and allows the safe storage and transportation of the squeegee.	
Pad, medium-soft, red, 356 mm	6.369-003.0	For cleaning all types of floors.	
Disc brush, medium, red, 355 mm	4.905-010.0	For use in all standard cleaning applications. Standard with D 65.	
Suction bar, angled, 1030 mm	4.777-108.0	Specially angled squeegee with particularly wide swivel range.	
Rubber lip set, Standard, grooved, 1030 mm	4.037-144.0	Grooved, natural rubber.	
Rubber lip set, oil-resistant, grooved, 1030 mm	4.037-145.0	Standard, grooved, oil-resistant.	
Battery, 12 V, 115 Ah, maintenance-free	6.654-241.0	Maintenance-free 12 V traction battery with fleece technology and capacity of 115 Ah. 2 required.	
Battery charger, 24 V	6.654-367.0	For the safe charging of maintenance-free batteries with a capacity of 115 Ah.	

50- TO 60-LITRE CLASS

12-LITRE CLASS



Compact and manoeuvrable for medium-sized areas

The compact dimensions of these scrubber driers offer amazing manoeuvrability as well as visibility of the surface to be cleaned. This makes them extremely easy to operate.





1 Equipped with solenoid valve and transport roll for maximum comfort

Solenoid valve for automatic water cutout after the dead man's switch is released.

The fold-out transport roll makes it possible to use the convenient two-step method.

BD 50/60 C Ep Classic

2 Simple operation thanks to EASY-Operation Panel

- Self-explanatory symbols and clear control panel.
- Brief familiarisation phases.

BD 50/50 C Classic Bp Pack 80 Ah + V900 BD 50/50 C Classic Bp





BR	35/1	12 C	Вр	Pack

		Battery-poweredOne discExtremely easy to use	Battery-powered / Mains-poweredOne discExtremely easy to use
Technical data			
Working width, vacuuming	mm	900	900
Theoretical area performance	m²/h	2040	2040
Fresh/dirty water tank	I	50 / 50	50 / 50 60 / 60
Brush contact pressure	g/cm² / kg	27.3-28.5 / 20-23	27.3-28.5 / 20-23
Brush speed	rpm	180	180
Mains voltage	v	-	- / 230
Frequency	Hz	-	50 / -
Voltage, battery	V / Ah	24 / 80 24 / 105	24 / - - / -
Voltage, charger	V / Hz	100-240 / 50-60	- / -
Rated input power	W	max. 1100	max. 1100
Weight	kg	101.5 130.6	63 52
Dimensions (L × W × H)	mm	1170 × 570 × 1025	1170 × 570 × 1025
Equipment			
Disc brush		•	•
Mains operation		-	- 🔳
Battery operation		•	■ -
Battery and battery charger included			-
Includes squeegee			•
Order No.		1.127-026.0 -006.0	1.127-001.0 -002.0

BD 50/50 C Classic Bp Pack

		 ecolefficiency mode Includes sweeping function Height-adjustable handleba
Technical data		
Working width, vacuuming	mm	450
Theoretical area performance	m²/h	1400
Fresh/dirty water tank	I	12 / 12
Brush contact pressure	g/cm² / kg	80-150 / 6-12
Brush speed	rpm	700-1500
Voltage, battery	V / Ah	25.2 / 21
Voltage, charger	V / Hz	220-240 / 50-60
Rated input power	w	500
Weight	kg	35
Dimensions (L × W × H)	mm	930 × 420 × 1100
Equipment		
Roller brush		
Disc brush		-
2-tank system		•
Mains operation		-
Battery and battery charger included		•
Variable contact pressure		•
Transport wheels		•
Order No.		1.783-450.0
Price		
Included in the scope of supply.		



SCRUBBERS/ SCRUBBER DRI

Included in the scope of supply.

Order No. Price

Compact machine that masters corners

Manoeuvrable scrubber drier with extra-light, quick-charging and longlasting high-performance battery. The rotatable roller brush head provides a new operating experience and the utmost efficiency. New, very robust parts lower the risk of machine breakdowns.

1 New, high-quality metal squeegee

Extremely robust design with tear-resistant Linatex blades. The high weight of the squeegee ensures uniform suction results. Self-adjusting for all applications.

2 New, modified floater

Robust quality for tough applications. Reduces the risk of machine breakdowns considerably.



EFFICIENT MACHINES FOR CLEAN FLOORS

Kärcher sweepers/vacuum sweepers are always state of the art. From compact manual sweepers to industrial machines, they all impress with practical details and their efficient sweeping technology and filter engineering. The machines are versatile and can be used for indoor or outdoor cleaning, allowing you to achieve the perfect cleaning results every time. This impressive combination of sophisticated ergonomics, ease of use, simple handling and outstanding efficiency makes our sweepers unique.



Table of contents: Sweepers/Vacuum sweepers

	• •	
Industrial vacuum	n sweepers	
Walk-behind vacu	um sweepers	

Page 72 Page 74



Industrial competence for newbies

With our battery-powered industrial vacuum sweeper KM 105/180 R Bp Classic you get the compactness and manoeuvrability of a large ride-on sweeper with robustness for industrial use. Thanks to the dustpan principle and an individually selectable, high-performance filter system, the KM 105/180 R Bp Classic easily picks up both bulky waste and large quantities impact-resistant side brush make the KM 85/50 W extremely robust and of fine dust. Other benefits include the large waste container, the hydraulic reliable. Service is just as simple as operation: the main sweeper roller and high container emptying, the sturdy steel frame and high-quality industrial filter can be easily exchanged without any tools. components. This is exactly what you need for efficient and economic use in industry: guaranteed high area performance and a long service life.



Meets the highest standards

Our new battery-operated walk-behind vacuum sweeper KM 85/50 W with large flat pleated filter and floating sweeper roller. Its convenient, intuitive operation with forward and reverse, as well as an additional brake, convey confidence and safety in every situation. The double-walled frame and the

170 CM INDUSTRY CLASS

105 CM INDUSTRY CLASS



The crowning glory of the industrial sweeper range

Thanks to its extremely high working speed and sizeable working width of 170 centimetres, our KM 170/600 R D Classic vacuum sweeper is exceptionally fast, thorough and efficient, especially in large industrial spaces. At the same time, it is simple and intuitive to use, very robust and extremely long-lasting - qualities that mean it is outstandingly well prepared for tough applications in day-to-day industrial work.





1 Powerful pocket filter system

- Effectively minimises dust production when sweeping.
- Also optionally available with flat pleated filter system or round filter system.

2 Simple operation, maintenance and servicing

- Intuitive operation using levers.
- Main sweeper roller and filter can be replaced easily without tools.

KM 170/600 R D Classic

- Powerful industrial motor for long runtime
- High working and transport speed
- Automatic filter cleaning system

Technical data		
Drive		4-stroke diesel engine / Kubota
Power	kW	18.5
Max. area performance with 1 / 2 side brushes	m²/h	23800 / 28000
Working width	mm	1350
Working width with 1 or 2 brushes	mm	1700 / 2000
Waste container	I	600
Climbing ability	%	18
Working speed	km/h	14
Filter area of round filter, pocket filter and flat pleated filter	m²	12 / 13 / 10
Weight, ready to use	kg	1530
Dimensions (L × W × H)	mm	2450 × 1750 × 1670
Equipment		
Hydraulic high container emptying		
Manual/Automatic filter cleaning		
Floating main sweeper roller		1
Wear indicator for main sweeper roller		1
Flashing beacon		1
Puncture-proof tyres, solid rubber		1
Order No.		1.186-145.0
Price		



NEW

1

KM 105/190 B Bp Classic

		KM 105/180 R Bp Classic	KM 105/180 R Bp Pack Classic
		 Robust steel chassis for tough industrial applications Simple brush roller replacement without tools Traction drive and sweeping system fully hydraulic 	 Robust steel chassis for tough industrial applications Simple brush roller replacement without tools Traction drive and sweeping system fully hydraulia
Technical data			
Drive		DC motor	DC motor
Power	V/kW	36 / 2.5	36 / 2.5
Max. area performance with 1 / 2 side brushes	m²/h	6300 / 5850	6300 / 5850
Working width	mm	780	780
Working width with 1 or 2 brushes	mm	1050 / 1300	1050 / 1300
Waste container	I.	180	180
Climbing ability	%	12	12
Working speed	km/h	6	6
Filter area of round filter, pocket filter and flat pleated filter	m²	6 / 6 / 4.4	6 / 6 / 4.4
Weight, ready to use	kg	950	950
Dimensions (L × W × H)	mm	1820 × 1080 × 1360	1820 × 1080 × 1360
Equipment			
Hydraulic high container emptying			•
Manual/Automatic filter cleaning			
Floating main sweeper roller		•	•
Wear indicator for main sweeper roller		•	•
Flashing beacon			
Puncture-proof tyres, solid rubber		•	•
Order No.		1.186-050.0	1.186-051.0
Price			

Included in the scope of supply.

Indoors. Outdoors. Any time.

Our KM 105/180 R Bp Classic is one of the entry-level models in the world of professional industrial vacuum sweepers. This battery-powered machine effortlessly handles even large amounts of coarse dirt in outside areas. At the same time, its compact design makes this agile machine easy and flexible to use in heavily furnished areas.

1 Robust design of the machine for safe work

Fully hydraulic traction drive, main sweeper roller and side brush drive. Leads to longer service life of components and machine.

2 Dustpan principle

Guarantees good cleaning results, including with fine waste. Effortless pick-up of coarse waste.

SWEEPERS/ VACUUM SWEEPERS

85 CM WALK-BEHIND SWEEPER





The solution for demanding cleaning tasks

Its large flat pleated filter and floating roller brush make our KM 85/50 W Bp walk-behind vacuum sweeper the ideal solution for demanding work. This battery-powered, robust and exceptionally convenient machine stands out thanks to its impressive area performance and excellent cleaning results.



1



3 Robust and reliable for tough applications

- Sturdy, double-walled rotary frame.
- Swerving side brush prevents damage.
- Large wheels for enhanced operating comfort.

2 Floating main sweeper roller

Excellent dirt pick-up, even on uneven floors.

Intuitive, simple and user-friendly operation.

Maximum manoeuvrability of the machine.

Standard disc brake for safe deceleration at all times.

- No wear adjustment required.
- Efficient and fast cleaning.

4 Efficient filter system

- Large flat pleated filter with total filter area of 2.1 m².
- Washable polyester filter.
- Superb cleaning thanks to dual scraper and horizontal installation position.

KM 85/50 W Bp

		 Compact design for maxii Simple brush roller replation Reverse mode, operating ing main sweeper roller
Technical data		
Drive		DC motor
Power	W	912
Voltage	v	24
Max. area performance with 1 / 2 side brushes	m²/h	3825 / 4725
Working width	mm	615
Working width with 1 or 2 brushes	mm	850 / 1050
Waste container	I	50
Climbing ability	%	15
Working speed	km/h	4.5
Filter area	m²	2.1
Weight, ready to use	kg	195
Dimensions (L × W × H)	mm	1369 × 891 × 1106
Equipment		
Polyester flat pleated filter		•
Manual filter cleaning		•
Suction volume regulation		•
Overhead sweeping principle		
Drive with forward and reverse gears		■ / ■
Floating main sweeper roller		•
Coarse dirt flap		
Battery and charger		-
Order No.		1.351-116.0
Price		

Included in the scope of supply

SWEEPERS/ VACUUM SWEEPERS

WALK-BEHIND VACUUM SWEEPERS

KM 85/50 W Bp Pack

imum manoeuvrability acement without tools g hours counter and float-	 Compact design for maximum manoeuvrability Simple brush roller replacement without tools Reverse mode, operating hours counter and floating main sweeper roller
	DC motor
	912
	24
	3825 / 4725
	615
	850 / 1050
	50
	15
	4.5
	2.1
	195
	1369 × 891 × 1106
	•
	•
	•
	•
	•
	•
	1.351-117.0

SWEEPERS/ VACUUM SWEEPERS

PERFECTING MUNICIPAL EQUIPMENT

Thanks to our ongoing work with communal users, we know your needs and requirements extremely well: from garden maintenance to winter services, from irrigation to environmentally friendly weed removal. As a result, we are able to provide you with an expert solution that will meet your needs: powerful vacuum sweepers, versatile implement carriers, universal and specialist implements. In short: effective equipment for maximum efficiency.





Our range of machines is as versatile as the work you need to perform.

Let's be honest: nobody can be the best at everything. This is why we have developed our fleet of vehicles to include a wide range of models. From single-purpose sweepers to extremely versatile implement carriers. With performance classes to meet every demand. Featuring configurable implements for every job. This means that you are guaranteed to find a municipal machine that can do everything you need it to.

Table of contents: Municipal equipment Compact sweepers

Page 78

MC 250

TECHNICAL DATA AND EQUIPMENT

The best of everything on board.



With the MC 250 we offer the best municipal cleaning solution completely independent of location and city size. Why so immodest? Because unrivalled cleaning performance, high transport speed, large container volume and maximum operating and driving comfort with hydro-pneumatic suspension go hand in hand here. Complemented by low exhaust gas and particulate emissions for a unique overall concept.

NEW





1 Spacious 2-person comfort cab with optimal view of the work environment

- With deluxe comfort seats for fatigue-free work activities.
- Entry and exit possible on both sides with large sliding windows in the Standard water reclamation system with separate water tank. doors.
- Eco button for starting sweeping operation.

2 Safety chassis with maximum comfort

- Short transport times thanks to 60 km/h maximum speed.
- Hydro-pneumatic suspension for enhanced driving comfort.
- Comfortable all-wheel steering for maximum manoeuvrability.





3 Largest waste container in its class

- Flow-optimised stainless steel waste container with over 2 m³ volume.
- Enables long working times.

4 Maintenance-friendly design

- All components relevant for cleaning and maintenance are readily accessible.
- With service flaps at the side and swivel-mounted fresh water tank.

MC 250 EURO 6

		 Two-seater comfort cab Hydro-pneumatic suspension Switchable all-wheel steering 	 Two-seater comfort cab Hydro-pneumatic suspension Switchable all-wheel steering
Technical data			
Drive / Engine		VM R754 4-cylinder diesel engine, DPF, SCR	VM R754 4-cylinder diesel engine, DPF
Power	kW / hp	75 / 102	54.5 / 74
Exhaust emissions standard		Euro 6	STAGE V
Speed	km/h	60	60
Working width	mm	2500	2500
Max. working width with 3 side brushes	mm	2660	2660
Turning circle (inner)	mm	2060	2060
Container capacity	I.	2200	2200
Fresh water tank	I	195	195
Weight, empty	kg	3800	3800
Total permissible weight	kg	6000	6000
Dimensions (L × W × H)	mm	4750 × 1300 × 1995	4750 × 1300 × 1999
Equipment			
Air conditioning system		•	•
Multifunctional display		•	•
Driver's seat		Configurable	Configurable
3rd side brush		optional	optional
Water recycling system		•	•
High-pressure cleaner		•	•
Wander hose		•	•
Order no.		1.442-260.2	1.442-260.2
Price			

Included in the scope of supply.

MC 250 STAGE V

MINOR INVESTMENT - MAJOR RETURN

Make more of your site, boost your customer traffic and increase sales using our versatile forecourt units. They are space saving, quick to install and incredibly easy to operate. A very easy way to extend your product range and increase customer satisfaction.



Table of contents: Wash systems

Air Water Tower Air Tower Page 82 Page 83



Checking, regulating, refilling

Before or after washing a vehicle, it is important to precisely check and regulate the tyre pressure and to refill the windscreen washer system with water - services that customers greatly appreciate. Our calibrated AT-C and AWT-C forecourt units allow your customers to perform these tasks quickly and easily.



1

AIR WATER TOWER

AIR TOWER

1

Price

Included in the scope of supply.

٠

ď



1 Calibrated version







The 2-in-1 machine for unit service

Easy to install, space-saving design, easy to operate and a practical addition to your range of services: the AWT-C, a calibrated air tower with integrated water dispenser for precisely checking and regulating tyre pressure and for filling windscreen washers with fluid, for example. With electronic coin acceptor for a range of coins and token types, continuously adjustable runtime and optional frost protection.



1

Calibrated version

Fulfils country-specific specifications.



For accurately checking and regulating tyre pressures up to 8 bar.

Integrated water dispenser for refilling windscreen washer fluid, for instance.

		AWT-C Fp	AWT-C	
Technical data				
Connection load	kW	0.45	0.45	
Protection class	IP	44	44	
Power supply	Ph/V/Hz	1 / 230 / 50	1 / 230 / 50	
Dimensions (L × W × H)	mm	410 × 410 × 1760	410 × 410 × 1760	
Equipment				

1.534-912.0

Technical data **Connection load** 0.45 kW Protection class ID 44 1 / 230 / 50 Ph/V/Hz Power supply 410 × 410 × 1550 Dimensions (L × W × H) mm Equipment Frost protection Order no. 1.534-911.0

AT-C Fp

VASH SYSTEMS

Price Included in the scope of supply. 1.534-913.0

Frost protection

Order no.

Better services. Happier customers

For even more satisfied customers and a welcome increase in profit: the calibrated AT-C air tower enables customers to accurately check and regulate tyre pressures up to 8 bar. It features a continuously adjustable runtime of up to 7 minutes and an electronic coin acceptor that allows customers to use a range of coins and tokens.

Fulfils country-specific specifications.

2 Precise measurement and regulation technology

For accurately checking and regulating tyre pressures up to 8 bar.

0.45 44 1 / 230 / 50 410 × 410 × 1550

1.534-910.0

GLOBAL INNOVATIONS FOR MORE PRODUCTIVITY

Innovations are the fuel for progress in industry and business. We support you with innovative cleaning technology which can be easily integrated in processes, saves time and resources or creates completely new opportunities: our IB 10/8 L2P is the first and only dry ice cleaner with integrated pellet production. And the cleaning data recording documents all decisive parameters of your tank interior cleaning systems.




Table of contents: Industrial solutions Dry ice cleaning Container/tank interior cleaning

Page 86 Page 88



1 L2P - the world innovation in dry ice blasting

Dry ice blasting is an innovative technology with fantastic application possibilities, especially in industry and the automotive sector. This technology combines excellent cleaning performance with maximum protection of surfaces. Our dry ice blasters accelerate the -79 °C dry ice pellets with compressed air to over 150 m/s. The dirt is broken up by the sudden cooling and removed by the subsequent pellets. Our IB 10/8 L2P is the world's first runtime, temperature and cleaning agent. And now there is an absolutely and only dry ice blaster with integrated pellet production. As a result, you can now perform dry ice blasting at any time and anywhere. And it is more captured data directly from the PLC. This allows you to look at individual affordable than ever before.



2 From the tank directly into the database

Our customised system controls for tank cleaning systems offer a variety of essential functions and options. Typical features include the option of manual cleaning or automatic programme sequence via relay or PLC. The visual representation of the components in operation is also possible, as well as the setting and adjustment of the programme parameters crucial element - cleaning data recording (CDR), software that receives the functions which have an effect on costs for the end customer, such as water consumption via spray head, cleaning agent dosing unit and temperature. After the cleaning you can issue a certificate to your customer which shows the runtime data of the cleaning plus the trend lines for pressure and temperature during the cleaning.

COMPACT CLASS

TECHNICAL DATA AND EQUIPMENT



Tackling dirt without compromise any time, anywhere

Whether in the automotive sector or in the food industry - dry ice blasters are the industry standard for the removal of stubborn dirt. The mobile IB 10/8 L2P with integrated dry ice production allows you to carry out cleaning tasks anywhere, any time - even on complex surfaces. The device is ideal for spot cleaning and is easy to use.





1 Ergonomic blasting gun

- Nozzles are quick and easy to change thanks to quick-release couplings. CO₂ is specifically discharged via an exhaust hose.
- With integrated lighting.
- Ice on/off switch directly on the blasting gun.



3 Safe dry ice blasting

- Safe handling, no contact with the dry ice pellets.
- Self-locking gun trigger.

2 Easy and intuitive operation

- Blasting pressure, operating hours, blasting minutes and service times can be read on the display.
- Quantity of dry ice can be adjusted using a button.
- Integrated status indicator and assistance systems, e.g. for pressure monitoring.

4 Compact, mobile design

- Wheels and handles provide mobility and enable safe transport.
- Option to store all components separately. Integrated Home Base.

IB 10/8 L2P

		 With integrated dry Compact, mobile de Low compressed ai
Technical data		
Voltage	v	220-230
Frequency	Hz	50/60
Connection load	kW	1.5
Compressed air connection		1/4" quick coupling
Casing/frame		Plastic (rotational mou
Cable length	m	5.5
Air pressure	bar / MPa	0-10 / 0-1
Air flow	m³/min	0.07-0.08
Sound pressure level	dB(A)	95
Dry ice capacity		-
Dry ice pellets (diameter)	mm	2.5
Dry ice consumption	kg/h	2-8
Weight without accessories	kg	92
Dimensions (L × W × H)	mm	845 × 440 × 938
Equipment		
Flat jet nozzle		
Spray hose with electrical control cable		•
"Air only" or "Air and ice" switch on the blasting trigger gun		•
Includes ground strap coil		-
Integrated oil and water separator		-
Order No.		1.574-200.0


Included in the scope of supply.

Price

ry ice production design and easy to use air consumption for the use of workshop compressors

KNOWING WHAT WORKS: CLEANING DATA RECORDING

With our customised Kärcher system controls we cover the entire spectrum from small systems with simple control tasks through to large systems with complex requirements. With cleaning data recording (CDR) you can use a variety of options to record important processes in their entirety: from customer registration to runtime recording in a database through to the documentation with a certificate.





1 More transparency with minimum effort

Cleaning data recording is an extension of your customised system control for recording cleaning times, pressure and temperature. CDR can be retrofitted both on older, conventional controls and on programmable logic controllers. After the interface is set up, the CDR software can be run as an update or supplied including PC and operating system. The CDR software is available in several languages.

CDR records the runtimes of the components of the tank interior cleaning system and uses this data to calculate consumption. Up to 6 tank interior cleaning heads, 5 cleaning agents, 5 heat exchangers and 1 dryer can be recorded per line. A total of 5 lines can be mapped. The recording of run times is important for the calculation of consumption of water and cleaning agents. You can pass on the actual consumption as effective costs to your customers. You also have control over the cleaning process with the pressure and temperature trend lines.

2 Record runtimes, calculate consumption

INDUSTRIAL SOLUTIONS





Please contact us for more information:

Head Office Germany

Alfred Kärcher SE & Co. KG Alfred-Kärcher-Straße 28-40 71364 Winnenden

Phone +49 7195-14-0 Fax +49 7195-14-2212

www.kaercher.com

USA

Kärcher North America 4555 Airport Way Denver, CO 80239

Phone +1 303-738-5805 Fax +1 303-865-2758

www.karcherna.com

Canada

Kärcher Canada Inc. 275 Pendant Drive Mississauga, Ontario L5T 2W9

Phone +1 905-364-5006 Fax +1 905-672-3155 www.karcher.ca

United Kingdom

Kärcher (UK) Ltd Kärcher House Brookhill Way Banbury Oxon OX16 3ED Phone +44 1295-752-000 Fax +44 1295-752-103

www.karcher.co.uk

Ireland

Kärcher Ltd Unit 4 E.P. Mooney Business Park Walkinstown Avenue Dublin 12

Phone +353 1-409-7777 Fax +353 1-409-7775

www.karcher.ie

South East Asia

Regional Head Office South East Asia Karcher South East Asia Pte Ltd 3 Depot Close #05-01 Singapore 109840 Phone +65 6897-1811

Fax +65 6897-1611 www.karcher.com.sg

Hong Kong

Kärcher Limited Unit 01, 22/F, Westley Square 48 Hoi Yuen Road Kwun Tong, Kowloon Phone +852 2-357-5863 Fax +852 2-357-5632 www.karcher.com.hk

Australia

Karcher Pty Ltd 385 Ferntree Gully Road Mount Waverley Victoria, AU 3149 Phone 1800 675-714 (Free Call)

www.karcher.com.au

New Zealand

Karcher Ltd 66 Allens Road East Tamaki Auckland 2013 Phone +64 9-274-4603 Fax +64 9-274-6932

www.karcher.co.nz

North Africa

Kärcher SARL Immeuble Yasmine Tower Bloc A 6ème étage, bureau A 6.6 Centre Urbain Nord 1082 Tunis Tunisia

Phone +216 36339020 info@tn.kaercher.com

www.kaercher.tn

East Africa

Karcher Limited Regus Fortis Office Park P. O. Box 66488-00800 Block C, Ground floor Muthangari Drive Westlands Nairobi Kenya

Phone +254 205148145

info@ke.kaercher.com www.kaercher.com/ke

South Africa

Kärcher (Pty) Ltd Cnr Mount Joy & George Allen Rd Wilbart Ext. 2 PO Box 11818 Vorna Valley, 1686

Phone +27 11-657-7300 Fax +27 11-657-7440

www.karcher.co.za

Middle East

Karcher FZE Quality Cleaning Systems Jebel Ali Free Zone Plot No. S-10104 South Zone RA 08, XB 1, Jebel Ali Dubai

Phone +971 4-886-1177 Fax +971 4-886-1575

customercare@ae.kaercher.com www.karcher.ae

Qatar

Karcher LLC Office No 133, Regus Building D Ring Road PO Box 35176

Phone +974 4-423-1319

customercare@ae.kaercher.com www.kaercher.ae

Caribbean

Karcher S.R.L. Calle 5ta, esq. Calle 18, Nave 1 Villa Aura Santo Domingo Oeste Dominican Republic

Phone +1 809-379-3700 Fax +1 809-379-3777

info@do.kaercher.com www.kaercher.com/do