

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 9/20/2022 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form Product code	: Mixture : 9706HOT
1.2. Recommended use and restrictions on	use
No additional information available	
1.3. Supplier	
KARCHER NORTH AMERICA 6398 N Karcher Way Aurora, 80019 United States T 303-738-2400 info@karcherna.com	
1.4. Emergency telephone number	
Emergency number	: 800-535-5053 For Chemical Emergency Call INFOTRAC 24hr/day 7days/week Within USA and Canada: 1-800-535-5053 Outside USA and Canada: 011-1-352-323-3500 (collect calls accepted)

## SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

#### **GHS US classification**

Corrosive to metals Category 1	H290	May be corrosive to metals
Skin corrosion/irritation Category 1	H314	Causes severe skin burns and eye damage
Serious eye damage/eye irritation Category 1	H318	Causes serious eye damage
Specific target organ toxicity – Single exposure, Category 3,	H335	May cause respiratory irritation
Respiratory tract irritation		
Hazardous to the aquatic environment – Acute Hazard Category 2	H401	Toxic to aquatic life
Hazardous to the aquatic environment – Chronic Hazard Category 2	H411	Toxic to aquatic life with long lasting effects
Full text of H statements : see section 16		

2.2. GHS Label elements, including precautionary statements

#### **GHS US labeling**

Hazard pictograms (GHS US)

Signal word (GHS US) Hazard statements (GHS US)



: H290 - May be corrosive to metals

- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H335 May cause respiratory irritation
- H401 Toxic to aquatic life
- H411 Toxic to aquatic life with long lasting effects

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautionary statements (GHS US)	: P234 - Keep only in original container.
	P260 - Do not breathe dust, fume, gas, mist, spray, vapors.
	P261 - Avoid breathing dust, fume, gas, mist, spray, vapors.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P271 - Use only outdoors or in a well-ventilated area.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves, protective clothing, eye protection, face protection.
	P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.
	P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse
	skin with water/shower.
	P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P310 - Immediately call a POISON CENTER, a doctor.
	P312 - Call a POISON CENTER, a doctor if you feel unwell.
	P363 - Wash contaminated clothing before reuse.
	P390 - Absorb spillage to prevent material-damage.
	P391 - Collect spillage.
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
	P405 - Store locked up.
	P406 - Store in corrosive resistant container with a resistant inner liner.
	P501 - Dispose of contents/container to hazardous or special waste collection point, in
	accordance with local, regional, national and/or international regulation.
2.3. Other hazards which do not resul	t in classification

Other hazards which do not result in classification : None under normal conditions.

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### **SECTION 3: Composition/Information on ingredients**

### 3.1. Substances

#### Not applicable

3.2. Mixtures			
Name	F	Product identifier	%
SODIUM METASILICATE	C	CAS-No.: 6834-92-0	30 – 50
SODIUM XYLENE SULFONATE	C	CAS-No.: 1300-72-7	1 – 5
SODIUM DICHLOROISOCYANURATE	C	CAS-No.: 51580-86-0	3.185 – 3.25
Full test of here and also are shall be taken and a second star 40			

Full text of hazard classes and H-statements : see section 16

### **SECTION 4: First-aid measures**

4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	<ul> <li>Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.</li> </ul>
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after eye contact First-aid measures after ingestion	<ul> <li>Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.</li> <li>Rinse mouth. Do not induce vomiting. Call a physician immediately.</li> </ul>
4.2. Most important symptoms and effects (	acute and delayed)
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	<ul> <li>May cause respiratory irritation.</li> <li>Burns.</li> <li>Serious damage to eyes.</li> <li>Burns.</li> </ul>

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing	media	
Suitable extinguishing media	: Water spray. Dry powder. Foam.	
5.2. Specific hazards arising from the chemical		
•	<ul> <li>Heating increases the fire hazard.</li> <li>No direct explosion hazard.</li> <li>Toxic fumes may be released.</li> </ul>	
5.3. Special protective equipment and preca	utions for fire-fighters	
0 0	<ul> <li>Do not enter fire area without proper protective equipment, including respiratory protection.</li> <li>Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.</li> </ul>	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protect	ive equipment and emergency procedures	
General measures	: Do not handle until all safety precautions have been read and understood.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust, fume, gas, mist, spray, vapors.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2 Environmental procesutions		

Avoid release to the environment.

6.3. Methods and material for conta	inment and cleaning up
For containment Methods for cleaning up Other information	<ul> <li>Collect spillage.</li> <li>Mechanically recover the product.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>
6.4. Reference to other sections	

For further information refer to section 13.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling Hygiene measures	<ul> <li>Not expected to present a significant hazard under anticipated conditions of normal use.</li> <li>Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Do not breathe dust, fume, gas, mist, spray, vapors. Wear personal protective equipment.</li> <li>Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>
7.2. Conditions for safe storage, includir	ng any incompatibilities
Technical measures Storage conditions Incompatible materials	<ul> <li>Comply with applicable regulations.</li> <li>Store in corrosive resistant container with a resistant inner liner. Keep only in original container. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.</li> <li>Metals.</li> </ul>
SECTION 8: Exposure controls/pers	onal protection
8.1. Control parameters	
CARBOCHLOR POWDER ADDITIVE	
No additional information available	
SODIUM METASILICATE (6834-92-0)	
No additional information available	
SODIUM XYLENE SULFONATE (1300-72	2-7)
No additional information available	
SODIUM DICHLOROISOCYANURATE (5	1580-86-0)
No additional information available	
8.2. Appropriate engineering controls	
Appropriate engineering controls Environmental exposure controls	<ul><li>Ensure good ventilation of the work station.</li><li>Avoid release to the environment.</li></ul>
8.3. Individual protection measures/Pers	onal protective equipment
Hand protection:	
Protective gloves	
Eye protection:	
Safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
In case of insufficient ventilation, wear suitable r	espiratory equipment

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Personal protective equipment symbol(s):



### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Color	: White
Odor	: Characteristic odour
Odor threshold	: No data available
рН	: No data available
pH solution	: 12.15 @ 1% SOLUTION
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosion limits	: Not applicable
Explosive properties	: No data available
Oxidizing properties	: No data available

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** 

Stable under normal conditions.

**10.3. Possibility of hazardous reactions** 

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 10.5. Incompatible materials

#### metals.

#### **10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological inforr	nation
11.1. Information on toxicological eff	ects
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified : Not classified : Not classified
SODIUM METASILICATE (6834-92-0)	
LD50 oral rat	1152 – 1349 mg/kg body weight (Rat, Male / female, Experimental value, Oral, 7 day(s))
LD50 dermal rat	> 5000 mg/kg body weight (EPA OPPTS 870.1200: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 2.06 mg/l (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
ATE US (oral)	1152 mg/kg body weight
SODIUM XYLENE SULFONATE (1300	)-72-7)
LD50 oral rat	> 7000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Read-across, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Read-across, Dermal 14 day(s))
SODIUM DICHLOROISOCYANURATI	E (51580-86-0)
LD50 oral rat	1823 mg/kg (EPA OPP 81-1: Acute Oral Toxicity, Rat, Male / female, Read-across, Oral, 14 day(s))
LD50 dermal rat	> 5000 mg/kg (EPA OPP 81-2, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	0.27 – 1.17 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Low permeability, Inhalation (dust), 14 day(s))
ATE US (oral)	1823 mg/kg body weight
ATE US (vapors)	0.27 mg/l/4h
ATE US (dust, mist)	0.27 mg/l/4h
Skin corrosion/irritation	: Causes severe skin burns.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
SODIUM METASILICATE (6834-92-0)	
STOT-single exposure	May cause respiratory irritation.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SODIUM DICHLOROISOCYANURATE (51580-86-0)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	Not classified
SODIUM METASILICATE (6834-92-0)	
NOAEL (oral,rat,90 days)	227 – 237 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents)
Aspiration hazard Viscosity, kinematic Symptoms/effects after inhalation Symptoms/effects after skin contact	<ul> <li>Not classified</li> <li>Not applicable</li> <li>May cause respiratory irritation.</li> <li>Burns.</li> </ul>
Symptoms/effects after eye contact Symptoms/effects after ingestion	: Serious damage to eyes. : Burns.

SECTION 12: Ecological information	
Toxic to aquatic life. Toxic to aquatic life with long lasting effects.	
SODIUM METASILICATE (6834-92-0)	
210 mg/l (ISO 7346-1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value)	
1700 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)	
SODIUM XYLENE SULFONATE (1300-72-7)	
> 1000 mg/l (EPA OTS 797.1400, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value)	
> 1000 mg/l (EPA OTS 797.1300, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)	
SODIUM DICHLOROISOCYANURATE (51580-86-0)	
0.23 mg/l (96 h, Lepomis macrochirus, Static system, Fresh water, Read-across, GLP)	
0.17 mg/l (ASTM, 48 h, Daphnia magna, Static system, Fresh water, Read-across, GLP)	

### 12.2. Persistence and degradability

SODIUM METASILICATE (6834-92-0)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
SODIUM XYLENE SULFONATE (1300-72-7)	
Persistence and degradability	Readily biodegradable in water.
SODIUM DICHLOROISOCYANURATE (51580-86-0)	
Persistence and degradability	Readily biodegradable in water.
Chemical oxygen demand (COD) 0.01 g O <sub>2</sub> /g substance	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative potential		
SODIUM METASILICATE (6834-92-0)		
Bioaccumulative potential	Bioaccumulation: not applicable.	
SODIUM XYLENE SULFONATE (1300-72-7)		
Partition coefficient n-octanol/water (Log Pow)	-3.12 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C)	
Bioaccumulative potential	Not bioaccumulative.	
SODIUM DICHLOROISOCYANURATE (51580-86-0)		
Partition coefficient n-octanol/water (Log Pow)	-0.0556 (Anhydrous form, QSAR, KOWWIN)	
Bioaccumulative potential	Not bioaccumulative.	
12.4. Mobility in soil		
SODIUM METASILICATE (6834-92-0)		
Surface tension	No data available in the literature	
Ecology - soil	No (test)data on mobility of the substance available.	
SODIUM XYLENE SULFONATE (1300-72-7)		
Surface tension	71 mN/m (20 °C, 90 %, EU Method A.5: Surface tension)	
Ecology - soil	No (test)data on mobility of the substance available.	
SODIUM DICHLOROISOCYANURATE (51580-86-0)		
Surface tension	No data available in the literature	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.71 (log Koc, Calculated value)	
Ecology - soil	Highly mobile in soil.	
12.5. Other adverse effects		


No additional information available

SECTION 13: Disposal considerations	
13.1. Disposal methods	
Regional legislation (waste) Waste treatment methods	<ul> <li>Disposal must be done according to official regulations.</li> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> </ul>

SECTION 14: Transport information	
14.1. UN number	
DOT NA No	: UN1759
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Corrosive solids, n.o.s., (SODIUM METASILICATE), 8, II

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases	
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phra	ases	
H318	Causes serious eye damage	
H335	May cause respiratory irritation	
H401	Toxic to aquatic life	
H411	Toxic to aquatic life with long lasting effects	
NFPA health hazar	d : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.	
NFPA fire hazard	: 1 - Materials that must be preheated before ignition can occur.	
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.	
Hazard Rating		
Health	: 2 Moderate Hazard - Temporary or minor injury may occur	
Flammability	: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	
Personal protection	: B - Safety glasses, Gloves	
Cofaty Data Chaot		

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.