

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 9/20/2022 Version: 1.0

Product code       : 9         1.2. Recommended use and restrictions on use         No additional information available         1.3. Supplier         KARCHER NORTH AMERICA	fixture 707HOT
Product code       : 9         1.2. Recommended use and restrictions on use         No additional information available         1.3. Supplier         KARCHER NORTH AMERICA	707HOT
No additional information available  1.3. Supplier KARCHER NORTH AMERICA	
<b>1.3. Supplier</b> KARCHER NORTH AMERICA	
KARCHER NORTH AMERICA	
6398 N Karcher Way Aurora, 80019 United States T 303-738-2400 info@karcherna.com	
1.4. Emergency telephone number	
F W O	00-535-5053 for Chemical Emergency Call INFOTRAC 24hr/day 7days/week Vithin USA and Canada: 1-800-535-5053 Dutside USA and Canada: 011-1-352-323-3500 collect calls accepted)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mixture	
GHS US classification Corrosive to metals Category 1 Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1 Specific target organ toxicity – Single exposure, Category Respiratory tract irritation	H290May be corrosive to metalsH314Causes severe skin burns and eye damageH318Causes serious eye damage3,H335May cause respiratory irritation
Full text of H statements : see section 16	
2.2. GHS Label elements, including precautiona	ary statements
GHS US labeling	
Hazard pictograms (GHS US) :	
Hazard statements (GHS US) : H H H	Danger 1290 - May be corrosive to metals 1314 - Causes severe skin burns and eye damage 1318 - Causes serious eye damage 1335 - May cause respiratory irritation

- : P234 Keep only in original container.
  - P260 Do not breathe dust, fume, gas, mist, spray, vapors.
  - P261 Avoid breathing dust, fume, gas, mist, spray, vapors.
  - P264 Wash hands, forearms and face thoroughly after handling.

Precautionary statements (GHS US)

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<ul> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P280 - Wear protective gloves, protective clothing, eye protection, face protection.</li> <li>P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.</li> <li>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P310 - Immediately call a POISON CENTER, a doctor.</li> <li>P312 - Call a POISON CENTER, a doctor if you feel unwell.</li> <li>P363 - Wash contaminated clothing before reuse.</li> <li>P390 - Absorb spillage to prevent material-damage.</li> <li>P403+P233 - Store in a well-ventilated place. Keep container tightly closed.</li> <li>P406 - Store in corrosive resistant container with a resistant inner liner.</li> <li>P501 - Dispose of contents/container to hazardous or special waste collection point, in according and/or international regulation.</li> </ul>
accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards which do not result in classification

Other hazards which do not result in classification

2.4. Unknown acute toxicity (GHS US)

Not applicable

### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

#### Not applicable

3.2. Mixtures		
Name	Product identifier	%
SODIUM METASILICATE	CAS-No.: 6834-92-0	30 – 50
SODIUM XYLENE SULFONATE	CAS-No.: 1300-72-7	5 – 10
ALCOHOLS, C6-C12, ETHOXYLATED	CAS-No.: 68439-45-2	1 – 5
TETRASODIUM EDTA	CAS-No.: 64-02-8	2.775 – 2.925

: None under normal conditions.

Full text of hazard classes and H-statements : see section 16

## **SECTION 4: First-aid measures**

4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	<ul> <li>Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.</li> </ul>
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and e Symptoms/effects after inhalation	: May cause respiratory irritation.	
symptoms/enects after innalation	. May cause respiratory initiation.	
Symptoms/effects after skin contact	: Burns.	
Symptoms/effects after eye contact	: Serious damage to eyes.	
Symptoms/effects after ingestion	: Burns.	

Treat symptomatically.

SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguishing media			
Suitable extinguishing media	: Water spray. Dry powder. Foam.		
5.2. Specific hazards arising from the chem	ical		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	<ul> <li>Heating increases the fire hazard.</li> <li>No direct explosion hazard.</li> <li>Toxic fumes may be released.</li> </ul>		
5.3. Special protective equipment and precautions for fire-fighters			
Firefighting instructions Protection during firefighting	<ul> <li>Do not enter fire area without proper protective equipment, including respiratory protection.</li> <li>Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.</li> </ul>		

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Do not handle until all safety precautions have been read and understood.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust, fume, gas, mist, spray, vapors.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containment and cleaning up		
For containment Methods for cleaning up Other information	<ul> <li>Absorb spilled material with sand or earth.</li> <li>Mechanically recover the product.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>	

6.4. Reference to other sections For further information refer to section 13.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed Precautions for safe handling	<ul> <li>Not expected to present a significant hazard under anticipated conditions of normal use.</li> <li>Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Do not breathe dust, fume, gas, mist, spray, vapors. Wear personal protective equipment.</li> </ul>	
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, inclu	ding any incompatibilities	
Technical measures Storage conditions	<ul><li>Comply with applicable regulations.</li><li>Store in corrosive resistant container with a resistant inner liner. Keep only in original container.</li></ul>	
Incompatible materials	Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool. : Metals.	
SECTION 8: Exposure controls/pe	rsonal protection	
8.1. Control parameters		
CARBONATE PLUS POWDER ADDITI	VE	
No additional information available		
ALCOHOLS, C6-C12, ETHOXYLATED	(68439-45-2)	
No additional information available		
SODIUM METASILICATE (6834-92-0)		
No additional information available		
SODIUM XYLENE SULFONATE (1300-72-7)		
No additional information available		
TETRASODIUM EDTA (64-02-8)		
No additional information available		
8.2. Appropriate engineering controls		
Appropriate engineering controls Environmental exposure controls	<ul><li>Ensure good ventilation of the work station.</li><li>Avoid release to the environment.</li></ul>	
8.3. Individual protection measures/Po	ersonal protective equipment	
Hand protection:		
Protective gloves		
Eye protection:		
Safety glasses		
Skin and body protection:		
Wear suitable protective clothing		
Respiratory protection:		
In case of insufficient ventilation, wear suitab	le respiratory equipment	

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Personal protective equipment symbol(s):



### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Color	: White
Odor	: Characteristic odour
Odor threshold	: No data available
pH	: No data available
pH solution	: 11.9 @ 1% SOLUTION
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: Not applicable
	: No data available
Viscosity, dynamic	
Explosion limits	: Not applicable : No data available
Explosive properties	
Oxidizing properties	: No data available

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** 

Stable under normal conditions.

**10.3. Possibility of hazardous reactions** 

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 10.5. Incompatible materials

### metals.

### **10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Acute toxicity (oral)       :       Not classified         Acute toxicity (inhalation)       :       Not classified         Acute toxicity (inhalation)       :       Not classified         ALCOHOLS, C6-C12, ETHOXYLATED (68439-452)       LD50 oral rat       > 1000 mg/kg (Rabbit, Dermal)         DSD oral rat       > 2000 mg/kg (Rabbit, Dermal)       SODIUM METASILICATE (6834-92-0)         LD50 oral rat       1152 - 1349 mg/kg body weight (EPA OPPTS 870.1200: Acute Dermal 1 female, Experimental value, Dermal, 14 day(s))         LD50 dermal rat       > 5000 mg/kg body weight (EPA OPPTS 870.1200: Acute Dermal 1 female, Experimental value, Inhalation Toxicity, 4 h, Experimental value, Inhalation Toxicity, 4 h, Experimental value, Inhalation (vapours), 14 day(s))         LD50 oral rat       > 7000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, M Oral, 14 day(s))         LD50 oral rat       > 2000 mg/kg lody weight (DECD 401: Acute Oral Toxicity, Rat, M Oral, 14 day(s))         LD50 oral rat       > 2000 mg/kg (Rat, Oral)         LD50 oral rat       > 2000 mg/kg (Rat, Oral)         Skin corrosion/irritation       : Causes server skin burns.         Servicus eye damage/irritation       : Causes server exe damage.         Respiratory or skin sensitization       : Not classified         Germ cell mutagenicity       : Not classified         STOT-single exposure       : May cause respiratory irritation.	
Acute toxicity (inhalation)       : Not classified         ALCOHOLS, C6-C12, ETHOXYLATED (68439-45-2)         LD50 oral rat       > 1000 mg/kg (Rat, Oral)         LD50 dermal rabbit       > 2000 mg/kg (Rat, Oral)         SODIUM METASILICATE (6834-92-0)       1152 – 1349 mg/kg body weight (Rat, Male / female, Experimental         LD50 oral rat       1152 – 1349 mg/kg body weight (Rat, Male / female, Experimental         LD50 dermal rat       > 5000 mg/kg body weight (EPA OPPTS 870.1200: Acute Dermal 1 female, Experimental value, Dermal, 14 day(s))         LC50 Inhalation - Rat       > 2.06 mg/l (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Experimental value, Inhalation (vapours), 14 day(s))         ATE US (oral)       1152 mg/kg body weight         SODIUM XYLENE SULFONATE (1300-72-7)       Volta mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, M Oral, 14 day(s))         LD50 oral rat       > 2000 mg/kg body weight (DECD 401: Acute Oral Toxicity, Rat, M Oral, 14 day(s))         LD50 dermal rabbit       > 2000 mg/kg lody weight (Equivalent or similar to OECD 402, Rat 14 day(s))         LD50 oral rat       > 2000 mg/kg nage.         Serious eye damage/irritation       : Causes serious eye damage.         Respiratory or sin senstization       : Not classified         Serious eye damage/irritation       : Not classified         Garcinogenicity       : Not classified         Carcinogenicity	
ALCOHOLS, C6-C12, ETHOXYLATED (68439-45-2)         LD50 oral rat       > 1000 mg/kg (Rat, Oral)         LD50 dermal rabbit       > 2000 mg/kg (Rabbit, Dermal)         SODIUM METASILICATE (6834-92-0)       I152 – 1349 mg/kg body weight (Rat, Male / female, Experimental         LD50 oral rat       1152 – 1349 mg/kg body weight (EPA OPPTS 870.1200: Acute Dermal T         female, Experimental value, Dermal, 14 day(s))       152         LC50 Inhalation - Rat       > 2.06 mg/l (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Experimental value, Inhalation (vapours), 14 day(s))         ATE US (oral)       1152 mg/kg body weight         SODIUM XYLENE SULFONATE (1300-72-7)       LD50 oral rat         LD50 dermal rabbit       > 7000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, M Oral, 14 day(s))         LD50 oral rat       > 7000 mg/kg body weight (Equivalent or similar to OECD 402, Rat 14 day(s))         TETRASODIUM EDTA (64-02-8)       UD50 oral rat         LD50 oral rat       > 2000 mg/kg (Rat, Oral)         Skin corrosion/irritation       : Causes serious eye damage.         Respiratory or skin sensitization       : Not classified         Serious eye damage/irritation       : Not classified         Serious eye damage/irritation       : Not classified         Serious eye damage/irritation       : Not classified         Serouctive toxicity       : Not class	
LD50 oral rat       > 1000 mg/kg (Rat, Oral)         LD50 dermal rabbit       > 2000 mg/kg (Rabbit, Dermal)         SODIUM METASILICATE (6834-92-0)       1152 – 1349 mg/kg body weight (Rat, Male / female, Experimental         LD50 oral rat       1152 – 1349 mg/kg body weight (EPA OPPTS 870.1200: Acute Dermal Temale, Experimental value, Dermal, 14 day(s))         LC50 Inhalation - Rat       > 2.06 mg/t (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Experimental value, Inhalation (vapours), 14 day(s))         ATE US (oral)       1152 mg/kg body weight         SODIUM XYLENE SULFONATE (1300-72-7)       V         LD50 oral rat       > 7000 mg/kg body weight (DECD 401: Acute Oral Toxicity, Rat, M Oral, 14 day(s))         LD50 oral rat       > 2000 mg/kg body weight (Equivalent or similar to OECD 402, Rat 14 day(s))         LD50 dermal rabbit       > 2000 mg/kg (Rat, Oral)         Skin corrosion/irritation       : Causes severe skin burns.         Serious eye damage/irritation       : Causes severe skin burns.         Serious eye damage/irritation       : Causes severe skin burns.         Serious eye damage/irritation       : Not classified         Carcinogenicity       : Not classified         Serious eye damage/irritation       : Not classified         Carcinogenicity       : Not classified         Serious eye damage/irritation       : Not classified         Sep	
LD50 dermal rabbit       > 2000 mg/kg (Rabbit, Dermal)         SODIUM METASILICATE (6834-92-0)         LD50 dermal rat       1152 – 1349 mg/kg body weight (Rat, Male / female, Experimental         LD50 dermal rat       > 5000 mg/kg body weight (EPA OPPTS 870.1200: Acute Dermal T female, Experimental value, Dermal, 14 day(s))         LC50 Inhalation - Rat       > 2.06 mg/l (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Experimental value, Inhalation (vapours), 14 day(s))         ATE US (oral)       1152 mg/kg body weight         SODIUM XYLENE SULFONATE (1300-72-7)       > 7000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, M Oral, 14 day(s))         LD50 dermal rabbit       > 7000 mg/kg body weight (Equivalent or similar to OECD 402, Rat 14 day(s))         LD50 dermal rabbit       > 2000 mg/kg (Rat, Oral)         LD50 oral rat       > 2000 mg/kg (Rat, Oral)         LD50 oral rat       > 2000 mg/kg (Rat, Oral)         LD50 oral rat       > 2000 mg/kg (Rat, Oral)         Skin corrosion/irritation       : Causes serie skin burns.         Serious eye damage/irritation       : Causes serious eye damage.         Respriatory or skin sensitization       : Not classified         Zercinogenicity       : Not classified         Stort-single exposure       : May cause respiratory irritation.         STOT-single exposure       : May cause respiratory irritation.         ST	
SODIUM METASILICATE (6834-92-0)         LD50 oral rat       1152 – 1349 mg/kg body weight (Rat, Male / female, Experimental         LD50 dermal rat       > 5000 mg/kg body weight (EPA OPPTS 870.1200: Acute Dermal Temale, Experimental value, Dermal, 14 day(s))         LC50 Inhalation - Rat       > 2.06 mg/l (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Experimental value, Inhalation (vapours), 14 day(s))         ATE US (oral)       1152 mg/kg body weight         SODIUM XYLENE SULFONATE (1300-72-7)       Experimental value, Inhalation (vapours), 14 day(s))         LD50 oral rat       > 7000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, M Oral, 14 day(s))         LD50 dermal rabbit       > 2000 mg/kg body weight (Equivalent or similar to OECD 402, Rat 14 day(s))         TETRASODIUM EDTA (64-02-8)       > 2000 mg/kg (Rat, Oral)         Skin corrosion/irritation       : Causes severe skin burns.         Serious eye damage/irritation       : Causes severe skin burns.         Serious eye damage/irritation       : Not classified         Serious eye damage.       Nespiratory or skin sensitization         Serious eye damage/irritation       : Not classified         Serious eye damage/irritation       : Not class	
LD50 oral rat       1152 – 1349 mg/kg body weight (Rat, Male / female, Experimental         LD50 dermal rat       > 5000 mg/kg body weight (EPA OPPTS 870.1200: Acute Dermal T         female, Experimental value, Dermal, 14 day(s))       LC50 Inhalation - Rat       > 2.06 mg/l (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Experimental value, Inhalation (vapours), 14 day(s))         ATE US (oral)       1152 mg/kg body weight       SODIUM XYLENE SULFONATE (1300-72-7)         LD50 oral rat       > 7000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, M Oral, 14 day(s))         LD50 dermal rabbit       > 2000 mg/kg body weight (Equivalent or similar to OECD 402, Rat 14 day(s))         TETRASODIUM EDTA (64-02-8)          LD50 oral rat       > 2000 mg/kg (Rat, Oral)         Skin corrosion/irritation       : Causes servere skin burns.         Serious eye damage/irritation       : Causes serious eye damage.         Respiratory or skin sensitization       : Not classified         Serious eyence       : Not classified         Serious eyence       : May cause respiratory irritation.         SoDIUM METASLICATE (6834-92-0)       May cause respiratory irritation.	
LD50 dermal rat       > 5000 mg/kg body weight (EPA OPPTS 870.1200: Acute Dermal Temale, Experimental value, Dermal, 14 day(s))         LC50 Inhalation - Rat       > 2.06 mg/l (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Experimental value, Inhalation (vapours), 14 day(s))         ATE US (oral)       1152 mg/kg body weight         SODIUM XYLENE SULFONATE (1300-72-7)       > 7000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, M Oral, 14 day(s))         LD50 oral rat       > 7000 mg/kg body weight (Equivalent or similar to OECD 402, Rat 14 day(s))         LD50 dermal rabbit       > 2000 mg/kg Mg aday weight (Equivalent or similar to OECD 402, Rat 14 day(s))         LD50 oral rat       > 2000 mg/kg (Rat, Oral)         Skin corrosion/irritation       : Causes severe skin burns.         Serious eye damage/irritation       : Causes serious eye damage.         Respiratory or skin sensitization       : Not classified         Serious eye damage/irritation       : Not classified         Serious eye damage exposure       : May cause respiratory irritation.         SODIUM METASILICATE (6834-92-0)       May cause respiratory irritation.	
female, Experimental value, Dermal, 14 day(s))         LC50 Inhalation - Rat       > 2.06 mg/l (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Experimental value, Inhalation (vapours), 14 day(s))         ATE US (oral)       1152 mg/kg body weight         SODIUM XYLENE SULFONATE (1300-72-7)          LD50 oral rat       > 7000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, M Oral, 14 day(s))         LD50 dermal rabbit       > 2000 mg/kg body weight (Equivalent or similar to OECD 402, Rat 14 day(s))         TETRASODIUM EDTA (64-02-8)          LD50 oral rat       > 2000 mg/kg (Rat, Oral)         Skin corrosion/irritation       : Causes serious eye damage.         Respiratory or skin sensitization       : Not classified         Garcinogenicity       : Not classified         Reproductive toxicity       : Not classified         StOT-single exposure       : May cause respiratory irritation.         STOT-single exposure       : May cause respiratory irritation.         STOT-repeated exposure       : Not classified	l value, Oral, 7 day(s))
Experimental value, Inhalation (vapours), 14 day(s))         ATE US (oral)       1152 mg/kg body weight         SODIUM XYLENE SULFONATE (1300-72-7)         LD50 oral rat       > 7000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, M Oral, 14 day(s))         LD50 dermal rabbit       > 2000 mg/kg body weight (Equivalent or similar to OECD 402, Rat 14 day(s))         TETRASODIUM EDTA (64-02-8)       > 2000 mg/kg (Rat, Oral)         LD50 oral rat       > 2000 mg/kg (Rat, Oral)         Skin corrosion/irritation       : Causes serious eye damage.         Respiratory or skin sensitization       : Not classified         Gern cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         StorT-single exposure       : May cause respiratory irritation.         STOT-single exposure       : May cause respiratory irritation.         STOT-single exposure       : Not classified         STOT-single exposure       : May cause respiratory irritation.         STOT-single exposure       : Not classified	Toxicity, 24 h, Rat, Male /
SODIUM XYLENE SULFONATE (1300-72-7)         LD50 oral rat       > 7000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, M Oral, 14 day(s))         LD50 dermal rabbit       > 2000 mg/kg body weight (Equivalent or similar to OECD 402, Rat 14 day(s))         TETRASODIUM EDTA (64-02-8)         LD50 oral rat       > 2000 mg/kg (Rat, Oral)         Skin corrosion/irritation       : Causes severe skin burns.         Serious eye damage/irritation       : Causes serious eye damage.         Respiratory or skin sensitization       : Not classified         Serious eye damage.irritation       : Not classified         Serious eye damage/irritation       : Not classified         Serious eye damage.irritation       : Not classified         StoT-single exposure       : May cause respiratory irritation.         STOT-single	, Rat, Male / female,
LD50 oral rat       > 7000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, M         Oral, 14 day(s))       > 2000 mg/kg body weight (Equivalent or similar to OECD 402, Rat 14 day(s))         TETRASODIUM EDTA (64-02-8)          LD50 oral rat       > 2000 mg/kg (Rat, Oral)         Skin corrosion/irritation       : Causes severe skin burns.         Serious eye damage/irritation       : Causes serious eye damage.         Respiratory or skin sensitization       : Not classified         Garcinogenicity       : Not classified         Carcinogenicity       : Not classified         StoT-single exposure       : May cause respiratory irritation.         STOT-single exposure       : May cause respiratory irritation.         STOT-repeated exposure       : Not classified         StoT	
Oral, 14 day(s))         Dral, 14 day(s))         LD50 dermal rabbit       > 2000 mg/kg body weight (Equivalent or similar to OECD 402, Rat 14 day(s))         TETRASODIUM EDTA (64-02-8)         LD50 oral rat       > 2000 mg/kg (Rat, Oral)         Skin corrosion/irritation       : Causes severe skin burns.         Serious eye damage/irritation       : Causes serious eye damage.         Respiratory or skin sensitization       : Not classified         Serious eye damage/irritation       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Serious eye obsure       : May cause respiratory irritation.         STOT-single exposure       : May cause respiratory irritation.         STOT-repeated exposure       : Not classified         STOT-repeated exposure       : Not classified         SODIUM METASILICATE (6834-92-0)       : Not classified         STOT-repeated exposure       : Not classified         SODIUM METASILICATE (6834-92-0)       : Not classified	
14 day(s))         TETRASODIUM EDTA (64-02-8)         LD50 oral rat       > 2000 mg/kg (Rat, Oral)         Skin corrosion/irritation       : Causes severe skin burns.         Serious eye damage/irritation       : Causes serious eye damage.         Respiratory or skin sensitization       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Reproductive toxicity       : Not classified         STOT-single exposure       : May cause respiratory irritation.         STOT-single exposure       : May cause respiratory irritation.         STOT-repeated exposure       : Not classified         STOT-repeated exposure       : Not classified         STOT-repeated exposure       : Not classified	Male / female, Read-across,
LD50 oral rat       > 2000 mg/kg (Rat, Oral)         Skin corrosion/irritation       : Causes severe skin burns.         Serious eye damage/irritation       : Causes serious eye damage.         Respiratory or skin sensitization       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Reproductive toxicity       : Not classified         STOT-single exposure       : May cause respiratory irritation.         STOT-single exposure       : Mot classified         STOT-single exposure       : Mot classified         STOT-single exposure       : May cause respiratory irritation.         STOT-single exposure       : Not classified         STOT-single exposure       : Not classified         STOT-single exposure       : May cause respiratory irritation.	abbit, Read-across, Dermal,
Skin corrosion/irritation       : Causes severe skin burns.         Serious eye damage/irritation       : Causes serious eye damage.         Respiratory or skin sensitization       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Reproductive toxicity       : Not classified         STOT-single exposure       : May cause respiratory irritation.         SODIUM METASILICATE (6834-92-0)       STOT-single exposure         STOT-repeated exposure       : Not classified         SODIUM METASILICATE (6834-92-0)       : Not classified	
Serious eye damage/irritation       : Causes serious eye damage.         Respiratory or skin sensitization       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Carcinogenicity       : Not classified         Reproductive toxicity       : Not classified         STOT-single exposure       : May cause respiratory irritation.         STOT-single exposure       : May cause respiratory irritation.         STOT-repeated exposure       : Not classified         SODIUM METASILICATE (6834-92-0)       : Not classified	
Respiratory or skin sensitization       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Reproductive toxicity       : Not classified         STOT-single exposure       : May cause respiratory irritation.         STOT-single exposure       May cause respiratory irritation.         STOT-single exposure       : Not classified         STOT-single exposure       : May cause respiratory irritation.         STOT-single exposure       : Not classified         STOT-single exposure       : Not classified         STOT-single exposure       : May cause respiratory irritation.         STOT-single exposure       : Not classified         STOT-single exposure       : Not classified         STOT-single exposure       : Not classified	
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : May cause respiratory irritation. SODIUM METASILICATE (6834-92-0) STOT-single exposure : May cause respiratory irritation. STOT-repeated exposure : Not classified SODIUM METASILICATE (6834-92-0)	
Carcinogenicity       : Not classified         Reproductive toxicity       : Not classified         STOT-single exposure       : May cause respiratory irritation.         SODIUM METASILICATE (6834-92-0)       STOT-single exposure         STOT-repeated exposure       May cause respiratory irritation.         STOT-repeated exposure       : Not classified         SODIUM METASILICATE (6834-92-0)       : Not classified	
Reproductive toxicity       : Not classified         STOT-single exposure       : May cause respiratory irritation.         SODIUM METASILICATE (6834-92-0)       STOT-single exposure         STOT-repeated exposure       May cause respiratory irritation.         STOT-repeated exposure       : Not classified         SODIUM METASILICATE (6834-92-0)       : Not classified	
STOT-single exposure       : May cause respiratory irritation.         SODIUM METASILICATE (6834-92-0)       May cause respiratory irritation.         STOT-single exposure       May cause respiratory irritation.         STOT-repeated exposure       : Not classified         SODIUM METASILICATE (6834-92-0)	
SODIUM METASILICATE (6834-92-0)         STOT-single exposure       May cause respiratory irritation.         STOT-repeated exposure       Not classified         SODIUM METASILICATE (6834-92-0)	
STOT-single exposure     May cause respiratory irritation.       STOT-repeated exposure     : Not classified       SODIUM METASILICATE (6834-92-0)	
STOT-repeated exposure : Not classified SODIUM METASILICATE (6834-92-0)	
SODIUM METASILICATE (6834-92-0)	
NOAEL (oral rat 90 days) 227 - 237 mg/kg body weight Animal: rat Guidoling: OECD Guidol	
Day Oral Toxicity in Rodents)	eline 408 (Repeated Dose 9
Aspiration hazard : Not classified	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion
- : May cause respiratory irritation.
- : Burns.
- : Serious damage to eyes.
- : Burns.

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.	
SODIUM METASILICATE (6834-92-0)		
LC50 - Fish [1]	210 mg/l (ISO 7346-1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value)	
EC50 - Crustacea [1]	1700 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)	
SODIUM XYLENE SULFONATE (1300-72-7)		
LC50 - Fish [1]	> 1000 mg/l (EPA OTS 797.1400, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value)	
EC50 - Crustacea [1]	> 1000 mg/l (EPA OTS 797.1300, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)	
TETRASODIUM EDTA (64-02-8)		
LC50 - Fish [1]	121 mg/l (96 h, Lepomis macrochirus, Literature study, Soft water)	
EC50 - Crustacea [1]	625 mg/l (24 h, Daphnia magna, Literature study)	
	·	

## 12.2. Persistence and degradability

ALCOHOLS, C6-C12, ETHOXYLATED (68439-45-2)		
Persistence and degradability	Readily biodegradable in water.	
SODIUM METASILICATE (6834-92-0)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
SODIUM XYLENE SULFONATE (1300-72-7)		
Persistence and degradability	Readily biodegradable in water.	
TETRASODIUM EDTA (64-02-8)		
Persistence and degradability	Not readily biodegradable in water.	
Biochemical oxygen demand (BOD)	< 0.002 g O <sub>2</sub> /g substance	
Chemical oxygen demand (COD)	0.54 - 0.58 g O <sub>2</sub> /g substance	

### **12.3. Bioaccumulative potential**

ALCOHOLS, C6-C12, ETHOXYLATED (68439-45-2)	
Partition coefficient n-octanol/water (Log Pow)	3.01 (Estimated value)
Bioaccumulative potential	Not bioaccumulative.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SODIUM METASILICATE (6834-92-0)		
Bioaccumulative potential	Bioaccumulation: not applicable.	
SODIUM XYLENE SULFONATE (1300-72-7)		
Partition coefficient n-octanol/water (Log Pow)	-3.12 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C)	
Bioaccumulative potential	Not bioaccumulative.	
TETRASODIUM EDTA (64-02-8)		
Partition coefficient n-octanol/water (Log Pow)	-2.6	
Bioaccumulative potential	Not bioaccumulative.	

12.4. Mobility in soil

SODIUM METASILICATE (6834-92-0)	
Surface tension	No data available in the literature
Ecology - soil	No (test)data on mobility of the substance available.
SODIUM XYLENE SULFONATE (1300-72-7)	
Surface tension	71 mN/m (20 °C, 90 %, EU Method A.5: Surface tension)
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal conside	erations
13.1. Disposal methods	
Regional legislation (waste) Waste treatment methods	<ul> <li>Disposal must be done according to official regulations.</li> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> </ul>
Waste treatment methous	

SECTION 14: Transport information	
14.1. UN number	
DOT NA No	: UN1759
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Corrosive solids, n.o.s., (SODIUM METASILICATE), 8, III
14.3. Transport hazard class(es)	
<b>DOT</b> Transport hazard class(es) (DOT) Hazard labels (DOT)	: 8 : 8

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.4. Packing group	
Packing group (DOT)	: 111
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT UN-No.(DOT)	: UN1759
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	
Not applicable	

### **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

#### 15.2. International regulations

#### No additional information available

15.3. US State regulations

This product can expose you to ETHYLENE OXIDE, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

## **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases	
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

NFPA health hazard NFPA fire hazard NFPA reactivity	<ul> <li>2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.</li> <li>1 - Materials that must be preheated before ignition can occur.</li> <li>0 - Material that in themselves are normally stable, even under fire conditions.</li> </ul>
Hazard Rating Health Flammability Physical	<ul> <li>2 Moderate Hazard - Temporary or minor injury may occur</li> <li>1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)</li> <li>0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.</li> </ul>

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Personal protection

#### : B - Safety glasses, Gloves

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.