



BRING BACK THE WOW!

CONSUMER PRODUCTS (OFFLINE) 2023





KÄRCHER



WV 1 Plus

With the WV 1 Plus Window Vac and the spray bottle with microfibre wiping cloth, you can clean your windows effortlessly and three times faster than before, with streak-free results.









- 1 Low weight
- Sits comfortably and easily in your hand without making it ache.
- 3 LED display in field of view
- Energy management made easy: the LED display integrated in the on/off switch indicates in good time when the battery needs to be recharged.

2 Compact and handy

- The small, handy device makes cleaning smooth surfaces even easier. 📕 Original Kärcher quality from the inventor of the Window Vac.
- Even the bottom window edge is easy to reach with the Kärcher Window Vac.

4 The original

TECHNICAL DATA AND EQUIPMENT





WV 1 Plus

- LED light display on the device
- Compact and handy
- Incl. spray bottle with microfibre wiping cloth and 20 ml window cleaner concentrate

| Technical data | | |
|---|--------|--|
| Order no. | | 1.633-014.0 |
| EAN code | | 4054278229171 |
| Working width of vacuum nozzle | | 250 |
| Dirty water tank capacity | ml | 100 |
| Battery running time | min | 20 |
| Battery charging time | min | 185 |
| Cleaning performance per battery charge | | Approx. 55 m ² = 18 windows |
| Battery type | | Lithium-ion battery |
| Current type | V / Hz | 100-240 / 50-60 |
| Weight incl. battery | kg | 0.5 |
| Dimensions (L × W × H) | mm | 130 × 250 × 275 |
| | | |

| Equipment | |
|---|---|
| Window Cleaning Concentrate (1 x 20 ml) | • |
| Spray bottle with microfibre wiping cloth | • |
| Battery charger | |
| To alcohol in the assess of assessing | |

 \blacksquare Included in the scope of supply.

KB 5

Ready to use more quickly than a vacuum cleaner: the cordless electric broom KB 5 for convenient intermediate cleaning. Outstanding cleaning performance in the smallest of spaces.



Order no.

1.258-000.0

- Waste container is simple to remove and replace
- Kärcher Adaptive Cleaning System
- Flexible double joint for easy manoeuvring

| Technical data | | |
|-------------------------------------|--------|---------------------|
| EAN code | | 4054278208312 |
| Battery powered device | | 1 |
| Working width of universal brush | mm | 210 |
| Container capacity | ml | 370 |
| Battery voltage | V | 3.7 |
| Battery running time on hard floors | min | 30 |
| Battery running time on carpets | min | 20 |
| Battery type | | Lithium-ion battery |
| Supply voltage | V / Hz | 100 - 240 / 50 - 60 |
| Weight without accessories | kg | 1.2 |
| Weight incl. battery | kg | 1.2 |
| Weight incl. packaging | kg | 1.5 |
| Dimensions (L × W × H) | mm | 215 × 230 × 1120 |

| Universal brush | removable |
|------------------------------------|-----------|
| Battery charger | |
| ■ Included in the scope of supply. | |

KB 5, 1.258-000.0, 2023-01-20

KB 5, 1.258-000.0, 2023-01-20

KARCHER





Kärcher Adaptive Cleaning System

- Reliably removes dirt on all floor coverings.
- Innovative movable sweeping rim for optimal dirt pick-up.
- Improved interior geometry with optimal dirt conduction for reliable dirt removal.



Automatic on/off switch

- Easy to switch on and off.
- Fast and intuitive.
- No need to bend down.



Waste container is simple to remove and replace

• Quick and easy emptying without coming into contact with dirt.

FP 303

With its high speed the FP 303 floor polisher contributes to perfect polishing results on all floors such as parquet, laminate, cork, stone, linoleum or PVC.



Order no.

1.056-820.0

- Optimal polishing results thanks to the high motor speed
- Ergonomic construction and optimised shape
- Accessory storage on the device

| Technical data | | |
|----------------------------|--------|---------------------|
| EAN code | | 4039784195769 |
| Rotational speed | rpm | 1000 |
| Rated input power | W | 600 |
| Working width | mm | 290 |
| Filter bag capacity | I | 4 |
| Supply voltage | V / Hz | 220 - 240 / 50 - 60 |
| Weight without accessories | kg | 6.6 |
| Weight incl. packaging | kg | 8 |
| Dimensions (L × W × H) | mm | 385 × 339 × 1162 |

| Polishing pads | piece(s) | 3 |
|---|----------|-------|
| Filter bag | | Paper |
| Cable storage | | |
| Textile bag incl. accessory compartment | | - |
| Included in the scope of supply. | | |

FP 303, 1.056-820.0, 2023-01-20

FP 303, 1.056-820.0, 2023-01-20

KÄRCHER





Ergonomic handle

■ For convenient and effortless cleaning.



Cable storage directly on the handle

■ Easy and tidy storage of the cable using both cord hooks.



High-quality textile bag, includes separate accessory compartment

• For space-saving storage of the polishing pads provided.

FC 5

Removes dust and spillages in a single step: The FC 5 floor cleaner with a 7 m cord and quick floor drying time. Cleans 20% better than a mop.*











Order no.

1.055-400.0

- Removes dust and spillages.
- Quick floor drying time
- Cleans right up to the edge

| Technical data | | |
|-----------------------------------|-------------|-------------------------|
| EAN code | | 4054278516196 |
| Supply voltage | Ph / V / Hz | 1 / 220 - 240 / 50 - 60 |
| Rated input power | W | max. 460 |
| Power | W | max. 460 |
| Area performance per tank filling | m² | approx. 60 |
| Tank capacity, fresh water | ml | 400 |
| Tank capacity, dirty water | ml | 200 |
| Roller working width | mm | 300 |
| Floor drying time | min | approx. 2 |
| Cleaning station volume | ml | 200 |
| Cable length | m | 7 |
| Weight without accessories | kg | 4.6 |
| Weight incl. packaging | kg | 6.4 |
| Dimensions (L × W × H) | mm | 320 × 270 × 1220 |

| Equipment | |
|-----------------------------------|--|
| 2-tank system | • |
| Pair of universal rollers, yellow | • |
| Detergent | Floor cleaning Universal RM 536 30 ml |
| Cleaning and parking station | - |
| Included in the scope of supply. | |

FC 5, 1.055-400.0, 2023-01-20

^{*} The Kärcher floor cleaner achieves up to 20 per cent better cleaning performance compared to a conventional mop with wiping cloth cover in the "Wiping" test category. Refers to average test results in cleaning efficiency, dirt pick-up and edge cleaning.

FC 5, 1.055-400.0, 2023-01-20

KARCHER





Removes dust and spillages.

- Wipe and pick up dust, small crumbs and pet hair in one step.
- Cleans right up to the edge.



Wiping is 20 per cent* cleaner than with a mop and much more convenient

- 2-tank system: Permanent wetting of the rollers from the fresh water tank while the dirt is collected in the waste water tank.
- Effortless: No dragging a bucket around, no wringing out the floor cleaning cloth by hand, no scrubbing.
- Rollers are machine-washable at 60 °C.



Easy device cleaning

- Device and roller cleaning function in the clean and park station.
- Dishwasher-safe waste water tank can be emptied without coming into contact with dirt.





FC 5 Premium

20% cleaner than a mop*, short drying times, long 7 m cord: The FC 5 Premium floor cleaner removes dust and spillages in a single step.













- 1 2-in-1 function
- Wiping without vacuuming beforehand by picking up wet and dry dirt, as well as hairs, in a single step.
- 3 High-quality microfibre rollers
- Mounting and removing the microfibre rollers is quick and easy.
- Machine washable at up to 60°C.

2 Self-cleaning function through automatic removal of dirt from the rollers

- Continuously clean rollers for best cleaning results.
- Floors dry in less than 2 minutes thanks to the low residual moisture.

4 Innovative drive concept

With forward rotating rollers, the machine moves across the floor almost by itself - for effortless cleaning.

TECHNICAL DATA AND EQUIPMENT





FC 5 Premium

- 2-in-1
- Innovative self-cleaning function
- With high-quality microfibre rollers

| Technical data | | |
|-----------------------------------|-------------|---------------------|
| Order no. | | 1.055-460.0 |
| EAN code | | 4054278516202 |
| Current type | Ph / V / Hz | 1 / 220-240 / 50-60 |
| Rated input power / Amps | W | max. 460 |
| Power | W | max. 460 |
| Area performance per tank filling | m² | ca. 60 |
| Fresh water tank capacity | ml | 400 |
| Dirty water tank capacity | ml | 200 |
| Roller working width | mm | 300 |
| Floor drying time | min | ca. 2 |
| Cleaning station volume | ml | 200 |
| Cable length | m | 7 |
| Weight | kg | 4.6 |
| Dimensions (L × W × H) | mm | 320 × 270 × 1220 |

| Equipment | | | |
|---|---|--|--|
| 2-tank system | | | |
| Pair of universal rollers, yellow | | | |
| Pair of universal rollers, grey | | | |
| Floor cleaning Universal RM 536 500 ml | • | | |
| Floor cleaning and care wood sealed RM 534 30 ml | • | | |
| Cleaning and parking station with | • | | |

[■] Included in the scope of supply. *The Kärcher floor cleaner achieves up to 20 per cent better cleaning performance compared to a conventional mop with wiping cloth cover in the "Wiping" test category. Refers to average test results in cleaning efficiency, dirt pick-up and edge cleaning.

K 1 HORIZONTAL

Light and compact: The K 1 Horizontal is the ideal device for cleaning small areas around the house and garden furniture, bicycles etc.



Order no. 1.599-101.0


| Technical data | | |
|----------------------------|--------|---------------------|
| EAN code | | 4054278644493 |
| Supply voltage | V / Hz | 220 - 240 / 50 - 60 |
| Pressure | bar | max. 100 |
| Flow rate | l/h | 270 - 300 |
| Inlet temperature | °C | max. 40 |
| Connection load | kW | 1.2 |
| Power cable | m | 5 |
| Weight without accessories | kg | 4.1 |
| Weight incl. packaging | kg | 5.6 |
| Dimensions (L × W × H) | mm | 384.5 × 174 × 298 |

| Equipment | |
|---|---|
| Integrated water filter | • |
| Adapter for A3/4" garden hose connector | |
| Included in the scope of supply. | |

K 1 Horizontal, 1.599-101.0, 2023-01-21

K 1 Horizontal, 1.599-101.0, 2023-01-21

KÄRCHER





Horizontal design for effortless storage and ease of transport

- Simple storage in the boot of a car or where storage space is limited.
- Compact size, easy to carry.



Perfectly matched accessories

- With the diverse range of accessories, numerous home cleaning tasks are now easier to manage.
- Various applications can be expanded and perfected with additional accessories.



Drawing water, e.g. from cisterns, water butts, wells etc.

• Can be used even when there is no water connection available.

K 2 HORIZONTAL

Light and compact: The K 2 Horizontal is the ideal device for cleaning small areas around the house, garden furniture, bicycles, etc.





Order no. 1.599-151.0

| Technical data | | |
|----------------------------|--------|---------------------|
| EAN code | | 4054278644486 |
| Supply voltage | V / Hz | 220 - 240 / 50 - 60 |
| Pressure | bar | max. 110 |
| Flow rate | l/h | 300 - 360 |
| Inlet temperature | °C | max. 40 |
| Connection load | kW | 1.4 |
| Weight without accessories | kg | 4.7 |
| Weight incl. packaging | kg | 6.6 |
| Dimensions (L × W × H) | mm | 499.5 × 174 × 305.5 |

| One-jet spray lance | | | |
|-----------------------------------|---------|---|--|
| Dirt Blaster | | | |
| High-pressure hose | m | 6 | |
| Integrated water filter | | | |
| Adapter for A3/4" garden hose con | nnector | | |
| Included in the scope of supply. | | | |

K 2 Horizontal, 1.599-151.0, 2023-01-21

KARCHER



Horizontal design for effortless storage and ease of transport

- Simple storage in the boot of a car or where storage space is limited.
- Compact size, easy to carry.

Integrated accessory storage

- All accessories can be stored directly on the device.
- Can be carried with just one hand.

Quick to connect to the spray gun



K2 POWER VPS *KAP

With its 7.5 m-long high-pressure hose, the K 2 Power VPS with aluminum pump and induction motor is suitable for a wide range of applications in outside areas – perfect for cleaning vehicles, garden furniture or patios. What's more, it boasts a pleasant noise level and thanks to its compact size can be easily stored away in a car boot or in places where storage space is limited. With the innovative Vario Power Jet Short 360° with swivel-mounted nozzle head and short spray gun, it performs well even in tight, hard-to-reach work areas, saving you the effort of dismantling the system. The pressure can be adjusted between 20 and 100 bar on the nozzle head so that delicate components such as fine grilles can be cleaned gently.






Order no. 1.118-001.0

| Technical data | | |
|----------------------------|--------|-----------------|
| | | |
| Supply voltage | V / Hz | 230 / 50 |
| Pressure | bar | 20 - 100 |
| Flow rate | l/h | 360 |
| Inlet temperature | °C | max. 40 |
| Power cable | m | 5 |
| Weight without accessories | kg | 9.1 |
| Weight incl. packaging | kg | 11.4 |
| Dimensions (L × W × H) | mm | 352 x 170 x 287 |

| Equipment | |
|--------------------------------------|------------------------|
| Vario Power jet | Short 360° |
| High-pressure gun | Standard Quick Connect |
| High-pressure hose m | 7.5 |
| Detergent application via | Foam jet |
| Integrated water filter | • |
| Adapter for A3/4" garden hose connec | tor |
| | |

■ Included in the scope of supply.





Compact size, easy to carry

■ With compact size of L X B X H of 352 X 170 X287 very easy to carry .



Robut, long lasting

Induction motor with aluminum pump for highest quality performance.



Quick Connect system

■ The high - pressure hose is easy to click in and out of the device and gun saving time and effort.

K 2.350

Mobile and compact: the all-rounder for occasional use. Perfect for light soiling (e.g. garden furniture, bicycles and small areas around the house). Ideal for use as a second machine.





Order no. 1.601-685.0

| Technical data | | |
|----------------------------|--------|---------------------|
| EAN code | | 4039784509856 |
| Supply voltage | V / Hz | 220 - 240 / 50 - 60 |
| Pressure | bar | max. 110 / max. 11 |
| Flow rate | l/h | max. 360 |
| Inlet temperature | °C | max. 40 |
| Weight without accessories | kg | 5.7 |
| Weight incl. packaging | kg | 7.4 |
| Dimensions (L × W × H) | mm | 328 × 258 × 661 |

| Equipment | | |
|---|---|---------|
| One-jet spray lance | | |
| Dirt Blaster | | |
| High-pressure hose | m | 4 |
| Detergent application via | | Suction |
| Integrated water filter | | |
| Adapter for A3/4" garden hose connector | | - |
| Included in the scope of supply. | | |

K 2.350, 1.601-685.0, 2022-09-11

K 2.350, 1.601-685.0, 2022-09-11

KÄRCHER



Hooked on tidiness

• Generous hook for tidy storage of the hose and cable directly on the device.



Full cleaning power

 All K\u00e4rcher pressure washer equipment includes an integrated suction mechanism for the detergent.



Three-piston axial pump

■ Completely maintenance-free.



K 3 DELUXE PREMIUM

Powerful pressure washer with innovative water-cooled motor for moderate dirt.



Order no. 1.603-220.0


| Technical data | | |
|----------------------------|--------|-----------------|
| Supply voltage | V / Hz | 230 / 50 |
| Pressure | bar | max.120 |
| Flow rate | l/h | max. 380 |
| Area performance | m² | 25 |
| Inlet temperature | °C | max. 40 |
| Connection load | kW | 1600 |
| Weight without accessories | kg | 12.1 |
| Weight incl. packaging | kg | 16.1 |
| Dimensions (L × W × H) | mm | 394 × 368 × 667 |
| | | |

| Equipment | |
|---|--------------|
| High-pressure gun | G 180 Q |
| Vario Power Jet | • |
| Dirt Blaster | • |
| High-pressure hose m | 10 |
| Integrated HD hose reel | • |
| Detergent application via | Suction hose |
| Water-cooled motor | • |
| Integrated water filter | • |
| Adapter for A3/4" garden hose connector | • |

■ Included in the scope of supply.

KÄRCHER





Water-cooled asynchronous motor

■ Very powerful.



Hose reel

■ Simple hose handling.



Detergent

• Detergent inlit .Karcher detergents increase the cleaning efficiency and protect and care for the surface.



K 3 HR PLUS

The Kärcher K 3 HR is a Classic Kärcher model with passive hose reel. It is ideal for occasional use and everyday dirt, e.g. on bicycles, garden fences, motorbikes, cars etc.



Order no. 1.599-261.0

| _ | | |
|----------------------------|--------|-----------------|
| Technical data | | |
| | | - |
| Supply voltage | V / Hz | 220-240 / 50-60 |
| Pressure | bar | max 120 |
| Flow rate | l/h | max 380 |
| Inlet temperature | °C | max. 40 |
| Connection load | Α | 6 |
| Power cable | m | 5 |
| Weight without accessories | kg | 5.4 |
| Weight incl. packaging | kg | 9 |
| Dimensions (L × W × H) | mm | 296 × 283 × 805 |

| Equipment | |
|---|--|
| Integrated water filter | |
| Adapter for A3/4" garden hose connector | |
| ■ Included in the scope of supply. | |
| | |
| | |
| | |
| | |
| | |





Hose reel for comfortable handling

■ Convenient working - hose always within reach due to easy rolling in and out



Smooth- running wheels and long handle

Optimum mobility thanks to wheels and ergonomically handle height



Clean tank solution

 Clean and convenient- the detergent tank can be removed for filling. The practical detergent tank simplifies the application of detergents.

K 4 COMPACT

Easy to transport and quick to stow away: the K 4 Compact for occasional use on moderate dirt. Includes telescopic handle and water-cooled motor. 30 m²/h area performance.







Order no.

1.637-500.0

- Quick Connect: the high-pressure hose is easy to handle, clicking quickly in and out of the device and trigger gun
 Integrated suction mechanism for detergents

| Technical data | | |
|----------------------------|--------|-----------------|
| EAN code | | 4054278497150 |
| Supply voltage | V / Hz | 230 / 50 |
| Pressure | bar | 20 - max. 130 |
| Flow rate | l/h | 420 |
| Area performance | m²/h | 30 |
| Inlet temperature | °C | max. 40 |
| Connection load | kW | 1.8 |
| Weight without accessories | kg | 11 |
| Weight incl. packaging | kg | 13.9 |
| Dimensions (L × W × H) | mm | 348 × 308 × 520 |
| | | |

| Equipment | | |
|---------------------------------|---|--------------|
| High-pressure gun | | G 180 Q |
| Vario Power Jet | | |
| Dirt Blaster | | |
| High-pressure hose | m | 6 |
| Device-side Quick Connect | | |
| Detergent application via | | Suction hose |
| Telescopic handle | | |
| Water-cooled motor | | |
| Integrated water filter | | |
| Adapter for A3/4" garden hose | | |
| connector | | _ |
| Included in the scope of supply | | |


K 4 Compact, 1.637-500.0, 2023-01-20





Telescopic handle

The aluminium telescopic handle can be extended for transport and retracted again for storage.



Water-cooled motor and outstanding performance

■ The water-cooled motor impresses with its particularly long service life and high power.



Hose storage on front cover

■ The hose can be conveniently hung up on the front cover.

K 4 Compact, 1.637-500.0, 2023-01-20

KÄRCHER

K 5 COMPACT

Features innovative hose storage: the K 5 Compact pressure washer is easy to transport and store and ideal for occasional use when tackling moderate dirt. 40 m²/h area performance.







1.630-750.0

- Quick Connect: the high-pressure hose is easy to handle, clicking quickly in and out of the device and trigger gun
 Integrated suction mechanism for detergents

| Technical data | | |
|----------------------------|-----------|-------------------------------|
| EAN code | | 4054278498041 |
| Supply voltage | V / Hz | 230 / 50 |
| Pressure | bar / MPa | 20 - max. 145 / 2 - max. 14.5 |
| Flow rate | l/h | max. 500 |
| Area performance | m²/h | 40 |
| Inlet temperature | °C | max. 40 |
| Connection load | kW | 2.1 |
| Power cable | m | 5 |
| Weight without accessories | kg | 12 |
| Weight incl. packaging | kg | 15.2 |
| Dimensions (L × W × H) | mm | 354 × 308 × 520 |

| Equipment | | |
|---------------------------------|---|--------------|
| High-pressure gun | | G 180 Q |
| Vario Power Jet | | - |
| Dirt Blaster | | |
| High-pressure hose | m | 8 |
| Device-side Quick Connect | | |
| Detergent application via | | Suction hose |
| Telescopic handle | | |
| Water-cooled motor | | - |
| Integrated water filter | | |
| Adapter for A3/4" garden hose | | |
| connector | | _ |
| Included in the scope of supply | | |

K 5 Compact, 1.630-750.0, 2023-01-20

CARCHER





Hose storage concept

■ The hose can be wound up, fixed in place with an elastic strap and quickly removed again ready for the next job.



Water-cooled motor and outstanding performance

■ The water-cooled motor impresses with its particularly long service life and high power.



Telescopic handle

 The aluminium telescopic handle can be extended for transport and retracted again for storage. K 5 Compact, 1.630-750.0, 2023-01-20

K7

The K 7 pressure washer with water-cooled motor is the ideal device for frequent use and for dealing with significant levels of dirt on paths, in swimming pools or on bicycles or large vehicles.







1.168-502.0

- Quick Connect: the high-pressure hose is easy to handle, clicking quickly in and out of the device and trigger gun
 Integrated suction mechanism for detergents


| Technical data | | |
|----------------------------|-----------|------------------------------|
| EAN code | | 4039784720237 |
| Supply voltage | V / Hz | 230 / 50 |
| Pressure | bar / MPa | 20 - up to 160 / 2 - max. 16 |
| Flow rate | l/h | max. 600 |
| Area performance | m²/h | 60 |
| Inlet temperature | °C | max. 60 |
| Connection load | kW | 3 |
| Power cable | m | 5 |
| Weight without accessories | kg | 18.9 |
| Weight incl. packaging | kg | 23.8 |
| Dimensions (L × W × H) | mm | 404 × 461 × 968 |

| Equipment | | |
|---|---|------------------------------|
| Detergent | | Universal cleaner RM 626 1 l |
| High-pressure gun | | Standard Quick Connect |
| Vario Power Jet | | • |
| Dirt Blaster | | • |
| High-pressure hose | m | 10 |
| Device-side Quick Connect | | • |
| Detergent application via | | Plug 'n' Clean system |
| Water-cooled motor | | |
| Integrated water filter | | |
| Adapter for A3/4" garden hose connector | | • |
| Included in the scope of supply | | |

K 7, 1.168-502.0, 2022-09-04

K 7, 1.168-502.0, 2022-09-04

KARCHER



Outstanding performance

■ The state-of-the-art water-cooled motor will impress you with its high level of performance.



Plug 'n' Clean

Quick, simple and convenient - thanks to Plug 'n'
 Clean, the detergent can be easily changed in just one step.



Quick Connect

■ The high-pressure hose is easy to manoeuvre, clicking quickly in and out of the device and trigger gun. This saves time and effort.

SC 2 EASYFIX

The entry-level model in steam cleaning without chemicals: The SC 2 EasyFix steam cleaner from Kärcher. For pure cleanliness on hard surfaces throughout the home. With the floor nozzle EasyFix.









Order no.

1.512-050.0

- Light, compact device
- With floor cleaning set EasyFix

| Technical data | | |
|-----------------------------------|-------------|---|
| EAN code | | 4054278312491 |
| Test certificate* | | Kills up to 99.999% of coronavirus* and 99.99% bacteria** |
| Area performance per tank filling | m² | approx. 75 |
| Heating output | W | 1500 |
| Max. steam pressure | bar | max. 3.2 |
| Cable length | m | 4 |
| Heat-up time | min | 6.5 |
| Boiler/tank capacity | 1 | 1 |
| Supply voltage | Ph / V / Hz | 1 / 220 - 240 / 50 - 60 |
| Weight without accessories | kg | 2.9 |
| Weight incl. packaging | kg | 4.5 |
| Dimensions (L × W × H) | mm | 380 × 254 × 260 |

| Equipment | | |
|--|----------|---|
| Child safety lock | | • |
| Safety valve | | • |
| Steam flow control | | on handle |
| Integrated filling funnel | | |
| Floor cleaning set | | EasyFix + extension tube (2 \times 0.5 m) |
| Accessories | | hand nozzle, detail nozzle, round brush (small) |
| Microfibre floor cloth | piece(s) | 1 |
| Microfibre cover for hand nozzle | piece(s) | 1 |
| Accessory storage and parking position | | • |
| Steam hose with trigger gun | m | 2 |
| ■ Included in the scope of supply. | | |

* Tests have shown that with spot cleaning of 30 secs at max. steam level and direct contact to the cleaning surface with the Kärcher steam cleaner 99.999% of enveloped viruses such as coronavirus or influenza (excluding the Hepatitis-B virus) can be removed on common smooth household hard surfaces (test-germ: Modified-Vaccinia-Ankara-Virus). "When thoroughly cleaning with the Kärcher steam cleaner 99.99% of all common household bacteria will be killed on common smooth household hard surfaces, provided the cleaning speed of 30 cm/s at max, steam level and direct contact to the cleaning surface (test-germ: Enterococcus birae).

SC 2 EasyFix, 1.512-050.0, 2023-01-20

KARCHER





Accessory storage and parking position

 Convenient accessory storage and easy floor nozzle parking during working interruptions.



Floor cleaning set EasyFix with flexible joint on the floor nozzle and convenient hook-and-loop fixing for the floor cleaning cloth

- Optimal cleaning results on all types of hard floors around the home thanks to efficient lamella technology.
- Contactless cloth changing without contact with dirt, and convenient attachment of the floor cleaning cloth thanks to the hook-and-loop system.
- Ergonomic, effective cleaning with full floor contact, regardless of the user's height, thanks to the flexible nozzle joint.



Child safety lock on the steam gun

 A locking system provides reliable protection against improper use by playing children.

SC 4 EASYFIX

Convenient and uninterrupted steam cleaning: With the SC 4 EasyFix steam cleaner with floor nozzle EasyFix and a permanently refillable, removable water tank.









Order no.

1.512-450.0

- Detachable, continuously fillable tank for an uninterrupted work
- Separate cable storage compartment
- With floor cleaning set EasyFix

| Technical data | | |
|-----------------------------------|-------------|---|
| EAN code | | 4054278313023 |
| Test certificate* | | Kills up to 99.999% of coronavirus* and 99.99% bacteria** |
| Area performance per tank filling | m² | approx. 100 |
| Heating output | W | 2000 |
| Max. steam pressure | bar | max. 3.5 |
| Cable length | m | 4 |
| Heat-up time | min | 4 |
| Boiler/tank capacity | 1 | 0.5 / 0.8 (removable tank) |
| Supply voltage | Ph / V / Hz | 1 / 220 - 240 / 50 - 60 |
| Weight without accessories | kg | 4.1 |
| Weight incl. packaging | kg | 5.7 |
| Dimensions (L × W × H) | mm | 380 × 251 × 273 |
| | | |

| _ | | |
|--|----------|---|
| Equipment | | |
| Child safety lock | | |
| Safety valve | | - |
| Steam flow control | | on handle |
| Integrated filling funnel | | • |
| 2-tank system | | |
| Floor cleaning set | | EasyFix + extension tube (2 \times 0.5 m) |
| Accessories | | hand nozzle, detail nozzle, round brush (small) |
| Microfibre floor cloth | piece(s) | 1 |
| Microfibre cover for hand nozzle | piece(s) | 1 |
| Accessory storage and parking position | | |
| Steam hose with trigger gun | m | 2 |
| Integrated on/off switch | | • |
| Extension tube (2 x 0.5 m) | | |

* Tests have shown that with spot cleaning of 30 secs at max. steam level and direct contact to the cleaning surface with the Kärcher steam cleaner 99.999% of enveloped viruses such as coronavirus or influenza (excluding the Hepatitis-B virus) can be removed on common smooth household hard surfaces (test-germ: Modified-Vaccinia-Ankara-Virus). "When thoroughly cleaning with the Kârcher steam cleaner 99.99% of all common household bacteria will be killed on common smooth household hard surfaces, provided the cleaning speed of 30 cm/s at max. steam level and direct contact to the cleaning surface (test-germ: Entercoorcus hirae).

Included in the scope of supply.

SC 4 EasyFix, 1.512-450.0, 2023-01-20

KARCHER





Continuously refillable, detachable water

• Interruption-free cleaning and convenient water filling.



Floor cleaning set EasyFix with flexible joint on the floor nozzle and convenient hook-and-loop fixing for the floor cleaning cloth

- Optimal cleaning results on all types of hard floors around the home thanks to efficient lamella technology.
- Contactless cloth changing without contact with dirt, and convenient attachment of the floor cleaning cloth thanks to the hook-and-loop system.
- Ergonomic, effective cleaning with full floor contact, regardless of the user's height, thanks to the flexible nozzle joint.



Integrated cable storage compartment

Secure storage of the cable and other accessories.

KÄRCHER

SC 5 EASYFIX

Powerful and versatile: the SC 5 EasyFix steam cleaner with 4.2 bar steam pressure and steam pressure iron connection. Incl. VapoHydro function, permanently refillable water tank and floor nozzle.









Order no.

1.512-530.0

- Detachable, continuously fillable tank for an uninterrupted work
- VapoHydro function
- With floor cleaning set EasyFix

| Technical data | | |
|-----------------------------------|-------------|---|
| EAN code | _ | 4054278309484 |
| Test certificate* | | Kills up to 99.999% of coronavirus* and 99.99% bacteria** |
| Area performance per tank filling | m² | approx. 150 |
| Heating output | W | 2200 |
| Max. steam pressure | bar | max. 4.2 |
| Cable length | m | 6 |
| Heat-up time | min | 3 |
| Boiler/tank capacity | 1 | 0.5 / 1.5 (removable tank) |
| Supply voltage | Ph / V / Hz | 1 / 220 - 240 / 50 |
| Weight without accessories | kg | 6 |
| Weight incl. packaging | kg | 8.8 |
| Dimensions (L × W × H) | mm | 439 × 301 × 305 |
| | | |

| _ | | |
|---|----------|---|
| Equipment | | |
| Child safety lock | | |
| Safety valve | | • |
| Steam flow control | | on the device (multi-step) |
| Integrated filling funnel | | • |
| 2-tank system | | |
| Floor cleaning set | | EasyFix + extension tube (2 \times 0.5 m) |
| Accessories | | hand nozzle, detail nozzle, round brush (small) |
| Microfibre floor cloth | piece(s) | 1 |
| Microfibre cover for hand nozzle | piece(s) | 1 |
| Descaling powder | | • |
| Accessory storage and parking position | | • |
| Steam hose with trigger gun | m | 2.3 |
| Accessory power outlet for optional ironing | | • |
| Integrated on/off switch | | - |
| VapoHydro function | | |
| Included in the scope of supply. | | |

^{*} Tests have shown that with spot cleaning of 30 secs at max. steam level and direct contact to the cleaning surface with the Kärcher steam cleaner 99.999% of enveloped viruses such as coronavirus or influenza (excluding the Hepatitis-B virus) can be removed on common smooth household hard surfaces (test-germ: Modified-Vaccinia-Ankara-Virus). "When thoroughly cleaning with the Kärcher steam cleaner 99.99% of all common household bacteria will be killed on common smooth household hard surfaces, provided the cleaning speed of 30 cm/s at max. steam level and direct contact to the cleaning surface (test-germ: Enterococcus hirae).

SC 5 EasyFix, 1.512-530.0, 2023-01-20

KARCHER





VapoHydro function

- Adds hot water to steam. Dirt is removed more easily and simply washed away.
- For even better cleaning results.





Floor cleaning set EasyFix with flexible joint on the floor nozzle and convenient hook-and-loop fixing for the floor cleaning cloth

- Optimal cleaning results on all types of hard floors around the home thanks to efficient lamella technology.
- Contactless cloth changing without contact with dirt, and convenient attachment of the floor cleaning cloth thanks to the hook-and-loop system.
- Ergonomic, effective cleaning with full floor contact, regardless of the user's height, thanks to the flexible nozzle joint.



Continuously refillable, detachable water tank

• For non-stop cleaning and convenient water filling.

KÄRCHEI

SV 7

Steaming, vacuuming and drying in a single pass - the SV 7 steam vacuum cleaner combines multifunctionality and maximum convenience in one device!



Order no.

1.439-410.0

- 2-tank system for continuous useSteaming, vacuuming and drying in a single procedure
- Multi-stage filter system

| Technical data | | |
|-----------------------------|------------|---------------------------|
| EAN code | | 4039784998858 |
| Max. performance | W | 2200 |
| Water capacity boiler | 1 | 0.45 |
| Refill tank | 1 | 0.5 |
| Max. steam pressure | bar | max. 4 |
| Water filter | 1 | 1.2 |
| Vacuum | mbar / kPa | 210 / 21 |
| Cable length | m | 6 |
| Heat-up time | min | 5 |
| Steam flow rate | g/h | 65 |
| Filter system | | Multi-stage filter system |
| Heating output | W | 1100 |
| Permanent filling | | 1 |
| Additional suction capacity | 1 | 0.6 |
| Weight without accessories | kg | 9.4 |
| Weight incl. packaging | kg | 15.6 |
| Dimensions (L × W × H) | mm | 515 × 336 × 340 |
| | | |

| Equipment | |
|---|---|
| Child safety lock | • |
| Safety valve | - |
| Steam flow control | 5-stage |
| Suction force regulation | 4-stage |
| Floor cleaning set with steam vacuum function | Three different applications for hard and carpeted floors and two 0.5 m-long steam suction tubes |
| Hand nozzle with steam vacuum function | Can be combined with window nozzle (large and small), brush attachment or terry cloth |
| Steam vacuum detail nozzle | Can be combined with an extension piece and round brushes (4 different colours) |
| Upholstery nozzle (small and large) | • |
| Crevice nozzle, furniture brush | • |
| Defoamer "FoamStop" | • |
| Measuring cup, cleaning brush, accessory bag | • |
| 2-tank system | |
| Window nozzle/window wiper | 0 / 0 |
| Steam suction hose with handle | |
| Included in the scope of supply | |

Included in the scope of supply.

SV 7, 1.439-410.0, 2023-01-20

SV 7, 1.439-410.0, 2023-01-20

KARCHER





3-in-1 device

• Steaming, vacuuming and drying in a single procedure.



Multi-stage filter system

 Water, coarse dirt, foam and HEPA filters (EN 1822:1998) remove even the smallest particles.



Convenient floor nozzle

 Quick and simple changeover for 3 different applications on all hard floors and carpets.



VCH 2

Small, lightweight, compact and yet very powerful, our battery powered hand-held vacuum cleaner VCH 2 cuts a good figure during everyday vacuum cleaning. Crumbs, dust or hair on furniture and floors or in cars don't stand a chance, as the small powerhouse is always ready to quickly take care of the problem. Its two-step filter system is not just extremely powerful, but just like the dust container can be washed under running water. It comprises a fine steel mesh, which catches coarse particles and hair, and a downstream HEPA 12 filter to retain types of dust up to one tenth of a micrometer in size. In this way, rooms are not only cleaned but the air stays fresh and allergy sufferers can take a deep breath.



Order no. 1.198-400.0

- Two step filter system.
- Washable filter and dust container.

| recillical data | | |
|--|--------|---------------------|
| | | |
| Sound power level (db(A)) | V / Hz | 75 |
| Runtime min. mode (min) | bar | min 11 |
| Battery type | l/h | Lithium-Ion battery |
| Battery voltage (V) | m²/h | 7.2 |
| Battery charging time with fast charger 80%/100% (h) | °C | 3.5 |
| Weight without accessories | kg | 0.7 |
| Weight incl. packaging | kg | 0.9 |
| Dimensions (L × W × H) | mm | 75 × 76 × 329 |

| Crevice nozzle | |
|--|------|
| Removable filter box: with main and | |
| long-life filter | |
| HEPA filter: HEPA 12 filter (EN 1822:1998) | |
| Included in the scope of supply. | |
| cloded in the scope of suppry. | |
| | |

VC 4 CORDLESS PREMIUM MYHOME

Quick and reliable, for small households: The VC 4 Cordless Premium myHome vacuum cleaner boasts a low weight and a bagless filter system.













Order no.

1.198-640.0

- High-performance 21.6 V battery
- 30 mins running time in normal mode
- 0.65 I container capacity

| Technical data | | |
|--|-------------|-------------------------|
| EAN code | | 4054278834245 |
| Battery powered device | | 1 |
| Vacuum Cleaner Type | | Vacuum cleaner, bagless |
| Supply voltage | Ph / V / Hz | 1 / 100 - 240 / 50 - 60 |
| Sound power level | dB(A) | < 78 |
| Container capacity | ml | 650 |
| Battery type | | Lithium-ion battery |
| Voltage | V | 21.6 |
| Runtime per battery charging | min | approx. 30 |
| Battery charging time with standard charger | min | 345 |
| Power supply for battery charger | V / Hz | 220 - 240 / 50 - 60 |
| Weight without accessories | kg | 2.4 |
| Weight incl. packaging | kg | 4.6 |
| Dimensions (L × W × H) | mm | 230 × 236 × 1115 |

| Equipment | |
|---|----------------------------------|
| Battery | 21.6 V / 2.5 Ah battery (1 unit) |
| Bagless filter system | • |
| Foam filter | |
| Air intake filter pie | ce(s) 2 |
| Filter-cleaning tool | |
| Power control | with 2 performance levels |
| Universal floor nozzle | |
| Crevice nozzle | • |
| Upholstery nozzle and soft dusting brush (2-in-1) | |
| Suction tube | Plastic |
| Small wall bracket | |
| ■ Included in the scope of supply. | |

VC 4 Cordless Premium myHome, 1.198-640.0, 2023-01-21





Fine-tuned technology

- Powerful 21.6 V battery, perfectly matched with active floor nozzle.
- Optimised running time of 30 mins in normal mode.



Two-stage power control

- Ample running time to clean small households.
- Optional boost mode.
- Up to 18 minutes running time at the highest power level.



Easy to use

- The power can be adjusted quickly and easily to suit the particular application.
- Simple 1-click filter emptying.
- Includes Power Lock for ease of operation.

VC 6 CORDLESS PREMIUM OURFAMILY

High suction power: The bagless VC 6 Cordless Premium ourFamily vacuum cleaner produces lasting cleaning results effortlessly. With filter cleaning tool and a second battery for an even longer run time.













Order no.

1.198-680.0

- HEPA 12 filter (EN 1822:1998)
- High-performance 25.2 V battery, 50 min running time
- 0.8 I container capacity

| Technical data | | |
|--|-------------|-------------------------|
| EAN code | | 4054278834252 |
| Battery powered device | | 1 |
| Vacuum Cleaner Type | | Vacuum cleaner, bagless |
| Supply voltage | Ph / V / Hz | 1 / 100 - 240 / 50 - 60 |
| Sound power level | dB(A) | < 78 |
| Container capacity | ml | 800 |
| Battery type | | Lithium-ion battery |
| Voltage | V | 25.2 |
| Runtime per battery charging | min | approx. 50 |
| Battery charging time with standard charger | min | 235 |
| Power supply for battery charger | V / Hz | 220 - 240 / 50 - 60 |
| Weight without accessories | kg | 2.6 |
| Weight incl. packaging | kg | 6 |
| Dimensions (L × W × H) | mm | 235 × 266 × 1130 |
| | | |

| Equipment | | |
|---|---------|---------------------------------------|
| Battery | | 25.2 V / 2.5 Ah battery (2 pc.) |
| Soft grip handle | | |
| Bagless filter system | | |
| HEPA filter | | HEPA hygiene filter (EN 1882:1998) |
| Air intake filter p | iece(s) | 2 |
| Filter-cleaning tool | | |
| Power control | | with 2 performance levels |
| Large Universal floor nozzle with LED | | |
| Crevice nozzle | | |
| Upholstery nozzle and soft dusting brush (2-in-1) | | |
| Suction tube | | Metal |
| Large wall bracket with charging unit | | |
| Included in the scope of supply | | |

Included in the scope of supp





Fine-tuned technology

- Powerful 25.2 V battery, perfectly matched with active floor nozzle.
- Optimised running time of 50 mins in normal mode.
- 250 W motor, active floor nozzle, Power Lock & 3-stage bagless filter system.



Practically designed filter system

- 3-stage filter system with cyclonic, air inlet and HEPA hygiene filters.
- HEPA hygiene filter (EN 1822:1998) for especially clean exhaust air.
- Simple 1-click filter emptying.



Active floor nozzle

- Optimum dirt pick-up by motorized roller.
- Extreme manoeuvrability makes it very easy to move under furniture.
- Ensures reliable cleaning of surfaces.

WD 1 CLASSIC *KAP

The powerful WD 1 Classic multi-purpose vacuum cleaner offers various fields of application.







Order no. 1.098-322.0


| Technical data | | |
|----------------------------|-----------|---------------------|
| EAN code | | 4054278827872 |
| Actual suction power* | Air watts | 180 |
| Container capacity | I | 15 |
| Container material | | Plastic |
| Power cable | m | 5 |
| Standard accessory ID | mm | 35 |
| Supply voltage | V / Hz | 220 - 240 / 50 - 60 |
| Weight without accessories | kg | 3.9 |
| Weight incl. packaging | kg | 5.8 |
| Dimensions (L × W × H) | mm | 331 × 352 × 462 |

| Equipment | | |
|---|----------------------|------------------------|
| Suction hose | m | 1.5 |
| Wet and dry floor nozzle | | clips |
| Crevice nozzle | | |
| Suction tube for coarse dirt | piece(s) / m / mm | 2 / 0.5 / 35 / Plastic |
| Paper filter bag | piece(s) | 1 |
| Foam filter | | • |
| Textile filter bag | piece(s) | 1 |
| Blower function | | |
| Hose storage on the device head | | |
| Additional accessory storage on the device head | | • |
| Cable hook | | |
| Accessory storage on the device | | |
| Wheels | | |
| - | | |

■ Included in the scope of supply.

WD 1 Classic *KAP, 1.098-322.0, 2023-01-21

KARCHER





Suitable for numerous uses

■ Effortlessly picks up wet and dry dirt.



Practical blower function

• Where vacuuming is not possible, the practical blower function can be used.



15 I plastic waste container

 Robust, impact and corrosion resistant, and with a large capacity.

WD 1S CLASSIC *KAP

The powerful WD 1s Classic multi-purpose vacuum cleaner with stainless steel container offers various fields of application.









Order no.

1.098-323.0

| Technical data | | | |
|----------------------------|-----------|-----------------------|--|
| EAN code | | 4054278827889 | |
| Actual suction power* | Air watts | 200 | |
| Container capacity | I | 18 | |
| Container material | | Stainless steel | |
| Power cable | m | 5 | |
| Standard accessory ID | mm | 35 | |
| Supply voltage | V / Hz | 220 - 240 / 50 - 60 | |
| Weight without accessories | kg | 4.7 | |
| Weight incl. packaging | kg | 7 | |
| Dimensions (L × W × H) | mm | 398.6 × 398.6 × 518.8 | |
| | | | |

| Equipment | | |
|---|----------------------|--|
| Suction hose | m | 1.5 |
| Suction tubes | piece(s) × m / mm | 2 × 0.5 / 35 / Plastic |
| Wet and dry floor nozzle | | clips |
| Dry vacuum nozzle | | Can be switched for carpet and hard floors |
| Crevice nozzle | | • |
| Paper filter bag | piece(s) | 1 |
| Foam filter | | |
| Textile filter bag | piece(s) | 1 |
| Blower function | | |
| Hose storage on the device head | | |
| Additional accessory storage on the device head | | - |
| Storage space for small parts | | - |
| Cable hook | | • |
| Accessory storage on the device | | |
| Wheels | | |
| Included in the scope of supply | | |

Included in the scope of supply.





Suitable for numerous uses

■ Effortlessly picks up wet and dry dirt.



Practical blower function

• Where vacuuming is not possible, the practical blower function can be used.



18 I stainless steel dust container

 Robust, impact and corrosion resistant, and with a large capacity.

WD 2 PLUS S V-15/4/18

15 I stainless steel container combined with 4 m cable, 1.8 m suction hose and blower function – gives the super-powerful and efficient WD 2 Plus S V-15/4/18 wet and dry vacuum cleaner.





Order no.

1.628-050.0

- Compact design with practical accessories storage
- Fleece filter bag
- Practical blower function

| Technical data | | |
|----------------------------|--------|---|
| EAN code | | 4054278656021 |
| Energy use | W | 1000 |
| Container capacity | I | 15 |
| Container material | | Stainless steel |
| Colour | | Device head yellow / Device bumper yellow |
| Power cable | m | 4 |
| Standard accessory ID | mm | 35 |
| Supply voltage | V / Hz | 220 - 240 / 50 - 60 |
| Weight without accessories | kg | 4.5 |
| Weight incl. packaging | kg | 6.2 |
| Dimensions (L × W × H) | mm | 353 × 328 × 431 |

| Equipment | | |
|---|----------------------|---|
| Suction hose | m | 1.8 / with straight handle / Plastic |
| Suction tubes | piece(s) × m / mm | 2 × 0.5 / 35 / Plastic |
| Wet and dry floor nozzle | | clips |
| Crevice nozzle | | |
| Fleece filter bag | piece(s) | 1 |
| Foam filter | | |
| Rotary switch (on/off) | | |
| Blower function | | |
| Intermediate parking position of the handle on the device head | | - |
| Additional accessory storage on the device head | | - |
| Storage space for small parts | | |
| Folding carrying handle | | |
| Parking position | | |
| Accessory storage on the device | | • |
| Sturdy bumper | | |
| Swivel castors | piece(s) | 4 |


■ Included in the scope of supply.





Practical accessory storage

- Space-saving, secure and easily accessible accessories storage.
- Compact device storage.



Practical blower function

- Where vacuuming is not possible, the practical blower function can be used.
- Effortless dirt removal, e.g. from a gravel bed.



Fleece filter bag

- Triple-layered, extremely tear-resistant fleece
- For longer lasting suction power and high dust retention capacity.

WD 2 PLUS V-15/4/18

The wet and dry vacuum cleaner WD 2 Plus V-15/4/18 can be used for almost all types of dirt with its 15 I plastic container, 4 m cable, 1.8 m suction hose and the blower function.





Order no.

1.628-003.0

- Compact design with practical accessories storage
- Fleece filter bag
- Practical blower function


| Technical data | | |
|----------------------------|--------|--|
| EAN code | | 4054278655673 |
| Energy use | W | 1000 |
| Container capacity | 1 | 15 |
| Container material | | Plastic |
| Colour | | Device head yellow / Device bumper yellow / Container yellow |
| Power cable | m | 4 |
| Standard accessory ID | mm | 35 |
| Supply voltage | V / Hz | 220 - 240 / 50 - 60 |
| Weight without accessories | kg | 4.3 |
| Weight incl. packaging | kg | 6 |
| Dimensions (L × W × H) | mm | 349 × 328 × 430 |

| Equipment Suction hose | m | 1.8 / with straight handle / Plastic |
|---|----------------------|---|
| Suction tubes | piece(s) × m / mm | 2 × 0.5 / 35 / Plastic |
| Wet and dry floor nozzle | | clips |
| Crevice nozzle | | |
| Fleece filter bag | piece(s) | 1 |
| Foam filter | | • |
| Rotary switch (on/off) | | |
| Blower function | | • |
| Intermediate parking position of the handle on the device head | | |
| Additional accessory storage on the device head | | |
| Storage space for small parts | | • |
| Folding carrying handle | | |
| Parking position | | • |
| Accessory storage on the device | | |
| Sturdy bumper | | |
| Swivel castors | piece(s) | 4 |
| | | |

■ Included in the scope of supply.

WD 2 Plus V-15/4/18, 1.628-003.0, 2023-01-20

KARCHER





Practical accessory storage

- Space-saving, secure and easily accessible accessories storage.
- \blacksquare Compact device storage.



Practical blower function

- Where vacuuming is not possible, the practical blower function can be used.
- Effortless dirt removal, e.g. from a gravel bed.



Fleece filter bag

- Triple-layered, extremely tear-resistant fleece
- For longer lasting suction power and high dust retention capacity.

WD 3 S V-19/4/20

19 I stainless steel container, 4 m cable and 2 m suction hose: The WD 3 S V-19/4/20 impresses with single-piece cartridge filter, power, efficiency and an attractive price-performance ratio.





Order no.

1.628-141.0

- Compact design and accessories storage, including hose storage on the device head
- Fleece filter bag
- Practical blower function

| Technical data | | |
|----------------------------|--------|---|
| EAN code | | 4054278656311 |
| Energy use | W | 1000 |
| Container capacity | I | 19 |
| Container material | | Stainless steel |
| Colour | | Device head yellow / Device bumper yellow |
| Power cable | m | 4 |
| Standard accessory ID | mm | 35 |
| Supply voltage | V / Hz | 220 - 240 / 50 - 60 |
| Weight without accessories | kg | 4.9 |
| Weight incl. packaging | kg | 7 |
| Dimensions (L × W × H) | mm | 353 × 328 × 523 |

| _ | | |
|--|----------------------|----------------------------------|
| Equipment | | _ |
| Suction hose | m | 2 / with curved handle / Plastic |
| Removable handle | | • |
| Suction tubes | piece(s) × m / mm | 2 × 0.5 / 35 / Plastic |
| Wet and dry floor nozzle | | clips |
| Crevice nozzle | | • |
| Fleece filter bag | piece(s) | 1 |
| Cartridge filter | | one-piece |
| Rotary switch (on/off) | | |
| Blower function | | |
| Intermediate parking position of the handle on the device head | | - |
| Hose storage on the device head | | • |
| Additional accessory storage on the device head | | • |
| Storage space for small parts | | • |
| Folding carrying handle | | |
| Cable hook | | • |
| Parking position | | |
| Accessory storage on the device | | |
| Sturdy bumper | | • |
| Swivel castors | piece(s) | 4 |
| The standard to the second of seconds. | | |

■ Included in the scope of supply.

WD 3 S V-19/4/20, 1.628-141.0, 2023-01-20

KARCHER





Single-part cartridge filter

- For wet and dry vacuuming without additional filter replacement.
- Simple installation and removal of filter by turning without additional locking part.



Practical cord and accessories storage

- Space-saving, secure and easily accessible accessories storage.
- The power cable can be safely stored using the integrated cable hooks.



Hose storage on the device head

- The suction hose can be stored in a space-saving manner by hanging it on the device head.
- Intuitive securing mechanisms for left- and right-handed users.

WD 3 V-19/4/20

The wet and dry vacuum cleaner WD 3 V-19/4/20 is powerful and efficient: 19 I plastic container, 4 m cable, 2 m suction hose and cartridge filter guarantee top cleaning results.





Order no.

1.628-107.0

- Compact design and accessories storage, including hose storage on the device head
- Fleece filter bag
- Practical blower function

| Technical data | | |
|----------------------------|--------|--|
| EAN code | | 4054278656083 |
| Energy use | W | 1000 |
| Container capacity | I | 19 |
| Container material | | Plastic |
| Colour | | Device head yellow / Device bumper yellow / Container yellow |
| Power cable | m | 4 |
| Standard accessory ID | mm | 35 |
| Supply voltage | V / Hz | 220 - 240 / 50 - 60 |
| Weight without accessories | kg | 4.7 |
| Weight incl. packaging | kg | 6.4 |
| Dimensions (L × W × H) | mm | 349 × 328 × 528 |

| Equipment | | |
|--|----------------------|----------------------------------|
| Suction hose | m | 2 / with curved handle / Plastic |
| Removable handle | | - |
| Suction tubes | piece(s) × m / mm | 2 × 0.5 / 35 / Plastic |
| Wet and dry floor nozzle | | clips |
| Crevice nozzle | | • |
| Fleece filter bag | piece(s) | 1 |
| Cartridge filter | | one-piece |
| Rotary switch (on/off) | | |
| Blower function | | • |
| Intermediate parking position of the handle on the device head | | • |
| Hose storage on the device head | | • |
| Additional accessory storage on the device head | | • |
| Storage space for small parts | | • |
| Folding carrying handle | | • |
| Cable hook | | • |
| Parking position | | |
| Accessory storage on the device | | • |
| Sturdy bumper | | • |
| Swivel castors | piece(s) | 4 |
| Included in the scope of supply | | |

■ Included in the scope of supp





Single-part cartridge filter

- For wet and dry vacuuming without additional filter replacement.
- Simple installation and removal of filter by turning without additional locking part.



Practical cord and accessories storage

- Space-saving, secure and easily accessible accessories storage.
- The power cable can be safely stored using the integrated cable hooks.



Hose storage on the device head

- The suction hose can be stored in a space-saving manner by hanging it on the device head.
- Intuitive securing mechanisms for left- and right-handed users.

WD 4 S V-20/5/22

Energy efficiency meets peak performance: The WD 4 S V-20/5/22 wet and dry vacuum cleaner, featuring a 20-litre stainless steel container, a 5-metre cord and a 2.2-metre suction hose, offers outstanding suction power and removes all traces of dirt.



DESIGN AWARD 2022

Order no.


1.628-250.0

- Flat pleated filter with patented filter removal technology
- Practical accessories storage, including hose storage on the device head
- Fleece filter bag

| Technical data | | |
|----------------------------|--------|---|
| EAN code | | 4054278661841 |
| Energy use | W | 1000 |
| Container capacity | I | 20 |
| Container material | | Stainless steel |
| Colour | | Device head yellow / Device bumper yellow |
| Power cable | m | 5 |
| Standard accessory ID | mm | 35 |
| Supply voltage | V / Hz | 220 - 240 / 50 - 60 |
| Weight without accessories | kg | 7.2 |
| Weight incl. packaging | kg | 10.2 |
| Dimensions (L × W × H) | mm | 384 × 365 × 524 |

| Equipment | | |
|---|----------------------|------------------------------------|
| Suction hose | m | 2.2 / with curved handle / Plastic |
| Removable handle | | - |
| Suction tubes | piece(s) × m / mm | 2 × 0.5 / 35 / Plastic |
| Wet and dry floor nozzle | | clips |
| Crevice nozzle | | • |
| Fleece filter bag | piece(s) | 1 |
| Flat pleated filter | | in removable filter box |
| Rotary switch (on/off) | | - |
| Intermediate parking position of the handle on the device head | | • |
| Hose storage on the device head | | - |
| Additional accessory storage on the device head | | • |
| Storage space for small parts | | - |
| Cable hook | | • |
| Parking position | | |
| Accessory storage on the device | | • |
| Sturdy bumper | | |
| Swivel castors | piece(s) | 4 |
| Included in the scope of supply | | |

Included in the scope of supply.





Patented filter removal technology

- Quick and easy removal of the filter from the filter box without contact with dirt.
- For wet and dry vacuuming without filter replacement.



Hose storage on the device head

- The suction hose can be stored in a space-saving manner by hanging it on the device head.
- Intuitive securing mechanisms for left- and right-handed users.



Practical cord and accessories storage

- Space-saving, secure and easily accessible accessories storage.
- The power cable can be safely stored using the integrated cable hooks.

WD 4 S V-20/6/22 CAR

The super-powerful WD 4 S V-20/6/22 Car wet and dry vacuum cleaner is the ideal car vacuum cleaner. It is equipped with nozzles for interior car cleaning as well as a 20-litre stainless steel container and a 6-metre cord.



DESIGN AWARD 2022


Order no.

1.628-259.0

- With special accessories for interior car cleaning
- Removable handle for vacuuming in confined spaces
- Removable filter box with flat pleated filter

| Technical data | | |
|----------------------------|--------|---|
| EAN code | | 4054278876542 |
| Energy use | W | 1000 |
| Container capacity | 1 | 20 |
| Container material | | Stainless steel |
| Colour | | Device head yellow / Device bumper yellow |
| Power cable | m | 6 |
| Standard accessory ID | mm | 35 |
| Supply voltage | V / Hz | 220 - 240 / 50 - 60 |
| Weight without accessories | kg | 7.2 |
| Weight incl. packaging | kg | 10 |
| Dimensions (L × W × H) | mm | 384 × 365 × 524 |

| Equipment | | |
|---|----------------------|------------------------------------|
| Suction hose | m | 2.2 / with curved handle / Plastic |
| Removable handle | | - |
| Suction tubes | piece(s) × m / mm | 2 × 0.5 / 35 / Plastic |
| Wet and dry floor nozzle | | clips |
| Crevice nozzle | | • |
| Extra long crevice nozzle (350 mm) | | • |
| Car nozzle | | • |
| Suction brush with soft bristles | | • |
| Suction brush with hard bristles | | • |
| Fleece filter bag | piece(s) | 1 |
| Flat pleated filter | | in removable filter box |
| Rotary switch (on/off) | | • |
| Intermediate parking position of the handle on the device head | | • |
| Hose storage on the device head | | - |
| Additional accessory storage on the device head | | • |
| Storage space for small parts | | • |
| Cable hook | | • |
| Parking position | | - |
| Accessory storage on the device | | • |
| Sturdy bumper | | |
| Swivel castors | piece(s) | 4 |





Special accessories for interior car cleaning

- For the best cleaning results on sensitive surfaces, large surfaces and in narrow gaps.
- For optimal removal of fine and stubborn dirt.



Removable handle

- Different nozzles can be directly attached to the suction hose.
- For easy vacuuming even in confined spaces.



Patented filter removal technology

- Quick and easy removal of the filter from the filter box without contact with dirt.
- For wet and dry vacuuming without filter replacement.

WD 4 S V-20/6/22 Car, 1.628-259.0, 2023-01-20

WD 4 V-20/4/35

A powerful partner: The WD 4 V-20/4/35, featuring a 20-litre plastic container, 4-metre cord and 3.5-metre-long suction hose, cleans efficiently without leaving any dirt behind.



DESIGN AWARD 2022

Order no.


1.628-204.0

- Flat pleated filter with patented filter removal technology
- Practical accessories storage, including hose storage on the device head
- Fleece filter bag

| Technical data | | |
|----------------------------|--------|--|
| EAN code | | 4054278661896 |
| Energy use | W | 1000 |
| Container capacity | I | 20 |
| Container material | | Plastic |
| Colour | | Device head yellow / Device bumper yellow / Container yellow |
| Power cable | m | 4 |
| Standard accessory ID | mm | 35 |
| Supply voltage | V / Hz | 220 - 240 / 50 - 60 |
| Weight without accessories | kg | 6.8 |
| Weight incl. packaging | kg | 10 |
| Dimensions (L × W × H) | mm | 384 × 365 × 526 |

| _ | | |
|---|----------------------|------------------------------------|
| Equipment | | |
| Suction hose | m | 3.5 / with curved handle / Plastic |
| Removable handle | | • |
| Suction tubes | piece(s) × m / mm | 2 × 0.5 / 35 / Plastic |
| Wet and dry floor nozzle | | clips |
| Crevice nozzle | | • |
| Fleece filter bag | piece(s) | 1 |
| Flat pleated filter | | in removable filter box |
| Rotary switch (on/off) | | |
| Intermediate parking position of the handle on the device head | | • |
| Hose storage on the device head | | • |
| Additional accessory storage on the device head | | • |
| Storage space for small parts | | • |
| Cable hook | | • |
| Parking position | | • |
| Accessory storage on the device | | • |
| Sturdy bumper | | • |
| Swivel castors | piece(s) | 4 |
| Included in the scope of supply | | |

Included in the scope of supply.





Patented filter removal technology

- Quick and easy removal of the filter from the filter box without contact with dirt.
- For wet and dry vacuuming without filter replacement.



Hose storage on the device head

- The suction hose can be stored in a space-saving manner by hanging it on the device head.
- Intuitive securing mechanisms for left- and right-handed users.



Practical cord and accessories storage

- Space-saving, secure and easily accessible accessories storage.
- The power cable can be safely stored using the integrated cable hooks.

WD 4 V-20/4/35, 1.628-204.0, 2023-01-20

WD 4 V-20/6/22 CAR

The WD 4 V-20/6/22 Car wet and dry vacuum cleaner is the ideal choice for thorough interior car cleaning. With special nozzles, a 20-litre plastic container, 6-metre cord and 2.2-metre suction hose.



DESIGN AWARD 2022

Order no.

1.628-208.0

- With special accessories for interior car cleaning
- Removable handle for vacuuming in confined spaces
- Removable filter box with flat pleated filter

| Technical data | | |
|--------------------------------------|--------|--|
| EAN code | | 4054278876535 |
| Energy use | W | 1000 |
| Container capacity | 1 | 20 |
| Container material | | Plastic |
| Colour | | Device head yellow / Device bumper yellow / Container yellow |
| Power cable | m | 6 |
| Standard accessory ID | mm | 35 |
| Supply voltage | V / Hz | 220 - 240 / 50 - 60 |
| Weight without accessories | kg | 6.9 |
| Weight incl. packaging | kg | 10.2 |
| Dimensions (L \times W \times H) | mm | 384 × 365 × 526 |

| Equipment | | |
|---|----------------------|------------------------------------|
| Suction hose | m | 2.2 / with curved handle / Plastic |
| Removable handle | | |
| Suction tubes | piece(s) × m / mm | 2 × 0.5 / 35 / Plastic |
| Wet and dry floor nozzle | | clips |
| Crevice nozzle | | |
| Extra long crevice nozzle (350 mm) | | • |
| Car nozzle | | |
| Suction brush with soft bristles | | |
| Suction brush with hard bristles | | |
| Fleece filter bag | piece(s) | 1 |
| Flat pleated filter | | in removable filter box |
| Rotary switch (on/off) | | |
| Intermediate parking position of the handle on the device head | | - |
| Hose storage on the device head | | |
| Additional accessory storage on the device head | | • |
| Storage space for small parts | | |
| Cable hook | | |
| Parking position | | • |
| Accessory storage on the device | | |
| Sturdy bumper | | |
| Swivel castors | piece(s) | 4 |



Special accessories for interior car cleaning

- For the best cleaning results on sensitive surfaces, large surfaces and in narrow gaps.
- For optimal removal of fine and stubborn dirt.



Removable handle

- Different nozzles can be directly attached to the suction hose.
- For easy vacuuming even in confined spaces.



Patented filter removal technology

- Quick and easy removal of the filter from the filter box without contact with dirt.
- For wet and dry vacuuming without filter replacement.

WD 5 P V-25/5/22

Excellent suction power and energy efficiency: The WD 5 P V-25/5/22 stands out on account of its 25-litre plastic container, its power outlet for working with power tools, a 5-metre cord and a 2.2-metre suction hose.





Order no.

1.628-306.0

- Flat pleated filter with patented filter removal technology
- Filter cleaning
- Practical accessories storage, including hose storage on the device head

| Technical data | | |
|--|--------|--|
| EAN code | | 4054278662114 |
| Energy use | W | 1100 |
| Rated input power integrated socket | w | min. 100 - max. 2100 |
| Container capacity | 1 | 25 |
| Container material | | Plastic |
| Colour | | Device head yellow / Device bumper yellow / Container yellow |
| Power cable | m | 5 |
| Standard accessory ID | mm | 35 |
| Supply voltage | V / Hz | 220 - 240 / 50 - 60 |
| Weight without accessories | kg | 8.4 |
| Weight incl. packaging | kg | 12.2 |
| Dimensions (L × W × H) | mm | 418 × 382 × 653 |
| | | |

| Equipment | | |
|--|----------------------|------------------------------------|
| Suction hose | m | 2.2 / with curved handle / Plastic |
| Removable handle with electrostatic protection | | - |
| Suction tubes | piece(s) × m / mm | 2 × 0.5 / 35 / Plastic |
| Wet and dry floor nozzle | | Switchable |
| Crevice nozzle | | • |
| Adaptor for connecting power tools | | • |
| Fleece filter bag | piece(s) | 1 |
| Flat pleated filter | | in removable filter box |
| Power outlet with automatic on/off switch | | • |
| Filter cleaning function | | • |
| Rotary switch (on/off) | | • |
| Power control | | |
| Blower function | | |
| Intermediate parking position of the handle on the device head | | - |
| Hose storage on the device head | | • |
| Storage space for small parts | | • |
| Convenient 3-in-1 carrying handle | | |
| Cable hook | | |
| Parking position | | |
| Accessory storage on the device | | • |
| Sturdy bumper | | |







Power outlet with automatic on/off switch for working with power tools

- Dirt that is a result of planing, sawing or grinding is suctioned away directly.
- The vacuum cleaner is switched on and off automatically via the power tool.



Outstanding filter cleaning

- Strong pulse air streams move the dirt from the filter into the container at the push of a button.
- The full suction power is quickly restored.



Patented filter removal technology

- Quick and easy removal of the filter from the filter box without contact with dirt.
- For wet and dry vacuuming without filter replacement.

WD 5 P S V-25/5/22

Extremely powerful: The WD 5 P S V-25/5/22 – which comes with a 25-litre stainless steel container, a power outlet, a 5-metre cord and a 2.2-metre suction hose – is ideal for various cleaning tasks in and around the house.





Order no.

1.628-356.0

- Flat pleated filter with patented filter removal technology
- Filter cleaning
- Practical accessories storage, including hose storage on the device head

| Technical data | | |
|--|--------|---|
| EAN code | | 4054278662121 |
| Energy use | W | 1100 |
| Rated input power integrated socket | W | min. 100 - max. 2100 |
| Container capacity | 1 | 25 |
| Container material | | Stainless steel |
| Colour | | Device head yellow / Device bumper yellow |
| Power cable | m | 5 |
| Standard accessory ID | mm | 35 |
| Supply voltage | V / Hz | 220 - 240 / 50 - 60 |
| Weight without accessories | kg | 8.9 |
| Weight incl. packaging | kg | 12 |
| Dimensions (L × W × H) | mm | 418 × 382 × 646 |
| | | |

| Ī | | |
|--|----------------------|------------------------------------|
| Equipment | | |
| Suction hose | m | 2.2 / with curved handle / Plastic |
| Removable handle with | | |
| electrostatic protection | minen(s) | |
| Suction tubes | piece(s) × m / mm | 2 × 0.5 / 35 / Plastic |
| Wet and dry floor nozzle | | Switchable |
| Crevice nozzle | | • |
| Adaptor for connecting power tools | | - |
| Fleece filter bag | piece(s) | 1 |
| Flat pleated filter | | in removable filter box |
| Power outlet with automatic | | • |
| on/off switch | | _ |
| Filter cleaning function | | |
| Rotary switch (on/off) | | • |
| Power control | | • |
| Blower function | | • |
| Intermediate parking position of the handle on the device head | | • |
| Hose storage on the device head | | |
| Storage space for small parts | | |
| Convenient 3-in-1 carrying handle | | |
| Cable hook | | |
| Parking position | | |
| Accessory storage on the device | | • |
| Sturdy bumper | | |

piece(s)







Power outlet with automatic on/off switch for working with power tools

- Dirt that is a result of planing, sawing or grinding is suctioned away directly.
- The vacuum cleaner is switched on and off automatically via the power tool.



Outstanding filter cleaning

- Strong pulse air streams move the dirt from the filter into the container at the push of a button.
- The full suction power is quickly restored.



Patented filter removal technology

- Quick and easy removal of the filter from the filter box without contact with dirt.
- For wet and dry vacuuming without filter replacement.

WD 5 S V-25/5/22

Performance across the board: The WD 5 S V-25/5/22 – which comes with a 25-litre stainless steel container, a 5-metre cord and a 2.2-metre suction hose – provides excellent suction while maintaining a high level of energy efficiency.





Order no.


1.628-350.0

- Flat pleated filter with patented filter removal technology
- Filter cleaning
- Practical accessories storage, including hose storage on the device head

| Technical data | | |
|----------------------------|--------|---|
| EAN code | | 4054278661889 |
| Energy use | W | 1100 |
| Container capacity | I | 25 |
| Container material | | Stainless steel |
| Colour | | Device head yellow / Device bumper yellow |
| Power cable | m | 5 |
| Standard accessory ID | mm | 35 |
| Supply voltage | V / Hz | 220 - 240 / 50 - 60 |
| Weight without accessories | kg | 8.6 |
| Weight incl. packaging | kg | 12 |
| Dimensions (L × W × H) | mm | 418 × 382 × 646 |

| _ | | |
|---|----------------------|------------------------------------|
| Equipment | | |
| Suction hose | m | 2.2 / with curved handle / Plastic |
| Removable handle with electrostatic protection | | • |
| Suction tubes | piece(s) × m / mm | 2 × 0.5 / 35 / Plastic |
| Wet and dry floor nozzle | | Switchable |
| Crevice nozzle | | • |
| Fleece filter bag | piece(s) | 1 |
| Flat pleated filter | | in removable filter box |
| Filter cleaning function | | |
| Rotary switch (on/off) | | |
| Blower function | | |
| Intermediate parking position of the handle on the device head | | |
| Hose storage on the device head | | |
| Storage space for small parts | | • |
| Convenient 3-in-1 carrying handle | | |
| Cable hook | | |
| Parking position | | |
| Accessory storage on the device | | |
| Sturdy bumper | | • |
| Swivel castors | piece(s) | 5 |
| Included in the scope of supply | | |

WD 5 S V-25/5/22, 1.628-350.0, 2023-01-21





Outstanding filter cleaning

- Strong pulse air streams move the dirt from the filter into the container at the push of a button.
- The full suction power is quickly restored.



Patented filter removal technology

- Quick and easy removal of the filter from the filter box without contact with dirt.
- For wet and dry vacuuming without filter replacement.



Hose storage on the device head

- The suction hose can be stored in a space-saving manner by hanging it on the device head.
- Intuitive securing mechanisms for left- and right-handed users.

WD 6 P S V-30/6/22/T

The WD 6 P S V-30/6/22/T offers outstanding suction power and energy efficiency and is equipped with a 30-litre stainless steel container, a 6-metre-long cord, a 2.2-metre suction hose and an integrated power outlet.





Order no.

1.628-360.0


- Flat pleated filter with patented filter removal technology
- Filter cleaning
- Power outlet with automatic on/off switch for working with power tools

| Technical data | | |
|--|--------|---|
| EAN code | | 4054278661810 |
| Energy use | W | 1300 |
| Rated input power integrated socket | w | min. 100 - max. 2100 |
| Container capacity | 1 | 30 |
| Container material | | Stainless steel |
| Colour | | Device head yellow / Device bumper yellow |
| Power cable | m | 6 |
| Standard accessory ID | mm | 35 |
| Supply voltage | V / Hz | 220 - 240 / 50 - 60 |
| Weight without accessories | kg | 9.3 |
| Weight incl. packaging | kg | 13 |
| Dimensions (L × W × H) | mm | 418 × 382 × 693 |
| | | |

| Fauinment | | |
|--|----------------------|------------------------------------|
| Equipment | | |
| Suction hose | m | 2.2 / with curved handle / Plastic |
| Removable handle with | | |
| electrostatic protection | ninan(a) | |
| Suction tubes | piece(s) × m / mm | 2 × 0.5 / 35 / Stainless steel |
| Wet and dry floor nozzle | | Switchable |
| Crevice nozzle | | • |
| Flexible suction hose | m/mm | 1 / 35 |
| Adaptor for connecting power tools | | • |
| Fleece filter bag | piece(s) | 1 |
| Flat pleated filter | | in removable filter box |
| Power outlet with automatic on/off switch | | • |
| Filter cleaning function | | • |
| Rotary switch (on/off) | | • |
| Power control | | |
| Blower function | | • |
| Intermediate parking position of the handle on the device head | | • |
| Hose storage on the device head | | |
| Storage space for small parts | | |
| Convenient 3-in-1 carrying handle | | |
| Cable hook | | |
| Parking position | | • |
| Accessory storage on the device | | |

Swivel castors

Included in the scope of supply.





Power outlet with automatic on/off switch for working with power tools

- Dirt that is a result of planing, sawing or grinding is suctioned away directly.
- The vacuum cleaner is switched on and off automatically via the power tool.



Outstanding filter cleaning

- Strong pulse air streams move the dirt from the filter into the container at the push of a button.
- The full suction power is quickly restored.



Patented filter removal technology

- Quick and easy removal of the filter from the filter box without contact with dirt.
- For wet and dry vacuuming without filter replacement.



DS 6 WATERFILTER

Vacuum cleaner with innovative water filter technology, providing fresh exhaust air that has been cleaned to 99.5%. A great benefit - not only for allergy sufferers.







Order no.

1.195-220.0


- Accessory storage on the device
- Suitable for allergy sufferers


| Technical data | | |
|----------------------------|--------|-----------------------------|
| EAN code | | 4054278277493 |
| Vacuum Cleaner Type | | Water filter vacuum cleaner |
| Energy efficiency class | | A |
| Rated input power | W | 650 |
| Water filter | I | 2 |
| Operating radius | m | 10.2 |
| Supply voltage | V / Hz | 220 - 240 / 50 - 60 |
| Weight without accessories | kg | 7.5 |
| Weight incl. packaging | kg | 10.8 |
| Dimensions (L × W × H) | mm | 535 × 289 × 345 |

| Equipment | | |
|---------------------------------|---|-----|
| Suction hose | m | 2.1 |
| Telescopic suction tube | | |
| Switchable dry floor nozzle | | • |
| Crevice nozzle | | |
| Upholstery nozzle | | • |
| HEPA 12 filter (EN 1822:1998) | | |
| Practical parking position | | |
| Accessory storage on the device | | |
| Defoamer "FoamStop" | | |
| Motor protection filters | | |

■ Included in the scope of supply.







- Filters 99.5% of dust from the air for fresh, clean air and a pleasant indoor climate.
- Particularly suitable for allergy sufferers.



Removable water filter

■ Easy to fill and clean.



Practical parking position

- Quick and easy intermediate parking of suction tube and floor nozzle during working interruptions.
- Space-saving storage.



SE 4001

The SE 4001 spray extraction cleaner thoroughly cleans textile surfaces. This spray extraction machine cleans deep into the fibres and is suitable for allergy sufferers and households with pets.















- 1 Kärcher nozzle technology
- 50 per cent faster drying time for the cleaned surfaces.
- 3 3-in-1 carrying handle
- Enables comfortable carrying, as well as opening, closing and emptying of the container.

2 Removable fresh water tank

- Easy to fill and empty without having to open the device.
- Shockproof and translucent container.

4 Cable hook

able storage compartment.

TECHNICAL DATA AND EQUIPMENT





SE 4001

- Large removable fresh water tank
- Kärcher nozzle technology: 50 per cent faster drying time
- Robust plastic container

| Technical data | | |
|----------------------------|------------|---------------------|
| Order no. | | 1.081-130.0 |
| EAN code | | 4039784254138 |
| Air flow | l/s | 70 |
| Vacuum | mbar / kPa | 210 / 21 |
| Pump capacity | W | max. 40 |
| Input power turbine/pump | W | 1400 / 40 |
| Working width | mm | 230 |
| Fresh/waste water tank | I | 4 / 4 |
| Standard accessory ID | mm | 35 |
| Current type | V / Hz | 220 - 240 / 50 - 60 |
| Spray volume | l/min | 1 |
| Spray pressure | bar | 1 |
| Power cable | m | 7.5 |
| Weight without accessories | kg | 7.8 |
| Dimensions (L × W × H) | mm | 441 × 386 × 480 |

| Equipment | | | | |
|--|--------------|---------------------------|-------------------------------------|---|
| Spray extraction hose with handle | m | 2 | Convenient 3-in-1 carrying handle | • |
| Spray extraction tubes | piece(s) / m | 2 × 0.5 / Plastic | Accessory storage on the device | |
| Spray extraction nozzle with hard surface attachment | | • | Storage compartment for small parts | • |
| Wet and dry floor nozzle | | clips | | |
| Dry vacuum nozzle | | clips | | |
| Crevice nozzle | | normal | | |
| Upholstery nozzle | | • | | |
| Paper filter bag | piece(s) | 1 | | |
| Foam filter | | | | |
| Detergents | ml | Carpet Cleaner RM 519 100 | | |
| Sturdy bumper | | | | |

■ Included in the scope of supply.

S 4 TWIN

Two side brushes, 20 I waste hopper and 680 mm sweeping width: the S 4 Twin sweeper for year-round applications on smaller and narrower areas and thorough cleanliness right to the edge.



Order no.

1.766-360.0

- Ideal for smaller outdoor areas
- 2 side brushes for extended working width
- Thermal handle at push handle

| Technical data | | |
|-------------------------------|------|-----------------|
| EAN code | | 4054278247939 |
| Working width with side brush | mm | 680 |
| Max. area performance | m²/h | 2400 |
| Casing / frame | | Plastic/Plastic |
| Waste container | I | 20 |
| Weight without accessories | kg | 10.2 |
| Weight, ready to uset | kg | 10.2 |
| Weight incl. packaging | kg | 11.6 |
| Dimensions (L × W × H) | mm | 760 × 668 × 940 |

| Equipment | | |
|------------------------------------|----------|---|
| Number of side brushes | piece(s) | 2 |
| Ergonomic push handle | | - |
| Infinitely variable push handle | | |
| Storage position | | • |
| Footplate for space-saving stowage | | • |
| Tool-free side brush attachment | | • |
| Stand-alone waste container | | |
| Included in the scope of supply. | | |

S 4 Twin, 1.766-360.0, 2023-01-20

S 4 Twin, 1.766-360.0, 2023-01-20

KARCHER





Practical cap for side brush

■ Tool-free side brush attachment for rapid set-up and deployment.



Comfortable footplate

 Collapse sweeper fully without stooping - for space-saving storage.



Infinitely variable push handle

 Back-friendly sweeping thanks to individual height adjustment.

KÄRCHEI

KM 70/20 C

Compact push sweeper for indoor and outdoor use



1.517-106.0

- Roller brush driven by both wheelsPush handle adjustable in 3 positions
- Roller brush and side brushes continuously adjustable

| Technical data | | |
|----------------------------------|------|-------------------|
| EAN code | | 4039784718029 |
| Drive type | | manual |
| Max. area performance | m²/h | 2800 |
| Working width | mm | 480 |
| Working width with 1 side brush | mm | 700 |
| Tank volume, gross/net | 1 | 42 / 20 |
| Weight (with accessories) | kg | 22 |
| Weight, ready to uset | kg | 23 |
| Package weight | kg | 25.9 |
| Packaging dimensions (L × W × H) | mm | 795 / 400 / 935 |
| Dimensions (L × W × H) | mm | 1300 / 765 / 1035 |

| Equipment | |
|------------------------------------|---|
| Fine dust filter | |
| Sweeper drive, manual | |
| Main sweeper roller adjustable | |
| Foldable push handle | |
| Dustpan principle | |
| Outdoor use | |
| Indoor use | • |
| ■ Included in the scope of supply. | |
| | |
| | |

KM 70/20 C, 1.517-106.0, 2023-01-20

KM 70/20 C, 1.517-106.0, 2023-01-20

KARCHER





Main sweeper roller drive

■ The main sweeper roller is driven by both wheels – for excellent results when turning to the left or right.



Adjustable push handle

- Excellent ergonomics thanks to three height positions.
- Foldable for space-saving storage.



Large dirt hopper

• Ergonomic container handle for easy handling and emptying.



Please Contact us for more Information:

Ahmedabad

Regus Business Centre, Office No-314, East Wing B Wing Privilon, 3rd Floor, S.G. Highway. Ahmedabad-380 054 Gujarat

Hyderabad

Office No 446,448,449, 1-10-39 to 44, Level 4-5, Gumidell, Commercial Complex. Old Airport Road, Begampet, Hyderabad-560 016. Telangana

Kochi

Office S-45, 8th Floor Allapet Heritage Building Mahatma Gandhi Road, Noth end Kochi-682 035, Kerala

Noida

A-42/4, Sector-62 Noida-201 309, Uttar Pradesh

Bengaluru

504 Stage, 4th Block, 1st. 100ft Outer Ring Road (Service Road), HBR Layout (Near Vijaya Bank). Bangalore-560 043, Karnataka

Indore

903, Apollo Premier, 9th Floor, Plot No. 1, Scheme PU-4, Vijay Nagar, Indore-452 010. Madhya Pradesh

Kolkata

4th Floor, Shree Manjari Building, 8/1A. Sir William Janes Sarani Kolkata-700071. West Bengal

Pune

Regus Platinum Towers Office No. 836, 8th Floor 1 Naylor Road, Pune-411001. Maharashtra

Chandigarh

Office No-433, Level-4, Tower A, Godrej eternia, Plot number 70. Industrial Area Phase-1 Chandigarh-160 002 Punjab & Haryana

Jaipur

Office NO.605, 6th floor. Tonk Road & 82 Bypass Junction, Sector B-4, Near Airport, Jaipur-302018. Rajasthan

Mumbal

A 206 & B 009. Punit Industrial Estate, TTC industrial Area, Thane Belapur Road, Turbhe, Navi Mumbai-400 705. Maharashtra

Vadodara

CS, 3rd Floor, Alembic 1965. Alembic City, Gorwa-Alembic Road, Vadodara 390 003. Gujarat

Chennai

No. 54. Alappakkam Main Road, Maduravoyal, Chennai 600 095 Tamil Nadu

Jamshedpur

Offie No JSP-01 Fair deal Complex, 1st Floor, Main Road, Bistupur, Jamshedpur-831.001. Jharkhand



Facebook



Instagram

in

Linkedin



Twitter



Yout ube