

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 9/21/2022 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form Product code	: Mixture : 9712HOT		
1.2. Recommended use and restrictions on	use		
No additional information available			
1.3. Supplier			
KARCHER NORTH AMERICA 6398 N Karcher Way Aurora, 80019 United States T 303-738-2400 info@karcherna.com			
1.4. Emergency telephone number			
Emergency number	: 800-535-5053 For Chemical Emergency Call INFOTRAC 24hr/day 7days/week Within USA and Canada: 1-800-535-5053 Outside USA and Canada: 011-1-352-323-3500 (collect calls accepted)		
SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixt GHS US classification	ure		
Corrosive to metals Category 1 Acute toxicity (oral) Category 4 Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1 Specific target organ toxicity – Single exposure, Cate Respiratory tract irritation Full text of H statements : see section 16	egory 3,	H290 H302 H314 H318 H335	May be corrosive to metals Harmful if swallowed Causes severe skin burns and eye damage Causes serious eye damage May cause respiratory irritation
2.2. GHS Label elements, including precautionary statements			
GHS US labeling			
Hazard pictograms (GHS US)		!	
Signal word (GHS US) : Danger Hazard statements (GHS US) : H290 - May be corrosive to metals H302 - Harmful if swallowed H314 - Causes severe skin burns and eye damage H318 - Causes serious eye damage			
Precautionary statements (GHS US) H335 - May cause respiratory irritation P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood.			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P234 - Keep only in original container.
	P260 - Do not breathe dust, fume, gas, mist, spray, vapors.
	P261 - Avoid breathing dust, fume, gas, mist, spray, vapors.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P270 - Do not eat, drink or smoke when using this product.
	P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear protective gloves, protective clothing, eye protection, face protection.
	P301+P312 - If swallowed: Call a POISON CENTER, a doctor if you feel unwell.
	P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.
	P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse
	skin with water/shower.
	P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P308+P313 - If exposed or concerned: Get medical advice/attention.
	P310 - Immediately call a POISON CENTER, a doctor.
	P312 - Call a POISON CENTER, a doctor if you feel unwell.
	P330 - Rinse mouth.
	P363 - Wash contaminated clothing before reuse.
	P390 - Absorb spillage to prevent material-damage.
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
	P405 - Store locked up.
	P406 - Store in corrosive resistant container with a resistant inner liner.
	P501 - Dispose of contents/container to hazardous or special waste collection point, in
	accordance with local, regional, national and/or international regulation.
2.3. Other hazards which do not result in cla	ssification
Other bezerde which do not result in classification	· None under normal conditions

Other hazards which do not result in classification : None under normal conditions.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
SODIUM METASILICATE	CAS-No.: 6834-92-0	≥ 75
TETRASODIUM EDTA	CAS-No.: 640-28	6.401 – 6.747
UNDECETH-7	CAS-No.: 34398-01-1	1 – 5
TRISODIUM NITRILOTRIACETATE	CAS-No.: 5064-31-3	0.1 – 1

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation	 Call a physician immediately. Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.		
First-aid measures after eye contact	 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. 		
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.		
4.2. Most important symptoms and effects (acute and delayed)			
Symptoms/effects after inhalation	: May cause respiratory irritation.		
Symptoms/effects after skin contact	: Burns.		
Symptoms/effects after eye contact	: Serious damage to eyes.		
Symptoms/effects after ingestion	: Burns.		

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguishing media			
Suitable extinguishing media	: Water spray. Dry powder. Foam.		
5.2. Specific hazards arising from the chemical			
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Heating increases the fire hazard. No direct explosion hazard. Toxic fumes may be released. 		
5.3. Special protective equipment and precautions for fire-fighters			
Firefighting instructions Protection during firefighting	 Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. 		

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Do not handle until all safety precautions have been read and understood.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust, fume, gas, mist, spray, vapors.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containment and cleaning up			

For containment	: Absorb spilled material with sand or earth.	
Methods for cleaning up	: Mechanically recover the product.	
Other information	: Dispose of materials or solid residues at an authorized site.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling :	Not expected to present a significant hazard under anticipated conditions of normal use. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Do not breathe dust, fume, gas, mist, spray, vapors. Wear personal protective equipment. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including any incompatibilities			
	Comply with applicable regulations. Store in corrosive resistant container with a resistant inner liner. Keep only in original container. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool. Metals.		

SECTION 8: Exposure controls/personal protection

8.1. Control parameters	
MIRACLE WIZZ POWDER ADDITIVE	
No additional information available	
SODIUM METASILICATE (6834-92-0)	
No additional information available	
UNDECETH-7 (34398-01-1)	
No additional information available	
TETRASODIUM EDTA (640-28)	
No additional information available	
TRISODIUM NITRILOTRIACETATE (5064-31-3)	
No additional information available	
8.2. Appropriate engineering controls	
	ventilation of the work station. to the environment.

8.3. Individual protection measures/Personal protective equipment		
Hand protection:		
Protective gloves		

Eye protection:

Safety glasses

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Color	: White-off-white
Odor	: Characteristic odour
Odor threshold	: No data available
рН	: 12.36 @ 1% SOLUTION
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosion limits	: Not applicable
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

metals.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

rects
: Harmful if swallowed. : Not classified : Not classified
1353.199 mg/kg body weight
1152 – 1349 mg/kg body weight (Rat, Male / female, Experimental value, Oral, 7 day(s))
> 5000 mg/kg body weight (EPA OPPTS 870.1200: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
> 2.06 mg/l (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
1152 mg/kg body weight
500 mg/kg body weight
> 2000 mg/kg (Rat, Oral)
5064-31-3)
1740 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimenta value, Oral, 14 day(s))
> 2000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal)
> 5 mg/l (4 h, Rat, Male, Experimental value, Inhalation (aerosol), 14 day(s))
1740 mg/kg body weight
: Causes severe skin burns. pH: 12.36 @ 1% SOLUTION
: Causes serious eye damage. pH: 12.36 @ 1% SOLUTION
: Not classified : Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Carcinogenicity	: Suspected of causing cancer.
TRISODIUM NITRILOTRIACETATE (5064-3	1-3)
NOAEL (chronic,oral,animal/male,2 years)	100 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 451 (Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information)
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
SODIUM METASILICATE (6834-92-0)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
SODIUM METASILICATE (6834-92-0)	
NOAEL (oral,rat,90 days)	227 – 237 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents)
TRISODIUM NITRILOTRIACETATE (5064-3	11-3)
NOAEL (oral,rat,90 days)	9 mg/kg body weight Animal: rat, Animal sex: male
NOAEL (dermal,rat/rabbit,90 days)	50 mg/kg body weight Animal: rabbit
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Viscosity, kinematic	: Not applicable
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

SECTION 12: Ecological information

12.1	T	oxi	citv
12.1			GILY

Ecology - general :	Before neutralisation, the product may represent a danger to aquatic organisms.
SODIUM METASILICATE (6834-92-0)	
LC50 - Fish [1]	210 mg/l (ISO 7346-1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value)
EC50 - Crustacea [1]	1700 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
TETRASODIUM EDTA (640-28)	
LC50 - Fish [1]	121 mg/l (96 h, Lepomis macrochirus, Literature study, Soft water)
EC50 - Crustacea [1]	625 mg/l (24 h, Daphnia magna, Literature study)
TRISODIUM NITRILOTRIACETATE (5064-31-3)	
LC50 - Fish [1]	114 mg/l (APHA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	98 mg/l (Other, 96 h, Gammarus sp., Flow-through system, Fresh water, Experimental value)
ErC50 algae	> 91.5 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)
NOEC (chronic)	9.3 mg/l Test organisms (species): other aquatic arthropod:Gammarus pseudolimnaeus Duration: '147 d'
NOEC chronic fish	> 54 mg/l Test organisms (species): Pimephales promelas Duration: '224 d'

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability	
SODIUM METASILICATE (6834-92-0)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
TETRASODIUM EDTA (640-28)	
Persistence and degradability	Not readily biodegradable in water.
Biochemical oxygen demand (BOD)	< 0.002 g O ₂ /g substance
Chemical oxygen demand (COD)	0.54 – 0.58 g O ₂ /g substance
TRISODIUM NITRILOTRIACETATE (5064-31-3)
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Chemical oxygen demand (COD)	0.625 g O ₂ /g substance
12.3. Bioaccumulative potential	·
SODIUM METASILICATE (6834-92-0)	
Bioaccumulative potential	Bioaccumulation: not applicable.
TETRASODIUM EDTA (640-28)	
Partition coefficient n-octanol/water (Log Pow)	-2.6
Bioaccumulative potential	Not bioaccumulative.
TRISODIUM NITRILOTRIACETATE (5064-31-3)
BCF - Fish [1]	1 – 3 (96 h, Brachydanio rerio, Fresh water, Experimental value)
Partition coefficient n-octanol/water (Log Pow)	-2.62 (Calculated)
Bioaccumulative potential	Not bioaccumulative.
12.4. Mobility in soil	
SODIUM METASILICATE (6834-92-0)	
Surface tension	No data available in the literature
Ecology - soil	No (test)data on mobility of the substance available.
TRISODIUM NITRILOTRIACETATE (5064-31-3)
Ecology - soil	No (test)data on mobility of the substance available.
12.5. Other adverse effects	

No additional information available

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Regional legislation (waste) Waste treatment methods	 Disposal must be done according to official regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions. 	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information	
14.1. UN number	
DOT NA No	: UN1759
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Corrosive solids, n.o.s., (SODIUM METASILICATE), 8, III
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT) Hazard labels (DOT)	: 8 : 8 CORROSTVE 8
14.4. Packing group	
Packing group (DOT)	: III
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT UN-No.(DOT)	: UN1759
14.7. Transport in bulk according to Annex	x II of MARPOL 73/78 and the IBC Code
Not applicable	

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases	
H290	May be corrosive to metals

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phra	ases		
H302	Harmful if swallowed		
H314	Causes severe skin burns and eye damage		
H318	Causes serious eye damage		
H335	May cause respiratory irritation		
NFPA health hazard NFPA fire hazard NFPA reactivity	 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury. 1 - Materials that must be preheated before ignition can occur. 0 - Material that in themselves are normally stable, even under fire conditions. 		
Hazard Rating Health Flammability Physical Personal protection	 2 Moderate Hazard - Temporary or minor injury may occur 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB) 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives. B - Safety glasses, Gloves 		

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.