

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 3/24/2023 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form Product code	: Mixture : 1774LAN
1.2. Recommended use and restrictions of	on use
No additional information available	
1.3. Supplier	
KARCHER NORTH AMERICA 6398 N Karcher Way Aurora, 80019 United States T 303-738-2400 info@karcherna.com	
1.4. Emergency telephone number	
Emergency number	: 800-535-5053 For Chemical Emergency Call INFOTRAC 24hr/day 7days/week Within USA and Canada: 1-800-535-5053 Outside USA and Canada: 011-1-352-323-3500 (collect calls accepted)
SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mix	xture
GHS US classification	
Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1 Full text of H statements : see section 16	H314Causes severe skin burns and eye damageH318Causes serious eye damage
2.2. GHS Label elements, including preca	utionary statements
GHS US labeling	
Hazard pictograms (GHS US)	
Signal word (GHS US) Hazard statements (GHS US)	 Danger H314 - Causes severe skin burns and eye damage H318 - Causes serious eye damage
Precautionary statements (GHS US)	 P260 - Do not breathe dust, fume, gas, mist, spray, vapors. P264 - Wash hands, forearms and face thoroughly after handling. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P310 - Immediately call a POISON CENTER, a doctor. P363 - Wash contaminated clothing before reuse. P405 - Store locked up.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

Other hazards which do not result in classification : None under normal conditions.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
ALKYL (C10-C16) BENZENESULFONIC ACID	CAS-No.: 68584-22-5	2.972-3.302
TETRASODIUM EDTA	CAS-No.: 64-0-28	2.827-2.98
ETHOXYDIGLYCOL	CAS-No.: 111-90-0	1-5
HYDROTREATED MIDDLE ALKANES	CAS-No.: 64742-46-7	0.1-1

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures	3
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and e	ffects (acute and delayed)
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
	_

Symptoms/effects after ingestion : Burns.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing	g media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from the chem	nical
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 No fire hazard. No direct explosion hazard. Toxic fumes may be released.
5.3. Special protective equipment and prec	autions for fire-fighters
Firefighting instructions Protection during firefighting	 Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures	
6.1. Personal precautions, protective	equipment and emergency procedures
General measures	: Do not handle until all safety precautions have been read and understood.
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust, fume, gas, mist, spray, vapors.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	

Avoid release to the environment.

6.3. Methods and material for con	tainment and cleaning up
For containment Methods for cleaning up Other information	 Absorb spilled material with sand or earth. Take up liquid spill into absorbent material. Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For further information refer to section 13.

SECTION 7: Handling and storag	e
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling	 Not expected to present a significant hazard under anticipated conditions of normal use. Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust, fume, gas, mist, spray, vapors. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, incl	uding any incompatibilities
Technical measures	: Comply with applicable regulations.

Storage conditions

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection
8.1. Control parameters
ROADSHOW PLUS ADVANCED FORMULA
No additional information available
ALKYL (C10-C16) BENZENESULFONIC ACID (68584-22-5)
No additional information available
ETHOXYDIGLYCOL (111-90-0)
No additional information available
TETRASODIUM EDTA (64-0-28)
No additional information available
HYDROTREATED MIDDLE ALKANES (64742-46-7)
No additional information available
8.2. Appropriate engineering controls
Appropriate engineering controls: Ensure good ventilation of the work station.Environmental exposure controls: Avoid release to the environment.
8.3. Individual protection measures/Personal protective equipment
Hand protection:
Protective gloves
Eye protection:
Safety glasses
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment
Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and c	hemical properties
Physical state	: Liquid
Appearance	: Liquid.
Color	: red
Odor	: Fresh Fruity
Odor threshold	: No data available
pH	: 12.1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on toxicologica	leffects	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified Not classified Not classified 	
ALKYL (C10-C16) BENZENESULFONIC ACID (68584-22-5)		
LD50 dermal rabbit	> 5000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LC50 Inhalation - Rat	> 1.9 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
ETHOXYDIGLYCOL (111-90-0)	
LD50 dermal rabbit	9143 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male, Experimenta value, Dermal, 14 day(s))
ATE US (oral)	6031 mg/kg body weight
ATE US (dermal)	9143 mg/kg body weight
TETRASODIUM EDTA (64-0-28)	
LD50 oral rat	> 2000 mg/kg (Rat, Oral)
HYDROTREATED MIDDLE ALKANES	(64742-46-7)
LD50 oral rat	> 5000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 2000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Skin corrosion/irritation	: Causes severe skin burns. pH: 12.1
Serious eye damage/irritation	: Causes serious eye damage. pH: 12.1
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
ETHOXYDIGLYCOL (111-90-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
ALKYL (C10-C16) BENZENESULFONI	C ACID (68584-22-5)
NOAEL (oral,rat,90 days)	500 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)
NOAEL (dermal,rat/rabbit,90 days)	> 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
spiration hazard	: Not classified
/iscosity, kinematic	: No data available
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

SECTION 12: Ecological Information	
12.1. Toxicity	
Ecology - general :	Before neutralisation, the product may represent a danger to aquatic organisms.
ETHOXYDIGLYCOL (111-90-0)	
LC50 - Fish [1]	6010 mg/l (Equivalent or similar to OECD 203, 96 h, Ictalurus punctatus, Flow-through system, Fresh water, Experimental value, Lethal)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ETHOXYDIGLYCOL (111-90-0)		
ErC50 algae	14861 mg/l (Equivalent or similar to OECD 201, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)	
TETRASODIUM EDTA (64-0-28)		
LC50 - Fish [1]	121 mg/l (96 h, Lepomis macrochirus, Literature study, Soft water)	
EC50 - Crustacea [1]	625 mg/l (24 h, Daphnia magna, Literature study)	
12.2. Persistence and degradability		
ETHOXYDIGLYCOL (111-90-0)		
Persistence and degradability	Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.2 g O ₂ /g substance	
Chemical oxygen demand (COD)	1.85 g O ₂ /g substance	
ThOD	1.9078849 g O ₂ /g substance	
BOD (% of ThOD)	0.11 (Calculated value)	
TETRASODIUM EDTA (64-0-28)		
Persistence and degradability	Not readily biodegradable in water.	
Biochemical oxygen demand (BOD)	< 0.002 g O ₂ /g substance	
Chemical oxygen demand (COD)	0.54 - 0.58 g O ₂ /g substance	
12.3. Bioaccumulative potential		
ETHOXYDIGLYCOL (111-90-0)		
Partition coefficient n-octanol/water (Log Pow)	-0.54 (Literature, 20 °C)	
Bioaccumulative potential	Not bioaccumulative.	
TETRASODIUM EDTA (64-0-28)		
Partition coefficient n-octanol/water (Log Pow)	-2.6	
Bioaccumulative potential	Not bioaccumulative.	
12.4. Mobility in soil		
ETHOXYDIGLYCOL (111-90-0)		
Surface tension	52 mN/m (25 °C)	
Ecology - soil	Highly mobile in soil.	
12.5. Other adverse effects		

No additional information available

SECTION 13: Disposal considerations	
13.1. Disposal methods	
Regional legislation (waste) Waste treatment methods	 Disposal must be done according to official regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information	
14.1. UN number	
Not regulated for transport	
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Not applicable
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT)	: Not applicable
14.4. Packing group	
Packing group (DOT)	: Not applicable
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT No data available	

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases	
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

NFPA health hazard

: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA fire hazard	: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal protection	: X - Special handling directions

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.