



POWERSHINE ADVANCED FORMULA PART A

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Issue date: 11/30/2022 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product code : 8973HOT

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

KARCHER NORTH AMERICA
6398 N Karcher Way
Aurora, 80019
United States
T 303-738-2400
info@karcherna.com

1.4. Emergency telephone number

Emergency number : 800-535-5053
For Chemical Emergency Call INFOTRAC 24hr/day 7days/week
Within USA and Canada: 1-800-535-5053
Outside USA and Canada: 011-1-352-323-3500
(collect calls accepted)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture


GHS US classification

| | | |
|--|------|---|
| Skin corrosion/irritation Category 1 | H314 | Causes severe skin burns and eye damage |
| Serious eye damage/eye irritation Category 1 | H318 | Causes serious eye damage |

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) : 

Signal word (GHS US) : Danger

Hazard statements (GHS US) : H314 - Causes severe skin burns and eye damage
H318 - Causes serious eye damage

Precautionary statements (GHS US) : P260 - Do not breathe dust, fume, gas, mist, spray, vapors.
P264 - Wash hands, forearms and face thoroughly after handling.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

POWERSHINE ADVANCED PART A

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P310 - Immediately call a POISON CENTER, a doctor.
P363 - Wash contaminated clothing before reuse.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

Other hazards which do not result in classification : None under normal conditions.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % |
|-----------------------------|--------------------|---------------|
| TETRASODIUM EDTA | CAS-No.: 64-0-28 | 30.074-31.699 |
| SODIUM HYDROXIDE | CAS-No.: 1310-73-2 | ≤ 5.555 |
| TRISODIUM NITRILOTRIACETATE | CAS-No.: 5064-31-3 | 0.1-1 |

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Burns.
Symptoms/effects after eye contact : Serious damage to eyes.
Symptoms/effects after ingestion : Burns.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

POWERSHINE ADVANCED PART A

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Specific hazards arising from the chemical

| | |
|--|--------------------------------|
| Fire hazard | : No fire hazard. |
| Explosion hazard | : No direct explosion hazard. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |

5.3. Special protective equipment and precautions for fire-fighters

| | |
|--------------------------------|--|
| Firefighting instructions | : Do not enter fire area without proper protective equipment, including respiratory protection. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|------------------|---|
| General measures | : Do not handle until all safety precautions have been read and understood. |
|------------------|---|

6.1.1. For non-emergency personnel

| | |
|----------------------|---|
| Emergency procedures | : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust, fume, gas, mist, spray, vapors. |
|----------------------|---|

6.1.2. For emergency responders

| | |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|---|

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|---|
| For containment | : Absorb spilled material with sand or earth. |
| Methods for cleaning up | : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. |
| Other information | : Dispose of materials or solid residues at an authorized site. |

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|-----------------------------------|---|
| Additional hazards when processed | : Not expected to present a significant hazard under anticipated conditions of normal use. |
| Precautions for safe handling | : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Do not breathe dust, fume, gas, mist, spray, vapors. |
| Hygiene measures | : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |

7.2. Conditions for safe storage, including any incompatibilities

| | |
|--------------------|---|
| Technical measures | : Comply with applicable regulations. |
| Storage conditions | : Store locked up. Store in a well-ventilated place. Keep cool. |

POWERSHINE ADVANCED PART A

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

POWERSHINE ADVANCED PART A

No additional information available

TETRASODIUM EDTA (64-0-28)

No additional information available

SODIUM HYDROXIDE (1310-73-2)

USA - ACGIH - Occupational Exposure Limits

| | |
|-------------|---------------------|
| ACGIH OEL C | 2 mg/m ³ |
|-------------|---------------------|

TRISODIUM NITRILOTRIACETATE (5064-31-3)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|----------------|------------------------|
| Physical state | : Liquid |
| Appearance | : Liquid. |
| Color | : Colorless |
| Odor | : Characteristic odour |
| Odor threshold | : No data available |
| pH | : No data available |
| pH solution | : 12.71 |
| Melting point | : Not applicable |

POWERSHINE ADVANCED PART A

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|---|---------------------|
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : Not applicable. |
| Vapor pressure | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Relative density | : No data available |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

TETRASODIUM EDTA (64-0-28)

| | |
|---------------|--------------------------|
| LD50 oral rat | > 2000 mg/kg (Rat, Oral) |
|---------------|--------------------------|

POWERSHINE ADVANCED PART A

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| TRISODIUM NITRILOTRIACETATE (5064-31-3) | |
|--|---|
| LD50 oral rat | 1740 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s)) |
| LD50 dermal rabbit | > 2000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal) |
| LC50 Inhalation - Rat | > 5 mg/l (4 h, Rat, Male, Experimental value, Inhalation (aerosol), 14 day(s)) |
| ATE US (oral) | 1740 mg/kg body weight |

| | |
|-----------------------------------|------------------------------|
| Skin corrosion/irritation | : Causes severe skin burns. |
| Serious eye damage/irritation | : Causes serious eye damage. |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |

| TRISODIUM NITRILOTRIACETATE (5064-31-3) | |
|--|--|
| NOAEL (chronic,oral,animal/male,2 years) | 100 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 451 (Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information) |

| | |
|------------------------|------------------|
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |

| TRISODIUM NITRILOTRIACETATE (5064-31-3) | |
|--|---|
| NOAEL (oral,rat,90 days) | 9 mg/kg body weight Animal: rat, Animal sex: male |
| NOAEL (dermal,rat/rabbit,90 days) | 50 mg/kg body weight Animal: rabbit |
| STOT-repeated exposure | Causes damage to organs through prolonged or repeated exposure. |

| | |
|-------------------------------------|---------------------------|
| Aspiration hazard | : Not classified |
| Viscosity, kinematic | : No data available |
| Symptoms/effects after skin contact | : Burns. |
| Symptoms/effects after eye contact | : Serious damage to eyes. |
| Symptoms/effects after ingestion | : Burns. |

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

| TETRASODIUM EDTA (64-0-28) | |
|-----------------------------------|--|
| LC50 - Fish [1] | 121 mg/l (96 h, Lepomis macrochirus, Literature study, Soft water) |
| EC50 - Crustacea [1] | 625 mg/l (24 h, Daphnia magna, Literature study) |

| SODIUM HYDROXIDE (1310-73-2) | |
|-------------------------------------|---|
| LC50 - Fish [1] | 45.4 mg/l (96 h, Salmo gairdneri, Static system, Fresh water, Experimental value, Solution >=50%) |
| EC50 - Crustacea [1] | 40.4 mg/l (48 h, Ceriodaphnia sp., Experimental value, Nominal concentration) |

| TRISODIUM NITRILOTRIACETATE (5064-31-3) | |
|--|--|
| LC50 - Fish [1] | 114 mg/l (APHA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value) |
| EC50 - Crustacea [1] | 98 mg/l (Other, 96 h, Gammarus sp., Flow-through system, Fresh water, Experimental value) |

POWERSHINE ADVANCED PART A

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| TRISODIUM NITRILOTRIACETATE (5064-31-3) | |
|--|--|
| ErC50 algae | > 91.5 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP) |
| NOEC (chronic) | 9.3 mg/l Test organisms (species): other aquatic arthropod:Gammarus pseudolimnaeus Duration: '147 d' |
| NOEC chronic fish | > 54 mg/l Test organisms (species): Pimephales promelas Duration: '224 d' |

12.2. Persistence and degradability

| TETRASODIUM EDTA (64-02-8) | |
|-----------------------------------|---|
| Persistence and degradability | Not readily biodegradable in water. |
| Biochemical oxygen demand (BOD) | < 0.002 g O ₂ /g substance |
| Chemical oxygen demand (COD) | 0.54-0.58 g O ₂ /g substance |

| SODIUM HYDROXIDE (1310-73-2) | |
|-------------------------------------|-----------------------------------|
| Persistence and degradability | Biodegradability: not applicable. |
| Chemical oxygen demand (COD) | Not applicable (inorganic) |
| ThOD | Not applicable (inorganic) |

| TRISODIUM NITRILOTRIACETATE (5064-31-3) | |
|--|--|
| Persistence and degradability | Biodegradable in the soil. Readily biodegradable in water. |
| Chemical oxygen demand (COD) | 0.625 g O ₂ /g substance |

12.3. Bioaccumulative potential

| TETRASODIUM EDTA (64-0-28) | |
|---|----------------------|
| Partition coefficient n-octanol/water (Log Pow) | -2.6 |
| Bioaccumulative potential | Not bioaccumulative. |

| SODIUM HYDROXIDE (1310-73-2) | |
|-------------------------------------|----------------------|
| Bioaccumulative potential | Not bioaccumulative. |

| TRISODIUM NITRILOTRIACETATE (5064-31-3) | |
|---|--|
| BCF - Fish [1] | 1-3 (96 h, Brachydanio rerio, Fresh water, Experimental value) |
| Partition coefficient n-octanol/water (Log Pow) | -2.62 (Calculated) |
| Bioaccumulative potential | Not bioaccumulative. |

12.4. Mobility in soil

| SODIUM HYDROXIDE (1310-73-2) | |
|-------------------------------------|---|
| Ecology - soil | No (test)data on mobility of the substance available. |

| TRISODIUM NITRILOTRIACETATE (5064-31-3) | |
|--|---|
| Ecology - soil | No (test)data on mobility of the substance available. |

12.5. Other adverse effects

No additional information available

POWERSHINE ADVANCED PART A

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional legislation (waste) : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

14.1. UN number

DOT NA No : UN3267

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Corrosive liquid, basic, organic, n.o.s., (TETRASODIUM ETHYLENEDIAMINETETRAACETATE), 8, III

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : 8
Hazard labels (DOT) : 8



14.4. Packing group

Packing group (DOT) : III

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT

UN-No.(DOT) : UN3267
DOT Packaging Exceptions (49 CFR 173.xxx) : 154 May ship in limited quantity of 12X24 ounce containers in accordance with 49CFR Part 100-185
DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
DOT Packaging Bulk (49 CFR 173.xxx) : 242
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 1 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 30 L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

POWERSHINE ADVANCED PART A

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SODIUM HYDROXIDE (1310-73-2) | |
|------------------------------|---------|
| CERCLA RQ | 1000 lb |

15.2. International regulations

No additional information available

15.3. US State regulations


California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Full text of H-phrases | |
|------------------------|---|
| H314 | Causes severe skin burns and eye damage |
| H318 | Causes serious eye damage |

- NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
- NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
- NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



- Hazard Rating
- Health : 2 Moderate Hazard - Temporary or minor injury may occur
- Flammability : 0 Minimal Hazard - Materials that will not burn
- Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
- Personal protection : X - Special handling directions

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.