

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 10/21/2022 Version: 1.0

SECTION 1: Identification				
1.1. Identification				
Product form : Product code :	Mixture 1772HOT			
1.2. Recommended use and restrictions on u	ISE			
Use of the substance/mixture	Cleansing product			
1.3. Supplier				
KARCHER NORTH AMERICA 6398 N Karcher Way Aurora, 80019 United States T 303-738-2400 info@karcherna.com				
1.4. Emergency telephone number				
Emergency number :	: 800-535-5053 For Chemical Emergency Call INFOTRAC 24hr/day 7days/week Within USA and Canada: 1-800-535-5053 Outside USA and Canada: 011-1-352-323-3500 (collect calls accepted)			
SECTION 2: Hazard(s) identification				
2.1. Classification of the substance or mixtur	re			
GHS US classification				
Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1 Full text of H statements : see section 16	H314Causes severe skin burns and eye damageH318Causes serious eye damage			
2.2. GHS Label elements, including precaution	onary statements			
GHS US labeling				
Hazard pictograms (GHS US)				
Signal word (GHS US) Hazard statements (GHS US)	 Danger H314 - Causes severe skin burns and eye damage H318 - Causes serious eye damage 			
Precautionary statements (GHS US)	 P260 - Do not breathe dust, fume, gas, mist, spray, vapors. P264 - Wash hands, forearms and face thoroughly after handling. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. 			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P310 - Immediately call a POISON CENTER, a doctor.
P314 - Get medical advice/attention if you feel unwell.
P363 - Wash contaminated clothing before reuse.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in
accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

Other hazards which do not result in classification : None under normal conditions.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
SODIUM DODECYLBENZENESULFONATE	CAS-No.: 25155-30-0	1 – 5
TETRASODIUM EDTA	CAS-No.: 64- 02 -8	2.827 – 2.98
ETHOXYDIGLYCOL	CAS-No.: 111-90-0	1 – 5

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and e	ffects (acute and delayed)
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
4.3. Immediate medical attention and	special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing	media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Specific hazards arising from the chem	nical		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 No fire hazard. No direct explosion hazard. Toxic fumes may be released. 		
5.3. Special protective equipment and prec	cautions for fire-fighters		
Firefighting instructions Protection during firefighting	 Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. 		
SECTION 6: Accidental release measu	res		
6.1. Personal precautions, protective equip	oment and emergency procedures		
General measures	: Do not handle until all safety precautions have been read and understood.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. Do not breathe dust, fume, gas, mist, spray, vapors. Avoid contact with skin and eyes.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer		

Avoid release to the environment.

6.3. Methods and material for cont	ainment and cleaning up
For containment Methods for cleaning up Other information	 Absorb spilled material with sand or earth. Take up liquid spill into absorbent material. Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling	 Not expected to present a significant hazard under anticipated conditions of normal use. Ensure good ventilation of the work station. Do not breathe dust, fume, gas, mist, spray, vapors. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including a	ny incompatibilities
Technical measures Storage conditions	Comply with applicable regulations.Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

BREAKTHROUGH! ADVANCED FORMUL	A
No additional information available	
ETHOXYDIGLYCOL (111-90-0)	
No additional information available	
TETRASODIUM EDTA (64 -02 -8)	
No additional information available	
SODIUM DODECYLBENZENESULFONAT	E (25155-30-0)
No additional information available	
8.2. Appropriate engineering controls	
Appropriate engineering controls Environmental exposure controls	Ensure good ventilation of the work station.Avoid release to the environment.
8.3. Individual protection measures/Perso	onal protective equipment
Hand protection:	
Protective gloves	
Eye protection:	
Safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
In case of insufficient ventilation, wear suitable re-	spiratory equipment
Personal protective equipment symbol(s):	

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Appearance	:	Liquid.
Color	:	red Orange
Odor	:	Odorless
Odor threshold	:	No data available
рН	:	12.1
Melting point	:	Not applicable
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Relative evaporation rate (butyl acetate=1)	:	No data available
Flammability (solid, gas)	:	Not applicable.
Vapor pressure	:	No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

9.2. Other information

No additional information available

SECTION 10: Stabilit	v and reactivity
	y and roughly

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (dermal) :	Not classified Not classified Not classified	
ETHOXYDIGLYCOL (111-90-0)		
LD50 dermal rabbit	9143 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male, Experimental value, Dermal, 14 day(s))	
ATE US (oral)	6031 mg/kg body weight	
ATE US (dermal)	9143 mg/kg body weight	
TETRASODIUM EDTA (64 -02 -8)		
LD50 oral rat	> 2000 mg/kg (Rat, Oral)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity	
LC50 Inhalation - Rat	0.31 mg/l air Animal: rat, Animal sex: male	
ATE US (oral)	500 mg/kg body weight	
Skin corrosion/irritation	: Causes severe skin burns.	
	pH: 12.1	
Serious eye damage/irritation	: Causes serious eye damage.	
	pH: 12.1	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
ETHOXYDIGLYCOL (111-90-0)		
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.	
SODIUM DODECYLBENZENESULFONATE (25155-30-0)		
LOAEL (oral,rat,90 days)	200 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
LOAEL (dermal,rat/rabbit,90 days)	286 mg/kg body weight Animal: rat, Animal sex: male	
NOAEL (oral,rat,90 days)	100 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
NOAEL (dermal,rat/rabbit,90 days)	< 286 mg/kg body weight Animal: rat, Animal sex: male	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard	: Not classified	
Viscosity, kinematic	: No data available	
Symptoms/effects after skin contact	: Burns.	
Symptoms/effects after eye contact	: Serious damage to eyes.	

SECTION 12: Ecological information

12.1. Toxicity		
Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.	
ETHOXYDIGLYCOL (111-90-0)		
LC50 - Fish [1]	6010 mg/l (Equivalent or similar to OECD 203, 96 h, Ictalurus punctatus, Flow-through system, Fresh water, Experimental value, Lethal)	
ErC50 algae	14861 mg/l (Equivalent or similar to OECD 201, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)	
TETRASODIUM EDTA (64 -02 -8)		
LC50 - Fish [1]	121 mg/l (96 h, Lepomis macrochirus, Literature study, Soft water)	
EC50 - Crustacea [1]	625 mg/l (24 h, Daphnia magna, Literature study)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability		
ETHOXYDIGLYCOL (111-90-0)		
Persistence and degradability	Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.2 g O ₂ /g substance	
Chemical oxygen demand (COD)	1.85 g O ₂ /g substance	
ThOD	1.9078849 g O ₂ /g substance	
BOD (% of ThOD)	0.11 (Calculated value)	
TETRASODIUM EDTA (64 -02 -8)		
Persistence and degradability	Not readily biodegradable in water.	
Biochemical oxygen demand (BOD)	< 0.002 g O ₂ /g substance	
Chemical oxygen demand (COD)	0.54 – 0.58 g O ₂ /g substance	
12.3. Bioaccumulative potential		
ETHOXYDIGLYCOL (111-90-0)		
Partition coefficient n-octanol/water (Log Pow)	-0.54 (Literature, 20 °C)	
Bioaccumulative potential	Not bioaccumulative.	
TETRASODIUM EDTA (64 -02 -8)		
Partition coefficient n-octanol/water (Log Pow)	-2.6	
Bioaccumulative potential	Not bioaccumulative.	
12.4. Mobility in soil		
ETHOXYDIGLYCOL (111-90-0)		
Surface tension	52 mN/m (25 °C)	
Ecology - soil	Highly mobile in soil.	
12.5. Other adverse effects		
No additional information available		

SECTION 13: Disposal considerations 13.1. Disposal methods Regional legislation (waste) * Disposal must be done according to official regulations. * Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information		
14.1. UN number		
Not regulated for transport		
14.2. UN proper shipping name		
Proper Shipping Name (DOT)	: Not applicable	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.3. Transport hazard class(es)		
DOT Transport hazard class(es) (DOT)	: Not applicable	
14.4. Packing group		
Packing group (DOT)	: Not applicable	
14.5. Environmental hazards		
Other information	: No supplementary information available.	
14.6. Special precautions for user		
DOT No data available		
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code		
Not applicable		
SECTION 15: Regulatory information		
15.1. US Federal regulations		

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

SODIUM DODECYLBENZENESULFONATE (25155-30-0)	
CERCLA RQ	1000 lb
15.2. International regulations	

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases			
H314	Causes severe skin burns and eye damage		
H318	Causes serious eye damage		
NFPA health haza	rd	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.	
NFPA fire hazard		: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.	2 0
NFPA reactivity		 0 - Material that in themselves are normally stable, even under fire conditions. 	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT
	react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal protection	: X - Special handling directions

Personal protection

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.