

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 12/21/2023 Revision date: 12/21/2023 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form Product code	: Mixture : 8883HOT		
1.2. Recommended use and restrictions on u	ise		
No additional information available			
1.3. Supplier			
KARCHER NORTH AMERICA 6398 N Karcher Way Aurora, 80019 United States T 303-738-2400 info@karcherna.com			
1.4. Emergency telephone number			
Emergency number	Within USA an	nd Canada: 1-80 and Canada: 01	INFOTRAC 24hr/day 7days/week 0-535-5053 I-1-352-323-3500
SECTION 2: Hazard(s) identification			
2.1. Classification of the substance or mixture	re		
GHS US classification			
Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1 Hazardous to the aquatic environment – Acute Hazard Full text of H statements : see section 16	I Category 3	H314 H318 H402	Causes severe skin burns and eye damage Causes serious eye damage Harmful to aquatic life
2.2. GHS Label elements, including precaution	onary stateme	nts	
GHS US labeling			
Hazard pictograms (GHS US)		•	
,	H318 - Causes	s severe skin bu s serious eye da Il to aquatic life	rns and eye damage mage
Precautionary statements (GHS US)	 P260 - Do not breathe dust, fume, gas, mist, spray, vapors. P264 - Wash hands, forearms and face thoroughly after handling. P273 - Avoid release to the environment. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. 		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER, a doctor. P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

: None under normal conditions.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

Other hazards which do not result in classification

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
ALKYL (C10-C16) BENZENESULFONIC ACID	CAS-No.: 68584-22-5	22.32 – 24.8
ETHOXYDIGLYCOL	CAS-No.: 111-90-0	10 – 20
1-HYDROXYETHYLIDENE-1,1-DISPHOSPHONIC ACID	CAS-No.: 2809-21-4	7.012 – 7.496
SULFURIC ACID	CAS-No.: 7664-93-9	0.248 – 0.744

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and ef	fects (acute and delayed)
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

Treat symptomatically.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing	g media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from the chen	nical
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Heating increases the fire hazard. No direct explosion hazard. Toxic fumes may be released.
5.3. Special protective equipment and prec	autions for fire-fighters
Firefighting instructions Protection during firefighting	 Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipm	ent and emergency procedures	
General measures	Do not handle until all safety precautions have been read and understood.	
6.1.1. For non-emergency personnel		
Emergency procedures	Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust, fume, gas, mist, spray, vapors.	
6.1.2. For emergency responders		
Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		

6.3. Methods and material for containment and cleaning up		
For containment Methods for cleaning up Other information	 Collect spillage. Take up liquid spill into absorbent material. Dispose of materials or solid residues at an authorized site. 	
6.4. Reference to other sections		

For further information refer to section 13.

SECTION 7: Handling and storag	e	
7.1. Precautions for safe handling		
Additional hazards when processed Precautions for safe handling	 Not expected to present a significant hazard under anticipated conditions of normal use. Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust, fume, gas, mist, spray, vapors. Wear personal protective equipment. 	
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures Storage conditions	Comply with applicable regulations.Store locked up. Store in a well-ventilated place. Keep cool.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
TRANSPORT ADVANCED PART B		
No additional information available		
ETHOXYDIGLYCOL (111-90-0)		
No additional information available		
1-HYDROXYETHYLIDENE-1,1-DISPHOSPHONIC	C ACID (2809-21-4)	
No additional information available		
ALKYL (C10-C16) BENZENESULFONIC ACID (6	8584-22-5)	
No additional information available		
SULFURIC ACID (7664-93-9)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	0.2 mg/m³ (Thoracic fraction)	
8.2. Appropriate engineering controls		
	insure good ventilation of the work station. void release to the environment.	
8.3. Individual protection measures/Personal pr	otective equipment	
Hand protection:		
Protective gloves		
Eye protection:		
Safety glasses		
Skin and body protection:		
Wear suitable protective clothing		
Respiratory protection:		
In case of insufficient ventilation, wear suitable respirator	y equipment	
Personal protective equipment symbol(s):		



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	
Appearance	
Color	
Odor	

:	Liquid
:	Liquid.

- : Liqu : red
 - : Odourless

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

pH Density	: 1.05 : 8.8
9.2. Other information	
Refractive index	: 1.4104
VOC CONTENT	: 0

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects		
Acute toxicity (dermal)	Not classified Not classified Not classified	
ETHOXYDIGLYCOL (111-90-0)		
LD50 dermal rabbit	9143 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male, Experimental value, Dermal, 14 day(s))	
ATE US (oral)	6031 mg/kg body weight	
ATE US (dermal)	9143 mg/kg body weight	
1-HYDROXYETHYLIDENE-1,1-DISPHOSPHONIC ACID (2809-21-4)		
LD50 oral rat	3130 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:, 95% CL: 2660 - 3665	
LD50 dermal rabbit	> 5000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:	
ATE US (oral)	3130 mg/kg body weight	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

D50 dermal rabbit	
	> 5000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
C50 Inhalation - Rat	> 1.9 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
SULFURIC ACID (7664-93-9)	
D50 oral rat	2140 mg/kg body weight (Rat, Experimental value, Oral)
TE US (oral)	2140 mg/kg body weight
kin corrosion/irritation	: Causes severe skin burns. pH: 1.05
erious eye damage/irritation	: Causes serious eye damage. pH: 1.05
espiratory or skin sensitization	: Not classified
erm cell mutagenicity	: Not classified
arcinogenicity	: Not classified
-HYDROXYETHYLIDENE-1,1-DISPHOSPH	IONIC ACID (2809-21-4)
IOAEL (chronic,oral,animal/male,2 years)	≥ 384 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
IOAEL (chronic,oral,animal/female,2 years)	≥ 493 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
SULFURIC ACID (7664-93-9)	
lational Toxicity Program (NTP) Status	Known Human Carcinogens
eproductive toxicity	: Not classified
TOT-single exposure	: Not classified
THOXYDIGLYCOL (111-90-0)	
TOT-single exposure	May cause drowsiness or dizziness.
TOT-repeated exposure	: Not classified
-HYDROXYETHYLIDENE-1,1-DISPHOSPH	IONIC ACID (2809-21-4)
OAEL (oral,rat,90 days)	169 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:
IOAEL (oral,rat,90 days)	41 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:
TOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
ALKYL (C10-C16) BENZENESULFONIC AC	SID (68584-22-5)
IOAEL (oral,rat,90 days)	500 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)
IOAEL (dermal,rat/rabbit,90 days)	> 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
spiration hazard	: Not classified
scosity, kinematic	: No data available
mptoms/effects after skin contact	: Burns.
/mptoms/effects after eye contact /mptoms/effects after ingestion	: Serious damage to eyes. : Burns.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information

Л	2.1				1.	
	Ζ.		XI	С	τv	
-		 ~		~	-,	

Ecology - general :	Harmful to aquatic life.
ETHOXYDIGLYCOL (111-90-0)	
LC50 - Fish [1]	6010 mg/l (Equivalent or similar to OECD 203, 96 h, Ictalurus punctatus, Flow-through system, Fresh water, Experimental value, Lethal)
ErC50 algae	14861 mg/l (Equivalent or similar to OECD 201, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)
1-HYDROXYETHYLIDENE-1,1-DISPHOSPHON	IC ACID (2809-21-4)
LC50 - Fish [1]	195 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	527 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	1770 mg/l Test organisms (species): Palaemonetes pugio
NOEC (chronic)	6.75 mg/l Test organisms (species): Daphnia magna Duration: '28 d'
SULFURIC ACID (7664-93-9)	
LC50 - Fish [1]	42 mg/l (96 h, Gambusia affinis)
EC50 - Crustacea [1]	29 mg/l (24 h, Daphnia magna)

12.2. Persistence and degradability

ETHOXYDIGLYCOL (111-90-0)		
Persistence and degradability	Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.2 g O ₂ /g substance	
Chemical oxygen demand (COD)	1.85 g O ₂ /g substance	
ThOD	1.9078849 g O ₂ /g substance	
BOD (% of ThOD)	0.11 (Calculated value)	
SULFURIC ACID (7664-93-9)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	

12.3. Bioaccumulative potential

ETHOXYDIGLYCOL (111-90-0)		
Partition coefficient n-octanol/water (Log Pow) -0.54 (Literature, 20 °C)		
Bioaccumulative potential	Not bioaccumulative.	
SULFURIC ACID (7664-93-9)		
Partition coefficient n-octanol/water (Log Pow)	-2.2 (Estimated value)	
Bioaccumulative potential	Not bioaccumulative.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil	
ETHOXYDIGLYCOL (111-90-0)	
Surface tension	52 mN/m (25 °C)
Ecology - soil	Highly mobile in soil.
12.5. Other adverse effects	

No additional information available

SECTION 13: Disposal conside	erations
13.1. Disposal methods	
Regional legislation (waste) Waste treatment methods	 Disposal must be done according to official regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information	
14.1. UN number	
DOT NA No	: UN1760
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Corrosive liquids, n.o.s., (SULFONIC ACID DDBSA), 8, II
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT) Hazard labels (DOT)	: 8 : 8 CORROSIVE 8
14.4. Packing group	
Packing group (DOT)	: 11
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT UN-No.(DOT)	: UN1760
14.7. Transport in bulk according to Annex	x II of MARPOL 73/78 and the IBC Code
Natappliashla	

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

SULFURIC ACID (7664-93-9)	
CERCLA RQ	1000 lb
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb
15.2. International regulations	

SULFURIC ACID (7664-93-9)

Listed as carcinogen on NTP (National Toxicology Program)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 12/21/2023

Full text of H-phra	ases
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H402	Harmful to aquatic life
NFPA health hazard NFPA fire hazard NFPA reactivity	 d : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury. : 1 - Materials that must be preheated before ignition can occur. : 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating Health Flammability Physical Personal protection	 2 Moderate Hazard - Temporary or minor injury may occur 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB) 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives. B - Safety glasses, Gloves
Safety Data Sheet ((SDS), USA

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.