

**KARCHER** NEUTRAL FLOOR CLEANER

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 8/31/2022

SECTION 1: Identification	
1.1. Identification	
Product form Product code	: Mixture : 1921KNA
1.2. Recommended use and restrictions of	on use
Use of the substance/mixture	: Cleansing product
1.3. Supplier	
KARCHER NORTH AMERICA 6398 N Karcher Way Aurora, 80019 United States T 303-738-2400 info@karcher.com	
1.4. Emergency telephone number	
Emergency number	: 800-535-5053 For Chemical Emergency Call INFOTRAC 24hr/day 7days/week Within USA and Canada: 1-800-535-5053 Outside USA and Canada: 1-352-323-3500 (collect calls accepted)
SECTION 2: Hazard(s) identification	
SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mi	xture
	xture H319 Causes serious eye irritation.
2.1. Classification of the substance or mi GHS US classification Serious eye damage/eye irritation, Category 2	H319 Causes serious eye irritation.
2.1. Classification of the substance or mi GHS US classification Serious eye damage/eye irritation, Category 2 Full text of H statements : see section 16	H319 Causes serious eye irritation.
<ul> <li>2.1. Classification of the substance or mi</li> <li>GHS US classification</li> <li>Serious eye damage/eye irritation, Category 2</li> <li>Full text of H statements : see section 16</li> <li>2.2. GHS Label elements, including preca</li> <li>GHS US labeling</li> </ul>	H319 Causes serious eye irritation.
2.1. Classification of the substance or mi GHS US classification Serious eye damage/eye irritation, Category 2 Full text of H statements : see section 16 2.2. GHS Label elements, including preca GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	H319       Causes serious eye irritation.         cutionary statements         • </td

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

#### Not applicable

2.2 Mixt

5.2. Mixtures		
Name	Product identifier	%
BUTOXYDIGLYCOL Component	CAS-No.: 112-34-5	5 – 10
	CAS-No.: PROPRIETARY	1 – 5
SODIUM XYLENE SULFONATE	CAS-No.: 1300-72-7	1 – 5

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures 4.1. Description of first aid measures First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. First-aid measures after skin contact : Wash skin with plenty of water. First-aid measures after eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to · do. Continue rinsing. If eye irritation persists: Get medical advice/attention. First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell. 4.2. Most important symptoms and effects (acute and delayed) Symptoms/effects after eye contact : Eye irritation. 4.3. Immediate medical attention and special treatment, if necessary Treat symptomatically. SECTION 5: Fire-fighting measures 5.1. Suitable (and unsuitable) extinguishing media Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide. 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### **5.3. Special protective equipment and precautions for fire-fighters**

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measu	ures		
6.1. Personal precautions, protective equipment and emergency procedures			
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containmen	t and cleaning up		
Methods for cleaning up Other information	<ul><li>Take up liquid spill into absorbent material.</li><li>Dispose of materials or solid residues at an authorized site.</li></ul>		
6.4. Reference to other sections			
For further information refer to section 13.			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling Hygiene measures	<ul> <li>Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.</li> <li>Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>		
7.2. Conditions for safe storage, including	any incompatibilities		
Storage conditions	: Store in a well-ventilated place. Keep cool.		

SECTION	8. Ex	nosura	controls/	noreonal	protection
		posure	00111013/	personal	

8.1. Control parameters			
NEUTRAL FLOOR CLEANER			
No additional information available			
LOW FOAM NONIONIC SURFACTANT PROPRIETARY			
No additional information available			
SODIUM XYLENE SULFONATE 1300-72-7			
No additional information available			
BUTOXYDIGLYCOL 112-34-5			
No additional information available			
USA - ACGIH - Occupational Exposure Limits			
Local name	Diethylene glycol monobutyl ether		
ACGIH OEL TWA 10 ppm (Inhalable fraction and vapor)			

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

BUTOXYDIGLYCOL 112-34-5		
Remark (ACGIH)	TLV® Basis: Hematologic, liver & kidney eff	
Regulatory reference	ACGIH 2019	
8.2. Appropriate engineering controls		
	Ensure good ventilation of the work station. Avoid release to the environment.	
8.3. Individual protection measures/Personal	protective equipment	
Hand protection:		
Protective gloves		
Eye protection:		
Safety glasses		
Skin and body protection:		
Wear suitable protective clothing		
Respiratory protection:		
In case of insufficient ventilation, wear suitable respiratory equipment		
Porsonal protoctive equipment symbol(s):		

Personal protective equipment symbol(s):



Physical state	· Liquid
Color	: Liquid : Mixture contains one or more component(s) which have the following color(s):
	Colourless White Colorless Colourless to light yellow White-brown Colourless to white
Odor	: There may be no odor warning properties, odor is subjective and inadequate to warn of
	overexposure.
	Mixture contains one or more component(s) which have the following odor:
	Mild odor Odourless Alcohol odour Stuffy odour
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** 

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid** 

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

11.1. Information on toxicological effects	
Acute toxicity (dermal)	Not classified Not classified Not classified
SODIUM XYLENE SULFONATE (1300-72-7)	
LD50 oral rat	> 7000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Read-across, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Read-across, Dermal, 14 day(s))
BUTOXYDIGLYCOL (112-34-5)	
LD50 dermal rabbit	2764 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Male, Experimental value, Dermal, 14 day(s))
ATE US (oral)	2410 mg/kg body weight
ATE US (dermal)	2764 mg/kg body weight
Skin corrosion/irritation :	Not classified
Serious eye damage/irritation :	Causes serious eye irritation.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure	<ul> <li>Not classified</li> </ul>
BUTOXYDIGLYCOL (112-34-5)	
NOAEL (oral,rat,90 days)	250 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90- Day Oral Toxicity in Rodents)
Aspiration hazard	Not classified
Viscosity, kinematic	No data available
Symptoms/effects after eye contact	Eye irritation.

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general :	The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.	
SODIUM XYLENE SULFONATE1300-72-7		
LC50 - Fish [1]	> 1000 mg/l (EPA OTS 797.1400, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value)	
EC50 - Crustacea [1]	> 1000 mg/l (EPA OTS 797.1300, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)	
BUTOXYDIGLYCOL112-34-5		
LC50 - Fish [1]	1300 mg/l (Equivalent or similar to OECD 203, 96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value, Lethal)	
EC50 - Crustacea [1]	> 100 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)	
ErC50 algae	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)	
12.2. Persistence and degradability		
SODIUM XYLENE SULFONATE1300-72-7		
Persistence and degradability	Readily biodegradable in water.	
BUTOXYDIGLYCOL112-34-5		
Persistence and degradability	Readily biodegradable in water.	
12.3. Bioaccumulative potential		
SODIUM XYLENE SULFONATE1300-72-7		
Partition coefficient n-octanol/water (Log Pow)	-3.12 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C)	
Bioaccumulative potential	Not bioaccumulative.	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

BUTOXYDIGLYCOL112-34-5		
Partition coefficient n-octanol/water (Log Pow)	1 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
12.4. Mobility in soil		
SODIUM XYLENE SULFONATE1300-72-7		
Surface tension	71 mN/m (20 °C, 90 %, EU Method A.5: Surface tension)	
Ecology - soil	No (test)data on mobility of the substance available.	
BUTOXYDIGLYCOL112-34-5		
Surface tension	27 mN/m (25 °C, 0.00212 mol/g)	
Ecology - soil	Highly mobile in soil.	
12.5. Other adverse effects		

No additional information available

SECTION 13: Disposal conside	erations
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information		
14.1. UN number		
Not regulated for transport		
14.2. UN proper shipping name		
Proper Shipping Name (DOT)	: Not applicable	
14.3. Transport hazard class(es)		
<b>DOT</b> Transport hazard class(es) (DOT)	: Not applicable	
14.4. Packing group		
Packing group (DOT)	: Not applicable	
14.5. Environmental hazards		
Other information	: No supplementary information available.	
14.6. Special precautions for user		
DOT No data available		
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code		

Not applicable

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 15: Regulatory information**

#### **15.1. US Federal regulations**

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

#### CANADA

#### SODIUM XYLENE SULFONATE1300-72-7

Listed on the Canadian DSL (Domestic Substances List)

BUT		<b>GLYCOL</b> <sup>2</sup>	112-34-5
BUI	UNIDI	<b>JLICUL</b>	112-34-3

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### **National regulations**

SODIUM XYLENE SULFONATE1300-72-7

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

No additional information available

### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements	
H319	Causes serious eye irritation

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.