


CLEANLINESS FIRST

Nowhere are cleanliness and safety as closely linked as on a building site. You can reliably eliminate many risk factors with our professional cleaning solutions. Let Kärcher's wide range of cleaning equipment for various applications in the construction industry convince you.



DIRT IS A THING OF THE PAST

On construction sites, safety and cleanliness are more important than ever. Whatever kind of dirt and however much you have to remove, with Kärcher cleaning solutions you get the performance, safety and reliability that you need.









NT 22/1 Ap L

Wet and dry vacuum cleaner

- Low weight and compact dimensions
- Semi-automatic filter cleaning
- Moisture-resistant PES cartridge filter



BD 43/40 C Ep *IN

Scrubber drier

Technical data

Supply voltage (V/Hz)

Tank of fresh/dirty water (I)

Brush contact pressure (g/cm²)

Working width of brushes (mm)

Working width, vacuuming (mm)

Weight without accessories (kg)

Theoretical area performance (m²/h)

- Mains-operated machine
- Simple operation thanks to EASYOperation Panel

230/50

40 / 40

1800

30-40

430

850

50.3

■ Affordable entry-level model

	Technical data	
	Supply voltage (Ph/V/Hz)	1 / 220 - 240 / 50 - 60
	Air flow (I/s)	72
	Vacuum (mbar/kPa)	249 / 24.9
	Container capacity (I)	22
	Container material	Plastic
	Rated input power (W)	max. 1300
	Standard nominal width	ID 35

- Filter cleaning: Semi-automatic filter cleaning Ap
- Protection class: II
- Stop swivel castor

	Supply voltage (Ph/V/Hz)	1 / 220 - 240 / 50 - 60
	Air flow (I/s)	72
	Vacuum (mbar/kPa)	249 / 24.9
	Container capacity (I)	22
	Container material	Plastic
	Rated input power (W)	max. 1300
	Standard nominal width	ID 35

Equipment

- Disc brush
- Mains operation
- Squeegee, Straight
- 2-tank system

Order no. 1.378-600.0

Price

Order no. 1.515-404.0

Price

Recommended accessories

Wet/dry floor nozzle, advanced plastic, DN 35

Order no2.889-152.0 / Price

Cyclone preseparator CS 40 Me

Order no2.863-026.0 / Price

Suction hose, NT, DN 35, length 4m, electrically conductive, lip 2.0, bayonet 2.0

Order no2.889-137.0 / Price

Recommended accessories

Suction bar, 850mm, straight

Order no. 4.777-401.0 / Price

Mop holder

Order no. 9.753-023.0 / Price

Suction bar, 850mm, bent

Order no. 4.777-411.0 / Price



BD 90/160 R Classic Bp

Scrubber drier

- High-performance battery-powered scrubber drier with 160L tank and 90cm working width.
- Powerful 80kg brush pressure and 700W suction for excellent cleaning results.
- Affordable entry-level model
- KIK system prevents incorrect operation; anti-skid wheels ensure safety.
- Low maintenance and service costs with durable, proven components



KM 70/20 C

Sweeper

- Roller brush and side brushes continuously adjustable
- Dust filter
- Home Base system

7	Technical data	
	Brush working width (mm)	900
	Working width, vacuuming (mm)	1200
	Fresh/dirty water tank (I)	160 / 160
	Theoretical area performance (m²/h)	5400
	Brush speed (rpm)	100-190
	Brush contact pressure (g/cm²)	-30 /
	Battery voltage (V)	36

Technical data	
Drive type	manual
Max. area performance (m²/h)	2800
Working width (mm)	480
Working width with 1 side brush (mm)	700
Tank volume, gross/net (I)	45/20
Weight (with accessories) (kg)	21

- Disc brush
- Parking brake
- Powerful traction drive Adjustable steering wheel ■ Solenoid valve
- Automatic water stop Dose
- 2-tank system

Order no. 1.246-041.0

Recommended accessories

Disc brush, very soft, White, 450 mm

Order no. 4.905-005.0 / Price

Disc brush, soft, natural, 450 mm

Order no. 4.905-004.0 / Price

Disc brush, medium, red, 450 mm

Order no. 4.905-003.0 / Price

- Sweeper drive, manual Main sweeper roller adjustable
- Foldable push handle Dustpan principle
- ■Outdoor use Indoor use

Order no. 1.517-130.0

Price

Recommended accessories

Main sweeper roller, hard

Order no. 6.903-999.0 / Price

UNIMPEDED SAFETY

Clean means safe. With Kärcher sweepers, you can remove all kinds of dirt from small to very large areas. With wet cleaning, with our high-pressure cleaners and the mobile HP trailers, you













KM 120/250 R D CLASSIC

Vacuum sweeper

- Robust design of the machine for safe work
- Large-area pocket filter with vibration motor
- Simple operation, maintenance and servicing

KM 100/100 R Bp

Vacuum sweeper

- Impact protection
- Large filter area with automatic filter cleaning system
- Easy to maintain

4	recrimed data
	Drive type

	Drive type	Diesel
	Traction drive	Four-stroke engine
	Motor manufacturer	Yanmar
	Drive- performance (kW)	15.8
	Max. area performance (m²/h)	10800
	Working width (mm)	900
	Working width with 1 side brush (mm)	1200

rec	nn	ıcaı	αа	τа

Traction drive	DC motor
Drive- performance (kW)	24 / 2.1
Drive type	Electric
Max. area performance (m²/h)	6000
Max. area performance with 2 side brushes (m²/h)	7800
Working width (mm)	700
Working width with 1 side brush (mm)	1000

Equipmen

- Filter cleaning manual Main sweeper roller adjustable
- Power steering Suction volume regulation Dustpan principle
- Forwards traction drive Suction Side brush, automatically swings out

Order no. 1.186-000.0

Price

Users must receive training on this device.

Recommended accessories

Standard roller brush

Order no. 6.988-800.0 / Price

Side brush, steel bristles **Order no.** 6.905-619.0 / **Price**

Blinker beacon front and rear - ex works

Order no. 2.852-151.7 / Price

Equipment

- Filter cleaning manual Filter cleaning automatic
- Main sweeper roller, floating Suction volume regulation
- Coarse dirt flap Overhead sweeping principle
- Forwards traction drive Backwards traction drive Suction
- Outdoor use Indoor use Battery indicator
- Elapsed time counter Sweeping function, can be switched off

Order no. 1.280-103.0

Price

Users must receive training on this device.

Recommended accessories

Holder for NT 22/1 Ap Bp vacuum cleaner

Order no. 2.853-195.0 / Price

Main sweeper roller, soft/natural

Order no. 6.906-533.0 / Price





KM 85/50 R Bp

Vacuum sweeper

- Clever container concept
- Efficient filter system
- Clever ergonomics for high level of comfort at workplace

HDS 17/20 De Tr1

HDS Trailer

- Automatic speed reduction
- With cleaning agent dosing
- Servo Control: infinitely variable water and pressure volume regulation direct from the trigger gun

1	Technical data	
	Traction drive	DC motor
	Drive- performance (kW)	24 / 1000
	Drive type	Electric
	Max. area performance (m²/h)	5100
	Max. area performance with 2 side brushes (m²/h)	6510
	Working width (mm)	615
	Working width with 1 side brush (mm)	850

4	Technical data	
	Drive type	Diesel
	Motor manufacturer	Yanmar
	Engine rating (kW/hp)	19/26
	Flow rate (I/h)	900 - 1700
	Pressure (bar/MPa)	60 - 200 / 6 - 20
	Consumption of heating oil in eco!efficiency mode (kg/h)	9.7
	Dimension (I x W x H) (mm)	3646 x 1747 x 1735

Equipment

- Filter cleaning manual Filter cleaning mechanical
- Main sweeper roller, floating Suction volume regulation
- Coarse dirt flap Overhead sweeping principle
- Forwards traction drive Backwards traction drive
- Suction = Outdoor use = Indoor use

Equipment

Spray gun EASY!Force Advanced

Order no. 1.351-126.0

Price

Users must receive training on this device.

Recommended accessories

Home Base adapter

Order no. 5.035-488.0 / Price

Revolving signal light

Order no. 2.852-500.0 / Price

Order no. 1.524-952.2

Price

Users must receive training on this device.

Recommended accessories

FRV 50 Me surface cleaner

Order no. 2.111-024.0 / Price

Additional handle for EASY!Lock spray lances

Order no. 4.321-380.0 / Price

Spray lance extender, 1000 mm

Order no. 4.112-048.0 / Price



HD 10/25-4 S

High-pressure washer

- Diesel engine with electro start
- Energy-saving EASY!Force high-pressure gun for fatigue-free work
- Professional high-performance hot water machine



HD 9/23 De

High-pressure washer

- Maximum independence
- Optimum ease of use
- Highly versatile

2	Technical data	
	Flow rate (I/h)	500 - 1000
	Working pressure (bar/MPa)	80 - 250
	Connected load (kW)	8.8
	Power cable (m)	5
	Nozzle size	047
	Water inlet	1"
	Weight (with accessories) (kg)	69.8

Technical data	
Flow rate (I/h)	400 - 930
Motor manufacturer	Yanmar
Drive type	Diesel
Inlet temperature (°C)	60
Max. pressure (bar/MPa)	270 / 27
Working pressure (bar/MPa)	40 - up to 230 / 4 - up to 23
Weight (with accessories) (kg)	112.5

- 4-pole, three-phase motor with air and water cooling
- 3-piston axial pump: With stainless steel pistons
- Pressure switch-off Integrated water fine filter
- Electronic motor protection with LED display Oil level indicator
- Brass water inlet

Order no. 1.286-954.0

Users must receive training on this device.

Recommended accessories

High pressure articulated joint Order no. 4.112-057.0 / Price

Dirt blaster Vibrasoft, 050 Order no. 4.114-066.0 / Price

Angled Vario nozzle, 050

Order no. 4.113-007.0 /Price

- Infinitely variable pressure and water flow regulation
- Electro start
- Cleaning agent function: Suction

Order no. 1.187-907.0

Price

Recommended accessories

LED nozzle light

Order no. 2.680-002.0 / Price

Gutter cleaning lance

Order no. 2.112-015.0 / Price



BD 50/50 C Bp Classic

Scrubber drier

- Equipped with solenoid valve and transport roll for maximum comfort
- Simple operation thanks to EASY-Operation Panel
- Affordable entry-level model



IVM 100/55 Sc

Industrial vacuum

- Silent and maintenance free side channel vacuum unit.
- Continuous Duty.
- Detachable container for easy removal of the collected material.
- East filter cleaning system.
- Vacuum gause for vacuum level and filter clogging monitoring.

1	Technical data	
	Drive type	Battery
	Battery capacity (Ah)	105/80/76
	Theoretical area performance (m²/h)	2000
	Tank of fresh/dirty water (I)	50 / 50
	Avg. power consumption (W)	1100
	Rated power brush drive (W)	600
	Brush speed (1/min)	155

Equipmen

- Large tank volume with compact dimensions
- EASY-Operation Panel
- Robust and durable control elements
- Home Base system

Order no. 1.127-025.0

Price

Recommended accessories

Driver plate pad

Order no. 4.762-534.0 / Price

Set homebase box

Order no. 4.035-406.0 / Price

1	Technical data	
	Voltage (V)	415
	Frequency (Hz)	50
	Vacuum Max (mmH20)	3000
	Rated Power	2.2
	Inlet (mm)	80
	Air Flow (M³/h)	300
	Weight (kg)	120

Equipment

- Vacuum relief valve.
- Stainless steel AISI 304 container.
- Polyester star filter (for dust applications class M).
- Hepa Filter kit for H class dusts

Order no. 9.870-301.0

Price

Users must receive training on this device.

Recommended accessories

Standard kit liquids/swarf DN40

Order no. 9.989-657.0 / Price

Standard kit liquid DN40

Order no. 4.321-380.0 / Price

Standard kit solids/dusts DN40

Order no. 9.989-659.0 / Price



HD 9/50-4 Cage

High-pressure washer

- High-pressure hose: 10 m, Heavy duty
- Safety valve
- Elapsed time counter



HD 6/15-4 M Classic

High-pressure washer

- 4-pole low-speed electric motor
- Robust crankshaft pump with brass cylinder head
- Simple maintenance

3	Technical data	
	Supply voltage (Ph/V/Hz)	3 / 400 / 50
	Flow rate (I/h)	500 - 900
	Inlet temperature (°C)	max. 60
	Working pressure (bar/MPa)	150 - max. 500 / 15 - max. 50
	Fuel	Electric
	Engine rating (kW)	15
	Weight (with accessories) (kg)	195

4	rechnical data	
	Supply voltage (Ph/V/Hz)	3 / 400 / 50
	Flow rate (I/h)	500 - 900
	Inlet temperature (°C)	max. 60
	Working pressure (bar/MPa)	150 - max. 500 / 15 - max. 50
	Fuel	Electric
	Engine rating (kW)	15
	Weight (with accessories) (kg)	195

Technical data

Flow rate (I/h)

Supply voltage (Ph/V/Hz)

- High-pressure hose: 10 m, Heavy duty
- Safety valve
- Elapsed time counter

Inlet temperature (°C)	60
Working pressure (bar/MPa)	70 - 150
Max. pressure (bar)	190
Connected load (kW)	3.4
Power cable	5

1 / 216 - 244 / 50

450 - 600 60

- High-pressure hose length: 10 m
- High-pressure hose specification: ID 8, 315 bar
- Pressure switch-off
- Infinitely variable pressure and water flow regulation

Order no. 1.367-156.0

Users must receive training on this device.

Recommended accessories

Foot valve for pipe cleaning Order no. 6.470-223.0 / Price Nozzle package 015 FRI 50 Me

Order no. 6.415-044.0 / Price

Flat jet nozzle, 15030

Order no. 5.765-164.0 / Price

Order no. 1.367-900.0

Recommended accessories

Cup foam lance Advanced 1, 400 l/h - 600 l/h

Order no. 4.112-063.0 / Price

Dirt blaster, small, 045

Order no. 4.114-021.0 / Price

High-pressure hose, 10 m, DN 6, 250 bar, 2 × EASY!Lock


Order no. 6.110-035.0 / Price

Spray lance, 250 mm, rotatable

Order no. 4.112-027.0 / Price

MAKE YOUR MACHINES LAST LONGER

Construction machines are long-term investments, and have to be maintained accordingly. Ensure operational readiness and cost-effectiveness with professional Kärcher cleaning machines, accessories and cleaning agents.





HD 10/21-4 S Plus

High-pressure washer

- High efficiency
- Wide-ranging accessories with EASY!Lock
- Maximum efficiency

_		
\mathbf{Z}	Technical data	
	Supply voltage (Ph/V/Hz)	3 / 376 - 424 / 50
	Flow rate (I/h)	500 - 1000
	Inlet temperature (°C)	60
	Working pressure (bar/MPa)	50 - 210
	Max. pressure (bar/MPa)	250
	Connected load (kW)	8
	Weight (with accessories) (kg)	78.1

- Cleaning agent function: 20 + 10 l tank ANTI!Twist
- Tanks for cleaning agents, calcification protection
 and fuel that can be filled from the outside
- Control bar with display light
- Pressure switch-off Pole reverse plug (3~)
- 2 cleaning agent tanks Dry-running protection

Order no. 1.071-939.0

Users must receive training on this device.

Recommended accessories

Quick coupling

Order no. 2.115-000.0 / Price

Power nozzle 40°, 075

Order no. 2.113-056.0 / Price

Steam jet nozzle 40°, 070

Order no. 2.114-006.0 / Price

STRONGER THAN CONCRETE

The best machines for the toughest jobs. Extremely strong. Extremely reliable. Extremely safe. Kärcher high-pressure and ultra-high-pressure machines, for cleaning formwork, for concrete restoration, for removing bitumen, for removing rust and paint, and generally for the preparation of surfaces.







HD 9/100-4 Cage Classic

Ultra-high-pressure cleaner

- Booster pump (optional)
- Water shortage protection as standard

HD 18/50-4 Cage Adv

Ultra-high-pressure cleaner

- Automatic pressure relief
- Booster pump (optional)
- Water shortage protection as standard

2	Technical data	
	Working pressure (bar/MPa)	1000 / 100
	Flow rate (I/h)	980
	Inlet temperature (°C)	45
	Fuel	Electric
	Engine rating (kW)	30
	Supply voltage (Ph/V/Hz)	3/380/415/50
	Pump type	Crankshaft

Technical data	
Technical data	
Working pressure (bar/MPa)	max. 500/max. 50
Flow rate (I/h)	1800
Inlet temperature (°C)	max. 60
Fuel	Electric
Engine rating (kW)	30
Supply voltage (Ph/V/Hz)	3/380/415/50
Pump type	Crankshaft

- High-pressure hose, 20m Spray gun UHP trigger gun (Dump Gun)
- Stainless steel spray lance 750 mm Flat jet nozzle Safety valve
- Elapsed time counter

- High-pressure hose, 20m, Heavy duty
- Spray gun Industrial trigger gun
- Stainless steel spray lance 700mm
- Flat jet nozzle
- Safety valve Elapsed time counter

Order no. 1.812-000.0

Users must receive training on this device.

Recommended accessories

Abrasive sprayer

Order no. 9.872-250.0 / Price

Attachment kit for advance pressure pump

Order no. 2.637-017.0 / Price

Nozzle body

Order no. 9.917-677.0 / Price

Order number: 1.367-160.0

Price

Users must receive training on this device.

Recommended accessories

Abrasive sprayer

Order no. 9.872-250.0 / Price

Surface Cleaner FRI 50 Me

Order no. 2.643-577.0 / Price



KM 150/500 R D

Vacuum sweeper

- High working and transport speed
- Traction drive and sweeping system fully hydraulic
- Low-maintenance

Technical data Drive type Diesel Traction drive Four-stroke engine Motor manufacturer Yanmar Drive- performance (kW) 18.6 Max. area performance (m²/h) 18000 Working width (mm) 1200 Working width with 1 side brush (mm) 1500

Equipment

- Filter cleaning manual Main sweeper roller adjustable
- Power steering Suction volume regulation Dustpan principle
- Forwards traction drive Backwards traction drive Suction

Order no. 1.186-124.0

Price

Users must receive training on this device.

Recommended accessories

Comfort cabin with heating and air conditioning

Order no. 2.851-266.7 / Price

StVZO lighting

Order no. 2.851-280.7 / Price







SIMPLY A QUESTION OF TACT

Fine dust is dangerous to health. To ensure that you have the best protection against ne dust, we have made our Tact system even better. The result is a powerful Tact vacuum cleaner with highly efficient filter cleaning and a worldwide unique filter service life of 180 kg of fine dust (mineral dust category A) until the filter needs to be cleaned manually. This results in even longer periods of uninterrupted operation with constant suction power and better protection against fine dust. www.karcher.com



TOP IN EVERY CLASS

It has never been safer to show your true colours. Our fillters are colour-coded to indicate their application. Brown sig s wood and bre dust. Red indicates HEPA. Black denotes the toughest applications. Blue means they can be used anywhere. And green indicates dry dust and high cost-effectiveness. www.karcher.com

GOOD, CLEAN TRAVEL

Kärcher cleaning and care agents are especially developed for use with Kärcher cleaning machines. This is the only way to fully exploit the effective combination of machine and cleaning agent – especially for the cleaning of very dirty construction site vehicles, construction machines and other machines, as well as for façade cleaning.



or fin	Product description ish and façade	Application	Properties	Packaging size	PU	Order no./ quantity	Price
PressurePro Active Cleaner, neutral RM 55 Universal active cleaner for high-pressure cleaners for removal of grease, oil, dirt	PressurePro Active Cleaner, neutral RM 55	•	slightly alkaline pH: 10	2.5 l	4	6.295-579.0	
		manual		10	1	6.295-090.0	
	façades and delicate surfaces.	NTA-free		20	1	6.295-411.0	
產	PressurePro Intensive Deep Cleaner RM 750 Low-foaming intensive deep cleaner for removing the most stubborn dirt caused by oil, grease, soot, blood or protein. Suitable for mechanical floor cleaning as well as with surface cleaners.	High-pressure cleaner Scrubber-driers - deep cleaning Scrubber driers - Stripping manual Scrubber driers - mainte nance cleaning	alkaline pH: 13.7	101	1	6.295-539.0	



FloorPro Intensive Deep Cleaner Extra RM 752
Extra powerful deep cleaning agent for removal of stubborn dirt and coatings of alkali-resistant floors. Removes even the most stubborn oil, grease and mineral stains.

Deep cleaning (care film) Deep cleaning (dirt) Intermediate cleaning



alkaline pH: 13.2

10 l

6.295-813.0

Outside are	Product description	Application	Properties	Packaging size	PU	Order no./ quantity	Price
ouside and	PressurePro Facade Cleaner, gel RM 43 Powerful façade cleaner with gel formula. Removes soot, oil, grease and environmental stains. Suitable for façades clad with stone, brick, rough-cast plaster, plastic, wood and glass.	High-pressure cleaner Spray units	alkaline pH: 13.8	20	1	6.295-447.0	

achines /	Product description wash bay	Application	Properties	Packaging size	PU	Order no./ quantity	Price
agen.	PressurePro Alkaline Active Cleaner RM 81	High-pressure cleaner alka	alkaline	2.5 l	4	6.295-555.0	
1	Efficient, gentle high-pressure cleaning concentrate for heavy oil, grease and minera	Spray units I	pH: 12.3	10 l	1	6.295-556.0	
	soiling. Suitable for cleaning vehicles, tarpaulins and engines. NTA-free.	NTA-free OSC		20	1	6.295-557.0	
	PressurePro Oil and Grease Cleaner Extra RM		alkaline	2.5	4	6.295-584.0	
31 Highly concentrated high-pressure deep	Spray units	pH: 13	10 l	1	6.295-068.0		
	cleaning agent. Effectively removes stubbor dirt, e.g. oil, grease, tar, soot or smoke resin, at all temperatures.	NTA-free		20	1	6.295-069.0	
	PressurePro Active Cleaner, neutral RM 55	High-pressure cleaner	slightly alkaline	2.5	4	6.295-579.0	
100	Universal active cleaner for high-pressure cleaners for removal of grease, oil, dirt	Spray units manual		10 l	1	6.295-090.0	
	caused by emissions and insect residue on façades and delicate surfaces.	NTA-free OSC		20	1	6.295-411.0	



PressurePro Hot Wax RM 41
Paintwork preservation and care product with high natural carnauba wax content. Produces a high-lustre finish.


High-pressure cleaner

slightly acidic pH: 4.5

10 l	1	6.295-153.0
20	1	6.295-154.0

NTA-free

21 www.karcher.com



YOU MANAGE YOUR SUCCESS. WE GIVE YOU THE SUPPORT

Almost everything can be so much easier when talents are combined. Because it is more successful to pursue objectives together, complement each other and learn from each other. You could call it the principle of progress. We call it Kärcher Services. A promise of partnership. By professionals for professionals.



Kärcher Services:

The complete service package from the global leader. And the perfect continua tion of the progressive Kärcher system with innovative tools, customised service offers and high-performance software solutions.



Kärcher Lease - Leasing

Customised. Flexible. Safe. We give you the flexibility you need: with leasing and financing models for every requirement.



Kärcher Service - Customer Service

Service means trust. At all times. Services you actually need. Fast response for maximum availability. Maximum value retention and compliance with all statutory requirements.



Kärcher Used - Used machines

When used or second-hand is what you need. Starting up? Or simply want to save costs? We have the right used machine for you. Used, generally reconditioned, good and affordable. Offers are constantly changing. Ask us.



Kärcher Rent - Renting

Just the machine you need. Rent instead of buying. And get more: expertise and Kärcher Full Service in one package.



Kärcher Maintain – Service packages

Every service package is tailored precisely to a defined requirement. The range of services includes inspections as part of prescribed safety tests, timely maintenance and flat-rate full service.





Please contact us for more information:

Ahmedabad

Unit No. A-509, Shilp Corporate Park, Rajpath Rangoli Road, Thaltei. Ahmedabad-380015

Gurugram

E-147, Sushant Arcade, Sushant Lok B Block, Gurugram, Haryana-122002

Jamshedpur

MyBranch Karcher Cleaning Systems Pvt Ltd. Office JSP-01, Fairdeal Complex, 1st Floor, Main Road, Bistupur, Jamshedpur-831001. **Jharkhand**

Noida

A42/4 Sector 62 Noida-201309 U.P.

Bengaluru

No.504, 4th Block, 1st Stage 100ft Outer Ring Road (Service Road) HBR Layout Bangalore-560043, Karnataka

Hvderabad

Ground Floor, West Block Plot No.9/17/A&B, Road No.6, IDA, Nacharam, Medchal-Malkajgiri District-500076, Hyderabad, Telangana.

Kochi

Awfis Space Solutions, Mezhukkattil Matrix, Chittoor Road, Shenoys, Mullassery Canal Junction, Ernakulam Kochi 682011

Pune

Office No-304, 3rd Floor, Koncord tower, Bund Garden, Sangamwadi, Pune 411001.

Chennai

No.54 Alappakkam Main Road, Maduravoyal Chennai-600095

Indore

Ground Floor of K Avenue, 340 F-AD, Sector A, Sch. No. 74-C, Vijay Nagar, Indore (M.P.) -452010

Kolkata

Karcher Cleaning Systems Pvt Ltd 4th Floor, Shree Manjari Building, 8/1A, Sir William Jones Sarani Kolkata-700071

Punjab

SHOP No. 48, Ground Floor Block D&E, Chandigarh Citi Centre (CCC) at VIP Road, Zirakpur, Distt. Mohali 140603, (Pb.)

Coimbatore

Karcher Cleaning Systems Private Limited. N:7/5, Shiva Shree Tower, Siva nagar, Uppilipalayam, Post, Coimbatore-641 015-TamilNadu

Jaipur

Regus Business Centre Karcher Cleaning Systems Pvt Ltd. Office No-620, 6th Floor, Tonk Road & B2 Bypass Junction, Sector B-4, Near Airport, Jaipur-302020, Rajsthan

Mumbai

A206, Punit Industrial Premises Co-op. Soc. Ltd Turbhe Railway Station, Turbhe Naka Bus Stop, Navi Mumbai- 400 705

Vadodara

Karcher Cleaning Systems Private Limited. C-5, 3rd Floor, Alembic 1965, Alembic City, Gorwa-Alembic Road, Vadodara-390003, Gujarat



Facebook



Instagram



Linkedin



Twitter



Youtube