

THE NEW GENERATION OF THE IVR-L 65 RANGE

More power, less noise, greater sustainability.

Increasing production demands require powerful and reliable solutions.

Tackle any challenge with the new IVR-L 65 range! The industrial vacuums of the IVR-L 65 range deliver more performance for the efficient vacuuming of large volumes, including abrasive media. Thanks to their new ergonomic design, the machines are very user-friendly and enable fatigue-free work. The innovative drive head made out of recycled material ensures impressive suction power and low-noise operation.









EFFICIENT SOLUTION FOR LIQUIDS AND SOLID MATERIALS

All models of the IVR-L 65 range at a glance.









IVR-L 65/12-1 9.990-900.0

IVR-L 65/12-1 Tc 9.990-901.0

IVR-L 65/24-2 Tc 9.990-902.0

IVR-L 65/24-2 with accessories 9.990-904.0

IVR-L 65/12-1

The IVR-L 65/12-1 is the entry-level industrial vacuum in the IVR-L 65 range. It is perfect for vacuuming liquids and/or swarf in the metalworking industry.

- Rotatable hose connection for 360° working radius
- Reliable overfill protection
- 4 accessory holders
- 1 hose hanger

Technical data	
Part number	9.990-900.0
Container capacity	65 I
Rated input power	1.2 kW
Connection nominal diameter	DN 50
Power supply	1 Ph / 220-240 V / 50-60 Hz
Air flow	72 l/s
Vacuum	235 mbar / 23.5 kPa



IVR-L 65/12-1 TC

The IVR-L 65/12-1 Tc industrial vacuum is a compact entry-level machine with tilting chassis for vacuuming liquids and/or swarf such as in the metal processing industry. The tilting chassis enables simple, ergonomic and back-friendly emptying.

- Ergonomic tilting chassis
- Rotatable hose connection for 360° working radius
- Reliable overfill protection
- 4 accessory holders
- 1 hose hanger

Technical data	
Part number	9.990-901.0
Container capacity	65 I
Rated input power	1.2 kW
Connection nominal diameter	DN 50
Power supply	1 Ph / 220-240 V / 50-60 Hz
Air flow	72 l/s
Vacuum	235 mbar / 23.5 kPa



IVR-L 65/24-2 TC

The robust IVR-L 65/24-2 Tc liquid and swarf vacuum for operation with alternating current. Suitable for vacuuming medium quantities of oil and metal shavings, among other materials.

- Powerful 2.3 kW AC drive with 2 switches that can be operated separately
- Ergonomic tilting chassis
- Rotatable hose connection for 360° working radius
- Reliable overfill protection
- 4 accessory holders
- 1 hose hanger

Technical data	
Part number	9.990-902.0
Container capacity	65 I
Rated input power	2.3 kW
Connection nominal diameter	DN 50
Power supply	1 Ph / 220-240 V / 50-60 Hz
Air flow	144 l/s
Vacuum	235 mbar / 23.5 kPa



IVR-L 65/24-2 WITH ACCESSORIES

The compact IVR-L 65/24-2 industrial vacuum with accessories is suitable for vacuuming and separating liquids and solids such as swarf thanks to its filter basket.

- 4 accessories included: filter basket, PU hose, handle, standard nozzle
- Powerful 2.3 kW AC drive with 2 switches that can be operated separately
- Rotatable hose connection for 360° working radius
- Reliable overfill protection
- 4 accessory holders
- 1 hose hanger

Technical data	
Part number	9.990-904.0
Container capacity	65 l
Rated input power	2.3 kW
Connection nominal diameter	DN 50
Power supply	1 Ph / 220-240 V / 50-60 Hz
Air flow	144 l/s
Vacuum	235 mbar / 23.5 kPa



THE PERFECT ACCESSORY FOR YOUR IVR-L 65

Increase efficiency and range of applications with the right accessory.



Hose

PU hose DN 50 3 m 9.989-619.0

Handle

Handle DN 50 9.977-678.0

Nozzles

Standard nozzle, silicone DN 50 9.988-402.0 **Accessory kits**

Floor cleaning set liquids Advanced DN 50 9.990-896.0 Accessory kit liquids/solid materials DN 50 Expert 9.990-879.0 Accessory kit oil/swarf DN 50 Expert 9.990-881.0



KÄRCHER

makes a difference

Please contact us for more information:

G					

Kärcher Industrial Vacuuming GmbH Robert-Bosch-Straße 4-8 73550 Waldstetten

Phone +49 7171 94888-0

USA

Kärcher North America 6398 N. Karcher Way Aurora, CO 80019

Phone +1 800 444-7654 Fax +1 866 271-0520

Canada

Kärcher Canada Inc. 275 Pendant Drive Mississauga, Ontario L5T 2W9

Phone +1 905 364-5006 Fax +1 905 672-3155

United Kingdom

Kärcher (UK) Ltd Kärcher House Brookhill Way, Banbury Oxon OX16 3ED

Phone +44 1295 752-000

Fax +44 1295 752-103

Ireland

Kärcher Ltd (Ireland) Unit 3, Redcow Retail Centre Robinhood Road Ballymount, Dublin 22 D22 PY03

Phone +353 1 409-7777 Fax +353 1 409-7775

South East Asia

Kärcher Southeast Asia Ltd 1005 Srinakarin Road Suang Luang, Bangkok 10250 Thailand

Phone +66 2021 2838 Fax +66 2120 7575 info.thailand@karcher.com

Kärcher Limited Unit 01, 22/F, Westley Square 48 Hoi Yuen Road Kwun Tong, Kowloon

Phone +852 2 357-5863 Fax +852 2 357-5632

Australia

Hong Kong

Kärcher Pty Ltd 385 Ferntree Gully Road Mount Waverley Victoria, AU 3149

Phone 1800 675-714 (Free Call)

New Zealand

Kärcher Ltd 66 Allens Road East Tamaki Auckland 2013

Phone +64 9 274-4603 Fax +64 9 274-6932

North Africa

Kärcher SARL Immeuble Yasmine Tower Bloc A 6ème étage Bureau A 6.6 Centre Urbain Nord 1082 Tunis Tunisia

Phone +216 36339020 info@tn.karcher.com

East Africa

Kärcher Limited Muthangari Drive P.O. Box 40111-00100 Nairobi Kenya

Phone +254 700085927 info@ke.kaercher.com

South Africa

Kärcher (Pty) Ltd P.O. Box 1509 2 North Rand Road Hughes Ext 72 Boksburg 1459 Johannesburg

Phone +27 11 657-7300 Fax +27 11 657-7440

Middle East

Kärcher FZE **Quality Cleaning Systems** Jebel Ali Free Zone Plot No. S-10104 South Zone RA 08. XB 1. Jebel Ali Dubai

Phone +971 4 886-1177 Fax +971 4 886-1575

customercare@ae.karcher.com

Qatar

Kärcher LLC Office No 133, Regus Building D Ring Road PO Box 35176

Phone +974 4 423-1319

customercare@ae.karcher.com

Caribbean

Kärcher S.R.L. Calle 5ta, esq. Calle 18, Nave 1 Villa Aura Santo Domingo Oeste Dominican Republic

Phone +1 809 379-3700 Fax +1 809 379-3777

info@do.karcher.com

You can find more information about our industrial vacuums at