

# Safety Data Sheet

# **SECTION 1: Identification**

### 1.1. Identification

Product form : Mixture Product code 8881LAN

#### 1.2. Recommended use and restrictions on use

No additional information available

### 1.3. Supplier

KARCHER NORTH AMERICA 6398 N Karcher Way Aurora, 80239 **United States** T 303-738-2400 info@karcher.com

### 1.4. Emergency telephone number

**Emergency number** : 800-535-5053

For Chemical Emergency Call INFOTRAC 24hr/day 7days/week

Within USA and Canada: 800-535-5053 Outside USA and Canada: 1-352-323-3500

(collect calls accepted)

# SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Acute toxicity (oral), Category 4 H302 Harmful if swallowed.

Skin corrosion/irritation, Category 1 H314 Causes severe skin burns and eye damage.

Serious eye damage/eye irritation, Category 1 H318 Causes serious eye damage.

Specific target organ toxicity — Repeated exposure, Category 2 H373 May cause damage to organs through prolonged or repeated

exposure.

# Full text of H-statements: see section 16

#### 2.2. GHS Label elements, including precautionary statements

### **GHS US labelling**

Hazard pictograms (GHS US)







Signal word (GHS US) : Danger

Hazard statements (GHS US) : H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary statements (GHS US) : P260 - Do not breathe dusts or mists.

> P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves, protective clothing, eye protection, face protection, and hearing

protection.

# Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell.

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a poison center or doctor.

P314 - Get medical advice or attention if you feel unwell.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P330 - Rinse mouth.

P363 - Take off immediately all contaminated clothing and wash it before reuse.

P405 - Store locked up.

P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

# 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

# SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%
SODIUM XYLENE SULFONATE	CAS-No.: 1300-72-7	20 – 30
UNDECETH-7	CAS-No.: 34398-01-1	10 – 20
1-HYDROXYETHYLIDENE-1,1-DISPHOSPHONIC ACID	CAS-No.: 2809-21-4	7.9 – 8.444
UNDECETH-3	CAS-No.: 34398-01-1	1 – 5

Full text of hazard classes and H-statements : see section 16

### **SECTION 4: First-aid measures**

# 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician

immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

# 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : None under normal conditions.

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

8/12/2025 (Issue date) US - en 2/11

# Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Symptoms/effects after ingestion : Harmful if swallowed. Burns.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

# **SECTION 5: Fire-fighting measures**

# 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb

spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with

skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent

migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

8/12/2025 (Issue date) US - en 3/11

# Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

# SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Ensure good ventilation of the work station. Do not breathe dust/fume/gas/mist/vapours/spray.

Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Store locked up.

Packaging materials : Store always product in container of same material as original container.

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

#### **CLEAN WONDER PART B**

No additional information available

#### UNDECETH-7 34398-01-1

No additional information available

### UNDECETH-3 34398-01-1

No additional information available

#### **SODIUM XYLENE SULFONATE 1300-72-7**

No additional information available

# 1-HYDROXYETHYLIDENE-1,1-DISPHOSPHONIC ACID 2809-21-4

No additional information available

# 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

### Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

8/12/2025 (Issue date) US - en 4/11

# Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### Personal protective equipment symbol(s):







### SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid.
Colour : Purple
Odour : Odourless
Odour threshold : No data available

pH : 1.44

: Not applicable Melting point Freezing point : No data available Boiling point : No data available Flash point No data available Relative evaporation rate (butylacetate=1) No data available Flammability Not applicable. Vapour pressure No data available Relative vapour density at 20°C No data available Relative density No data available Density 1.129963 g/cm<sup>3</sup> Solubility No data available Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosive limits** : No data available Explosive properties : No data available Oxidising properties No data available

### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions

# 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

# Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

# 10.5. Incompatible materials

No additional information available

# 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

NOAEL (chronic, oral, animal/male, 2 years)

11.1. Information on toxicological effects	11.1. Information on toxicological effects	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	<ul><li>: Harmful if swallowed.</li><li>: No data available</li><li>: No data available</li></ul>	
CLEAN WONDER PART B		
ATE US (oral)	1940.019 mg/kg bodyweight	
UNDECETH-7 (34398-01-1)		
ATE US (oral)	500 mg/kg bodyweight	
UNDECETH-3 (34398-01-1)	UNDECETH-3 (34398-01-1)	
ATE US (oral)	500 mg/kg bodyweight	
SODIUM XYLENE SULFONATE (1300-72-7)		
LD50 oral rat	> 7000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Read-across, Oral, 14 day(s))	
LD50 dermal rabbit	> 2000 mg/kg bodyweight (Equivalent or similar to OECD 402, Rabbit, Read-across, Dermal, 14 day(s))	
1-HYDROXYETHYLIDENE-1,1-DISPHOSPHO	ONIC ACID (2809-21-4)	
LD50 oral rat	3130 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:, 95% CL: 2660 - 3665	
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:	
ATE US (oral)	3130 mg/kg bodyweight	
Skin corrosion/irritation	: Causes severe skin burns.	
Serious eye damage/irritation	pH: 1.44 : Causes serious eye damage. pH: 1.44	
Respiratory or skin sensitisation	: No data available	
Germ cell mutagenicity	: No data available	
Carcinogenicity	: No data available	
1-HYDROXYETHYLIDENE-1,1-DISPHOSPHO	ONIC ACID (2809-21-4)	

,	≥ 493 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
Reproductive toxicity : I	No data available

(Combined Chronic Toxicity / Carcinogenicity Studies)

≥ 384 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 453

8/12/2025 (Issue date) US - en 6/11

# Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

STOT-single exposure : No data available

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

1-HYDROXYETHYLIDENE-1,1-DISPHOSPHONIC ACID (2809-21-4)	
LOAEL (oral, rat, 90 days)	169 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:
NOAEL (oral, rat, 90 days)	41 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : No data available Viscosity, kinematic : No data available

Symptoms/effects after inhalation : None under normal conditions.

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes. Symptoms/effects after ingestion : Harmful if swallowed. Burns.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

NOEC (chronic)

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

SODIUM XYLENE SULFONATE1300-72-7	
LC50 - Fish [1]	> 1000 mg/l (EPA OTS 797.1400, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value)
EC50 - Crustacea [1]	> 1000 mg/l (EPA OTS 797.1300, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
1-HYDROXYETHYLIDENE-1,1-DISPHOSPHONIC ACID2809-21-4	
LC50 - Fish [1]	195 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	527 mg/l Test organisms (species): Daphnia magna

1770 mg/l Test organisms (species): Palaemonetes pugio

6.75 mg/l Test organisms (species): Daphnia magna Duration: '28 d'

# 12.2. Persistence and degradability

EC50 - Other aquatic organisms [1]

SODIUM XYLENE SULFONATE1300-72-7	
Persistence and degradability	Readily biodegradable in water.

# 12.3. Bioaccumulative potential

SODIUM XYLENE SULFONATE1300-72-7	
Partition coefficient n-octanol/water (Log Pow)	-3.12 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C)
Bioaccumulative potential	Not bioaccumulative.

# 12.4. Mobility in soil

SODIUM XYLENE SULFONATE1300-72-7	
Surface tension	71 mN/m (20 °C, 90 %, EU Method A.5: Surface tension)
Ecology - soil	No (test)data on mobility of the substance available.

8/12/2025 (Issue date) US - en 7/11

# Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

#### 12.5. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations. Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

Additional information : Do not re-use empty containers.

# **SECTION 14: Transport information**

# 14.1. UN number

 UN-No. (DOT)
 : UN3264

 UN-No. (TDG)
 : UN3264

 UN-No. (IMDG)
 : 3264

 UN-No. (IATA)
 : 3264

# 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Corrosive liquid, acidic, inorganic, n.o.s.

Proper Shipping Name (TDG) : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. Proper Shipping Name (IMDG) : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Proper Shipping Name (IATA) : Corrosive liquid, acidic, inorganic, n.o.s.

# 14.3. Transport hazard class(es)

#### DOT

Transport hazard class(es) (DOT) : 8
Hazard labels (DOT) : 8



# TDG

Transport hazard class(es) (TDG) : 8
Hazard labels (TDG) : 8



#### **IMDG**

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



# Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

#### IATA

Transport hazard class(es) (IATA) : 8 Danger labels (IATA) : 8



### 14.4. Packing group

Packing group (DOT) : 1 Packing group (TDG) : 1 Packing group (IMDG) . 1 Packing group (IATA) : 1

#### 14.5. Environmental hazards

Other information : No supplementary information available.

# 14.6. Special precautions for user

UN-No. (DOT) : UN3264

DOT Special Provisions (49 CFR 172.102) : B10 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks, and

DOT 57 portable tanks are not authorized.

T14 - 6 6 mm Prohibited 178.275(g)(3).

TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59

F) and 50 C (122 F), respectively.

TP27 - A portable tank having a minimum test pressure of 4 bar (400 kPa) may be used provided the calculated test pressure is 4 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Non Bulk (49 CFR 173.xxx) : 201 DOT Packaging Bulk (49 CFR 173.xxx) : 243 DOT Quantity Limitations Passenger aircraft/rail (49 : 0.5 L

CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

: 2.5 L

**DOT Vessel Stowage Location** : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

> passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters",53 - Stow "separated from" alkaline compounds,58 - Stow

"separated from" cyanides

**TDG** 

UN-No. (TDG) : UN3264

8/12/2025 (Issue date) US - en 9/11

# Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

**TDG Special Provisions** 

: 16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the danger or dangers posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3).

(2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name:

(a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S;

(b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S;

(c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S;

(d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or

(e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S.

(3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment:

(a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS.

ERAP Index : 3000
Explosive Limit and Limited Quantity Index : 0
Excepted quantities (TDG) : E0
Passenger Carrying Road Vehicle or Passenger : 0.5 L

Carrying Railway Vehicle Index

Emergency Response Guide (ERG) Number : 154

#### **IMDG**

Special provisions (IMDG): 274Limited quantities (IMDG): 0Excepted quantities (IMDG): E0Packing instructions (IMDG): P001Tank instructions (IMDG): T14Tank special provisions (IMDG): TP2, TP27

EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage) : S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES

Stowage category (IMDG) : B

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

#### **IATA**

PCA Excepted quantities (IATA) : E0 PCA Limited quantities (IATA) : Forbidden PCA limited quantity max net quantity (IATA) : Forbidden : 850 PCA packing instructions (IATA) : 0.5L PCA max net quantity (IATA) : 854 CAO packing instructions (IATA) CAO max net quantity (IATA) : 2.5L Special provisions (IATA) : A3, A803 ERG code (IATA) : 8L

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

8/12/2025 (Issue date) US - en 10/11

# Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

# **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

### 15.2. International regulations

#### **CANADA**

### UNDECETH-734398-01-1

Listed on the Canadian DSL (Domestic Substances List)

#### UNDECETH-334398-01-1

Listed on the Canadian DSL (Domestic Substances List)

#### **SODIUM XYLENE SULFONATE1300-72-7**

Listed on the Canadian DSL (Domestic Substances List)

### 1-HYDROXYETHYLIDENE-1,1-DISPHOSPHONIC ACID2809-21-4

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

### **National regulations**

### **SODIUM XYLENE SULFONATE1300-72-7**

Listed on INSQ (Mexican National Inventory of Chemical Substances)

# 1-HYDROXYETHYLIDENE-1,1-DISPHOSPHONIC ACID2809-21-4

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### 15.3. US State regulations

No additional information available

# **SECTION 16: Other information**

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Full text of hazard classes and H-statements	
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H373	May cause damage to organs through prolonged or repeated exposure

Safety Data Sheet (SDS), USA 2

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.