

# KÄRCHER

makes a difference

## KÄRCHER IN INDIA FOR OVER 20 YEARS



### KÄRCHER PROFESSIONAL RANGE 2019

Experience how Kärcher makes a difference.

## Kärcher, the worldwide market leader

All over the world, the name Kärcher stands for power, quality, innovation and cleaning expertise that has been setting the highest of standards for 80 years. As the inventor of high pressure cleaning, Kärcher is today a world market leader and one of the driving forces behind new technological developments. Kärcher employs more than 13,000 people and has more than 100 subsidiaries all over the world. More than 900 engineers and technicians at 5 engineering centers are working on further improvements and new products, using the most advanced technologies in design, development and testing in their quest for even better performance, long service life and better environmental protection. They are guided by the principle that the customer is the measure of all things.

# 80 YEARS



reddot design award



Focus Energy



### Innovative from the very beginning

In 1950 Kärcher developed the first hot water high pressure cleaner for professional cleaning.

### Degree of innovation

More than 2000 patents have been registered from 1935 till today. 95% of our products are less than 5 years old.

### Excellent performance

Every year Kärcher receives awards, commendations and certificates for design, ergonomics, performance and environmental protection.

### All over the world

Kärcher is active in over 190 countries.

### Worldwide customer service

More than 40,000 sales outlets all over the world provide a support network that is second to none and enable our customers to find fast and comprehensive help with all their questions about cleaning and our products.

### Clean Environment

Kärcher engineers work on environmental protection daily with new products, technologies and investments in production facilities.



## Cold Water High Pressure Cleaners



# KÄRCHER



S. No.	Machine Model	Supply Voltage (Phase)	Water Flow (l/hr)	Max. Pressure (bar)	Operating Pressure (bar/Mpa)	Power Rating (kW)	Weight (kg)	Dimension (l x w x h) (mm)
1	HD 5/11 Cage Classic	1	500	160	110/11	2.2	22	475x330x332
2	HD 6/15 - 4 Classic	1	450-600	190	70-150/7-15	3.4	52	700x455x1010
3	HD 9/20 - 4 Classic	3	520-900	240	70-200/7-20	6.9	56	700x455x1010
4	HD 7/16 - 4 Cage Classic	3	400-700	220	160/16	4.3	55	780x360x500
5	HD 5/12 C	1	500	150	120/12	2.3	22	360x375x925
6	HD 6/15 M	1	560	200	150/15	3.1	30	400x456x960
7	HD 8/18 - 4 M	3	760	230	30-180 / 3-18	4.6	41	400x456x960
8	HD 10/25 - 4 S	3	500-1000	275	30-250/3-25	9.2	62	560x500x1090
9	HD 10/15 - 4 Cage Food *	3	440-990	175	20-145 / 2-14.5	6.4	68	650x521x1100
10	HD 10/16-4 Cage Ex *	3	1000	220	160 / 16	5.5	111	980x720x1100
11	HD 13/35 - 4 Cage	3	500-1300	400	100-350 / 10-35	15	190	930x800x920
12	HD 9/50 - 4 Cage	3	500-900	640	150-500 / 15-50	15	190	930x800x920
13	HD 18/50-4 Cage Classic	3	1800	620	500 / 50	30	321	747x1317x1093
14	HD 9/100-4 Cage Classic	3	980	1080	1000 / 100	30	360.5	1385x790x1090
15	HD 9/23 De *	Yanmar-Diesel	400-930	270	40-230 / 4-23	7.4	108	870x725x1170

## Hot Water High Pressure Cleaners



S. No.	Machine Model	Supply Voltage (Phase)	Water Flow (l/hr)	Operating Pressure (Bar)	Power Rating (kW)	Maximum Temperature (°C)	Fuel Tank (l)	Detergent Tank (l)	Weight (kg)	Dimension (l x w x h) (mm)
1	HDS 5/15 U	1	450	150	2.7	80	6.5	-	74	620x620x990
3	HDS 8/18-4 C	3	300-800	30-180	6	80/155	15	15.5	112	1060x650x920
4	HDS E 8/16-4M 24kW	3	300 - 760	30 - 160	28.5	45/85	Electrical	20 + 10	112	1330x750x1060
5	HDS 10/20 - 4M Eco	3	500 - 1000	30 - 200	7.8	80/155	25	20 + 10	171	1330x750x1060
6	HDS 2000 Super	3	800-1850	30-180	2 x 6.7	80 / 98	25	25	280	1500x834x1015

## Related Accessories



FR 30  
Splash Guard



FRV 30  
Splash Guard with Suction



iSolar 800  
Solar Panel Cleaning



Dirt Blaster



Drain Cleaning Hose

\* Longer Delivery Time

Products shown in the photographs may vary from the actual



IVC 60/24 - 2 Ap



IVM 60/30



IVS 100/40



IVS 100/75 M



IVR-L 40/12-1



IVR-L 100/24-2 Tc Me

S. No.	Machine Model	Phase (Ph)	Voltage/Frequency (V/hz)	Air Flow Rate (l/s)	Vacuum (mbar/kPa)	Container Capacity (l)	Power Rating in Operation (kW)	Filter Area (m <sup>2</sup> )	Hose Dia (mm)	Weight (kg)	Dimension (l x w x h) (mm)
1	IVC 60/24 - 2 Ap *	1	230/50	2 x 74	254/25.4	60	2.4	0.95	ID 42/52/72	60	970x690x995
2	IVC 60/24 - 2 Tact <sup>2</sup> *	1	230/50	2 x 74	254/25.4	60	2.4	0.95	ID 42/52	60	970x690x995
3	IVM 60/30 *	3	400 / 50	68	286 / 28.6	60	3	2.2	ID 72/52/42	96	970x690x1630
4	IVS 100/40 *	3	400 / 50	139	150 / 15	100	4.2	2.2	ID 72/52	142	1202x686x1465
5	IVS 100/55 M *	3	400/50	139	250/25	100	5.5	2.2	ID 72/52	155	1215x674x1509
6	IVS 100/75 M *	3	400/50	149	360/36	100	7.5	2.2	ID 72/52	188	1215x674x1509

S. No.	Liquid and Swarf Vacuums	Voltage/Frequency (V/hz)	Air Flow Rate (l/s)	Vacuum (mbar/kPa)	Sound Pressure Level dB(A)	Container Capacity (l)	Intake Performance (kW)	Hose Dia (mm)	Weight (kg)	Dimension (l x w x h) (mm)
1	IVR-L 40/12-1 *	220-240 / 50-60	59	230 / 23	71	40	1.2	ID 42	36	711x523x960
2	IVR-L 65/12-1 Tc *	220-240 / 50-60	59	230 / 23	71	65	1.2	ID 42	43	742x500x1100
3	IVR-L 100/24-2 Tc Me *	220-240 / 50-60	148	235 / 23	68	100	2.4	ID 52/42	55	740x620x1180

Me : Stainless Steel  
 Ap : Manual Pressed Filter Cleaning  
 TC : Tilting Container  
 TACT/TACT<sup>2</sup> : Automatic Filter Cleaning

**Cleaning Devices For Industrial Cleaning**



PC 100 M2 BIO



PC 60/130 T



IB 7/40

S. No.	Parts Cleaner	Pressure (bar/Mpa)	Flow Rate (l/h)	Working Area (mm)	Load Capacity (kg)	Tank Capacity (l)	Weight (kg)	Connection Load (kW)	Dimension (l x w x h) (mm)
1	PC 100 M2 BIO *	0.3/0.03	900	1041x660	100	80	44	1	952x1181x1067
2	PC 60/130 T *	1.5/0.15	4500	-	130	100	165	5.5	1080x1000x1250

S. No.	Dry Ice Blasting	Air Pressure (bar/Mpa)	Air Quality	Air Flow (m <sup>3</sup> /min)	Sound Pressure Level (dB(A))	Dry Ice Capacity (kg)	Dry Ice Consumption (kg/h)	Weight (kg)	Pallets (Dia-mm)	Dimension (l x w x h) (mm)
1	IB 7/40 Classic *	2-10/0.2-1	Dry & Oil Free	0.5-3.5	99	15	15-50	69	3	768x510x1100

**Work Protection**



Safety Goggles



Protective Gloves



Wet Work Protection Suit



Safety helmet with hearing protection & visor

**Related Accessories**



Floor Nozzle



Longopac Disposal System



Pipe Cleaning Nozzle



Triangular Nozzle



Industrial Kit

**\* Longer Delivery Time**

Products shown in the photographs may vary from the actual

## Dry Vacuum Cleaners



# KÄRCHER



T 15/1



BV 5/1 BP



T 9/1 BP



CV 38/2



CV 66/2



CV 60/2 RS

S. No.	Machine Model	Air Flow Rate (l/s)	Vacuum (mbar)	Sound Level (dB(A))	Container Capacity (l)	Max. Power Rating		Weight (kg)	Hose Dia (mm)	Dimension (l x w x h) (mm)
						(W)	Brush (W)			
1	T 10/1	61	244	63	10	1250	-	6	32	355x310x385
2	T 12/1	61	244	61	12	1300	-	6.6	32	340x315x410
3	T 12/1 eco! efficiency	43	230	56	12	750	-	6.6	32	340x315x410
4	T 14/1	61	230	70	14	1380	-	14	35	497x467x416
5	T 15/1	61	244	59	15	1300	-	8	32	406x320x434
6	BV 5/1 Ep	53	240	62	5	800	-	6.5	35	400x320x540
7	BV 5/1 Bp	46	207	57	5	730	-	8.7	32	400x320x636
8	T 9/1 Bp	46	207	62	9	730	-	7.2	32	419x325x381
9	CV 38/2	48	250	67	5.5	1200	150	9.5	35	351x391x1215
10	CV 66/2 *	52	143	73	35	1650	400	72	-	1270x770x1120
11	CV 60/2 RS *	34	117	68	17	1224	373	123	-	1120x640x1290

## Wet & Dry Vacuum Cleaners



NT 22/1 Ap L



NT 27/1



NT 40/1 Ap L



NT 65/2 Ap



NT 75/2 Ap Me TC

S. No.	Machine Model	Air Flow Rate (l/s)	Vacuum (mbar)	Sound Level (dB(A))	Container Capacity (l)	Power Rating (W)	Weight (kg)	Hose Dia (mm)	Dimension (l x w x h) (mm)
1	NT 20/1 Classic	59	227	78	20	1500	7.4	35	375x360x520
2	NT 30/1 Classic	59	227	78	30	1500	8	35	375x360x645
3	NT 50/2 Classic	2 x 53	225	76	50	2300	17.5	40	580x510x850
4	NT 70/2 Classic	2 x 53	225	76	70	2300	18.5	40	580x510x850
5	NT 90/2 Classic	2 x 53	225	76	90	2300	19	40	580x510x995
6	NT 38/1 Classic HEPA	75	268	76	38	1600	8.5	35	375x360x735
7	NT 22/1 Ap L	71	255	72	22	1350	6.1	35	380x370x480
8	NT 27/1	67	200	72	27	1380	7.5	35	420x420x525
9	NT 40/1 Ap L	74	254	70	40	1380	12.4	35	525x370x630
10	NT 65/2 Ap	2 x 74	254	73	65	2760	20	40	600x480x920
11	NT 65/2 TACT <sup>2</sup>	2 x 74	254	73	65	2760	26.5	40	575x490x880
12	NT 75/2 Ap Me TC	2 x 74	254	73	75	2760	26.5	40	575x490x880

Me : Stainless Steel  
 Ap : Manual Pressed Filter Cleaning  
 TC : Tilting Container  
 TACT/TACT<sup>2</sup> : Automatic Filter Cleaning

## Related Accessories



Vacuum Tool Kit



Roller Brush



Fleece Filter



Hepa Filter



Filter Bag

\* Longer Delivery Time

Products shown in the photographs may vary from the actual



**Puzzi 8/1 C**



**Puzzi 10/1 \*Eu**



**Puzzi 30/4**



**BRC 45/45 C Ep**

S. No.	Machine Model	Air Flow Rate (l/s)	Vacuum (mbar)	Spray Rate (l/min)	Spray Pressure (bar)	Fresh / Dirty Water (l)	Vacuum (W) / Brush (W)	Area Performance (m <sup>2</sup> /h)	Working Width (Brush) (mm)	Weight (kg)	Dimension (l x w x h) (mm)
1	Puzzi 8/1 C	61	236	1	2.5	8 / 7	-	12 - 18	-	9.8	530x330x440
2	Puzzi 10/1 *Eu	54	220	1	1	10 / 9	-	20 - 25	-	10.7	710x330x440
3	Puzzi 10/2 Adv *Eu	54	220	2	2	10 / 9	-	30 - 45	-	11.5	710x330x440
4	Puzzi 30/4 *	74	254	3	4	30 / 15	1200 / -	-	-	26	580x460x930
5	BRC 45/45 C Ep	45	300	0.7 (ic)/3.2 (dc)	3.5 (ic) / 7 (dc)	45 / 38	1100 / Yes	350 (dc)/1000 (ic)	410	48	770x545x1250

ic: Interim Cleaning / iCapsol  
dc: Deep Cleaning / Spray Extraction

**Air Blowers**



**AB 30 Classic**



**AB 45 Classic**

**Steam Cleaners**



**SG 4/4**



**SGV 8/5**

S. No.	Machine Model	Air Flow Rate (Levels 1/2/3) (m <sup>3</sup> /min)	Fan Speed (rpm)	Cable Length (m)	Power Rating (W)	Weight (kg)	Dimension (l x w x h) (mm)
1	AB 30 Classic	29.3	1350 Max.	6.1	520	8.54	405x400x415
2	AB 45 Classic	44.6	1350 Max.	6.1	700	11.87	405x475x475

S. No.	Machine Model	Voltage (V)	Heating Output (W)	Tank Capacity (l)	Steam Pressure (bar)	Weight (kg)	Dimension (l x w x h) (mm)
1	SG 4/4	230	2300	2 / 2.4	4	8	475x320x275
2	SGV 6/5	220	3000	5	6	45	640x495x965
3	SGV 8/5	220	3000	5	8	45	640x495x965

**Related Accessories**



Hand Tool



Bio Descaler



Trolley



Window Nozzel

**\* Longer Delivery Time**

Products shown in the photographs may vary from the actual



KM 70/15 C



KM 85/50 R Bp



KM 100/100 R P



KM 120/250 R D Classic



KM 150/500 Classic

S. No.	Machine Model	Drive / Drive Power	Max. Area Performance (m <sup>2</sup> /h) with 1/2 Side Brushes	Working Width without/with 1/2 Side Brushes (mm)	Waste Container (l)	Working Speed (km/hr)	Filter Area (m <sup>2</sup> )	Weight (kg)	Dimension (l x w x h) (mm)
1	KM 70/15 C	Manual	2800	480/700/960	42	Push	-	25	1300x810x1040
2	KM 70/20 C	Manual	2800	480/700/960	42	Push	Dust Filter	23	1300x850x1050
3	KM 35/5 C	Battery	1480	350	5	Push	-	5.6	400x400x190
4	KM 75/40 W P	Honda/3.3 kW	3375	550/750/-	40	4.5	1.8	84	1430x780x1180
5	KM 75/40 W Bp	24V / 400W	3375	550/750/-	40	4.5	1.8	78/124	1430x780x1180
6	KM 85/50 R Bp	DC Motor/1000W	5100/6300	615 / 850/1050	50	6	2.1	178	1270x870x1170
7	KM 100/100 R P *	Honda/6.7kW	10400	700/1000/1300	100	8	6	340	2006x1005x1343
8	KM 100/100 Bp *	24V / 750W	7800	700/1000/1300	100	6	6	320/540	2006x1005x1343
9	KM 120/250 R D Classic *	Yanmar/15.8 kW	10800/13000	900/1200/1450	250	9	6	840	2082x1250x1450
10	KM 120/250 R Bp Classic *	DC Motor/5 kW	7200/8700	900/1200/1450	250	6	6	740	2082x1250x1450
11	KM 130/300 Classic *	Yanmar/19.3kW	13000	1000/1300	300	10	5.5	850	2040x1330x1430
12	KM 150/500 Classic *	Yanmar/21.6kW	21000	1200/1500	500	14	8	1440	2442x1570x1640
13	IC 15/240 W *	Honda/4kW	-	-	240	6	3.6	220	1840x940x1600

**Air Purifiers**



AF 100



AFG 100

**Battery-Powered Window Vacs**



WVP 10 Adv



WVP 10

S. No.	Machine Model	Sound Pressure Level (dB(A))	Suitable Room Size (m <sup>2</sup> )	Current Type (Ph/V/Hz)	Rated Input Power (W)	Weight (kg)	Dimension (l x w x h) (mm)
1	AF 100	48	100	1/220-240/50-60	80	11.3	380 x 380 x 713
2	AFG 100	max. 53	100	1/110-240/50-60	max. 60	13	320 x 320 x 1120

S. No.	Machine Model	Waste Water Tank (ml)	Battery Charging Time (min)	Voltage (V)	No. of Batteries Included in Delivery	Fast Charger Included	Width of Suction Nozzle (mm)	Weight (kg)	Dimension (l x w x h) (mm)
1	WVP 10 Adv	200	60	100-240	2	Yes	280	0.7	125x280x325
2	WVP 10	200	180	100-240	1	No	280	0.7	125x280x325

**Related Accessories**



Litter Picker



Flat Filter



Light



Canopy

**\* Longer Delivery Time**

Products shown in the photographs may vary from the actual





**Mop Vac**



B 60/10

S. No.	Machine Model	Fresh / Dirty Water Tank (l)	Max. Area Performance (m <sup>2</sup> /h)	Weight (kg)	Dimension (l x w x h) (mm)
1	B 60/10	10	1500	21	1356 x 635 x 1311

**Escalator Cleaner**



BR 45/10 Esc



BR 47/35 Esc

S. No.	Machine Model	Working Width (mm)	Working Width Vacuum (mm)	Fresh/Dirty Water Tank (l)	Rotation Speed (rpm)	Brush Motor Rating (W)	Suction Motor (W)	Water Throughput (l/h)	Pressure (bar)	Weight (kg)	Dimension (l x w x h) (mm)
1	BR 45/10 Esc *	450	450	-	190 / 290	190	1500	-	-	44	800x460x220
2	BR 47/35 Esc *	470	470	35	870 / 1090	1100	800	60	4 - 7	90	1200x670x1100

**Single Disc Machines**



BD 17/5 C



BDS 43/150 C Classic \*IN



BDS 43/Duo C I Adv



BDP 50/1500 C

S. No.	Machine Model	Working Width (mm)	Power Rating (W)	Brush Contact Pressure (g/cm <sup>2</sup> )	Pad Rotation Speed (rpm)	Power Supply (V/hz)	Working Width Vacuum (mm)	Max. Area Performance (m <sup>2</sup> /h)	Weight (kg)	Dimension (l x w x h) (mm)
1	BD 17/5 C	170 / 200	230	-	0 - 470	50	-	-	5	360x180x330
3	BDS 43/150 C Classic *IN	430	1500	30	150	220-240 / 50	-	-	43	590x430x1180
4	BDS 43/Duo C I Adv	430	1560	42	150-300	220-240/50	-	-	47	630x430x1200
5	BDP 50/1500 C	508	1100	4	1500	230 / 50	560	900	34.5	760x560x1250

**Related Accessories**



Pump Spray Bottle



Suction Ring



Diamond Pad



Universal Pad Holder

**\* Longer Delivery Time**

Products shown in the photographs may vary from the actual

## Scrubber Driers



# KÄRCHER



BR 30/4 C



BR 45/22



BD 43/40 Classic EP



BD 50/60 Classic EP



BD 50/50 Classic

S. No.	Machine Model	Working Width Brush (mm)	Working Width Vacuum (mm)	Motor Rating/Traction Motor (W)	Fresh/Dirty Water Tank (l)	Brush Contact Pressure/Rotation Speed (g/cm <sup>2</sup> / rpm)	Max. Area Performance (m <sup>2</sup> /h)	Power Supply (V/hz)	Battery Capacity (V/Ah)	Weight (kg)	Dimension (l x w x h) (mm)
1	BR 30/4 C	300	300	820	4 / 4	100/1450	200	230/50	-	11.5	390x335x1180
2	BR 40/10 C	400	400	1900	10 / 10	100-200/1100	400	230/50	-	30	520x470x380
3	BR 45/22 C	450	550	550	22 / 22	150	1800	-	42/-	48	920x550x1115
4	BD 43/40 Classic EP	430	740	800	40 / 40	-/235	1720	230/50	-	56	1137x505x1028
5	BD 50/60 Classic EP	500	510	1200	60 / 60	-/155	2000	230/50	-	55/117	1185x540x1000
6	BD 50/50 Classic BP	500	510	1100	50 / 50	-/155	2000	-	24/-	55/117	1185x540x1000

## Stand-On & Ride-On Scrubber Driers



BD 50/40 RS Bp



BD 50/70 Bp Classic



B 90 R Bp



B 150 R Bp



B 250 R Bp



B 300 RI

S. No.	Machine Model	Working Width Brush (mm)	Working Width Vacuum (mm)	Motor Rating (W)	Fresh/Dirty Water Tank (l)	Max. Area Performance (m <sup>2</sup> /h)	Battery Capacity (V/Ah)	Weight (kg) (With Battery)	Sweeping Container (l)	Dimension (l x w x h) (mm)
1	BD 50/40 RS Bp	*	508	157	40 / 40	2200	36 / 76	200	-	1130x680x1543
2	BD 50/70 R Bp Classic (Disc)	*	510	300	70 / 75	2300	24 / 105	194	-	1310x590x1060
3	B 90 R Bp (Disc)	*	550/700 ^	600	90 / 90	3300/4500	24/180	269	-	1450x800x1200
4	B 150 R Bp (Disc)	*	450/750 ^	600	150 / 150	4500/5400	36/180	520	-	1690x910x1390
5	B 200 R Bp (Disc)	*	750/900 ^	600	200/200	4500/5400	36/180	565	9	1860x910x1410
6	B 250 R Bp (Disc)	*	1000/1200 ^	6900	250 / 250	8000/9600	36 / 630	1270	24	1900x1260x1550
7	B 300 RI (Roller)	*	1045	25000	300 / 300	16550	Diesel	1750	180	2400x1540x1760

\*Disc Brush Head available, Roller option also available

## Related Accessories



Brush Head



Curved Squeegee



Pad Roller Shaft



Roller Brush



Pad

\* Longer Delivery Time

Products shown in the photographs may vary from the actual



## RINGLER® Kärcher Group



**Liquid And Swarf Vacuums**



**High-performance  
Industrial Vacuums**



**Dust Removal Systems**

## WOMA® Kärcher Group



**High Pressure Plunger Pump**

Max. operating pressure of 4000 bar  
and max. flow rate of 5.3 l/min




**High Pressure Water  
Jetting Systems**



**Waterblast Tools and Accessories**

## ISAL Kärcher Group



**ISAL 6000 - The New Generation Sweeper**

# K'ARCHER

## Please contact us for more information:

**Toll Free No: 1800 1234 180 (9:30 AM - 5 PM, Mon - Fri)**

**E-Mail: [info@in.kaercher.com](mailto:info@in.kaercher.com) | [service@in.kaercher.com](mailto:service@in.kaercher.com)**

**[www.kaercher.com/in](http://www.kaercher.com/in)**

### Branch Offices:

#### Ahmedabad

36-37 FF, Orchid Mall,  
Nr. Govardhan Party Plot,  
Thaltej,  
Ahmedabad-380 059,  
Gujarat

#### Bengaluru

No. 504, IV Block, 1st Stage,  
100 Feet Outer Ring Road,  
H.B.R. Layout, Nr. Hennur  
Cross,  
Bangalore-560 043,  
Karnataka

#### Chennai

No. 54,  
Alappakkam Main Road,  
Maduravoyal,  
Chennai-600 095,  
Tamil Nadu

#### Cochin

46/561,  
Kottankavu Junction,  
Vennala (PO),  
Ernakulam-682 028,  
Kerala

#### Indore

R 96, Mahalaxmi Nagar,  
Indore-452 010,  
Madhya Pradesh

#### Jaipur

5th floor, Sunny Trade Centre,  
New Atish Market,  
Gopal Pura Bypass,  
Mansarovar, Jaipur - 302020,  
Rajasthan

#### Jamshedpur

#139, New Baradwari,  
Sakchi,  
Jamshedpur - 831001,  
East Singhbhum

#### Kolkata

Unit No. 409,  
PS IXL, Atghorha,  
New Town Rajarhat,  
Kolkata - 700136,  
West Bengal

#### Mumbai

A 206 & B 009,  
Punit Industrial Estate,  
TTC Industrial Area,  
Thane - Belapur Road,  
Turbhe,  
Navi Mumbai-400 705  
Maharashtra

#### Noida

D-120, Sector 63,  
Noida-201 307,  
Uttar Pradesh

#### Panchkula

Plot No. 375,  
Industrial Area, Phase-2,  
Near BEL Factory,  
Panchkula-134 113,  
Haryana

#### Secunderabad

Flat No. 001, Ground Floor,  
Rehana Manzil,  
Plot No. 12/13,  
Sanjeevaiah Nagar,  
House Building Society,  
Sikh Village,  
Secunderabad-500 009,  
Telangana

#### Vadodara

Office Number 418 & 419,  
Orchid Plaza,  
Behind McDonald's ,  
Sama Savli Road,  
Vadodara-390024,  
Gujarat

### Head Office:

D-120, Sector 63,  
Noida-201 307,  
Uttar Pradesh  
Ph: +91 120 7111800  
Fax: +91 (120) 7111900

### Dealer Stamp Here: